

DAFTAR PUSTAKA

- Abuhena, Jubair A., Faisal A., Niuz M. K., Golam K., Nirmal C. B., Noorain M. R., Shahina A., & Amdadul H. 2022. Optimization of industrial (3000 L) production of *Bacillus subtilis* CW-S and its novel application for minituber and industrial-grade potato cultivation. *Scientific Reports*, 12(11153): 1-19. <https://doi.org/10.1038/s41598-022-15366-5>
- Afifah, Z. 2017. Uji antagonis mikroba endofit *Trichoderma* sp dan *Bacillus cereus* terhadap patogen *Colletotrichum capsici* penyebab penyakit antraknosa pada cabai rawit (*Capsicum frutescens*). Skripsi. Fakultas Pertanian. Universitas Islam Negeri Maulana Malik Ibrahim. Malang. <http://etheses.uin-malang.ac.id/10716/> diakses 27 Juli 2025.
- Agustin, A. T., Safitri, A., & Fatchiyah, F. 2021. Java red rice (*Oryza sativa* L.) nutritional value and anthocyanin profiles and its potential role as antioxidant and anti-diabetic. *Indonesian Journal of Chemistry*, 21(4): 968-978. <https://doi.org/10.22146/ijc.64509>
- Agustini, F., Bagus, I., Darmayasa, G., & Arpiwi, N. L. 2022. Potensi Ekstrak Bawang Putih (*Allium sativum* L.) dalam menghambat pertumbuhan jamur *Colletotrichum acutatum* penyebab penyakit busuk pada buah cabai merah (*Capsicum annum* L) pasca panen. *Simbiosis*, 10 (2): 211-222. <https://doi.org/10.24843/JSIMBIOSIS.2022.v10.i02.p08>
- Ainy, E. Q., Ratnayani, R., & Susilawati, L. 2015. Uji aktivitas antagonis *Trichoderma harzianum* 11035 terhadap *Colletotrichum capsici* TCKR2 dan *Colletotrichum acutatum* TCK1 penyebab antraknosa pada tanaman cabai. In *Seminar Nasional XII Pendidikan Biologi FKIP UNS*. 12(1): 892-897. <https://jurnal.uns.ac.id/prosbi/article/view/7122> diakses 26 Juli 2025.
- Arroyo, F.T., De los Santos, B., Romero, F., Moreno, J., Daza, P. and Torreblanca, J. 2009. Characterization of infection and colonization of strawberry crowns by *Colletotrichum Acutatum*. *Acta Hort.* 842(36): 231-234. <https://doi.org/10.17660/ActaHortic.2009.842.36>
- Asad, S. A. 2022. Mechanisms of action and biocontrol potential of *Trichoderma* against fungal plant diseases-A review. *Ecological Complexity* 49(100978): 1-13. <https://doi.org/10.1016/j.ecocom.2021.100978>

- Asyifa, A. N. & Abadi, A. L. 2025. Uji efektivitas bahan aktif Fluxapyroxad 50%+ Pyraclostrobin 50% dengan penambahan agensia hayati *Bacillus subtilis* terhadap penyakit antraknosa (*Colletotrichum gloeosporioides*) pada tanaman cabai rawit (*Capsicum frutescens* L.) *Jurnal HPT (Hama Penyakit Tumbuhan)*. 13(1): 32-46. <https://doi.org/10.21776/ub.jurnalhpt.2025.013.1.3>.
- Badan Pusat Statistik. 2023. Produksi tanaman sayuran cabai besar, cabai rawit, cabai keriting menurut kabupaten/kota dan jenis tanaman di Provinsi Jawa Timur (kuintal), 2021 dan 2022. <https://jatim.bps.go.id/id/statistics-table/1/MjUzNiMx/produksi-tanaman-sayuran-cabai-besar--cabai-rawit--cabai-keriting-menurut-kabupaten-kota-dan-jenis-tanaman-di-provinsi-jawa-timur---2021-dan-2022.html> diakses pada 27 Juni 2025.
- Borin, G. P., & Oliveira, J. V. D. C. 2022. Assessing the intracellular primary metabolic profile of *Trichoderma reesei* and *Aspergillus niger* grown on different carbon sources. *Frontiers in Fungal Biology*. 3(998361): 1-12. <https://doi.org/10.3389/ffunb.2022.998361>.
- Brugman, E., Purbajanti, E. D., & Fuskah, E. 2017. Pengendalian penyakit hawar (lateblight) pada kentang (*Solanum tuberosum* L.) melalui penerapan solarisasi tanah dan aplikasi agen hayati *Trichoderma harzianum*. *Journal of Agro Complex*. 1(2): 31-38. <https://doi.org/10.14710/joac.1.2.31-38>.
- Dapawole, M. A. 2024. Potensi air cucian beragam beras terhadap pertumbuhan jamur *Trichoderma harzianum* T10 untuk mengendalikan penyakit rebah semai mentimun. *Skripsi*. Fakultas Pertanian. Universitas Jenderal Soedirman, Purwokerto.
- Darnetty, D., Hermaleni, U., & Yunisman, Y. 2022. Potensi khamir epifit indigenus untuk mengendalikan *Colletotrichum capsici*, penyebab penyakit antraknosa pada buah cabai merah. *Jurnal Proteksi Tanaman (Journal of Plant Protection)*. 6(2): 55-65. [10.25077/jpt.6.2.55-64.2022](https://doi.org/10.25077/jpt.6.2.55-64.2022).
- Dukare, A., & Paul, S. 2021. Biological control of *Fusarium* wilt and growth promotion in pigeon pea (*Cajanus cajan*) by antagonistic rhizobacteria, displaying multiple modes of pathogen inhibition. *Rhizosphere*, 17(100278): 1-13. <https://doi.org/10.1016/j.rhisph.2020.100278>.
- Dutta, P., Mahanta M., Singh, S. B., Thakuria, D, Deb, L., Kumari, A., Upamanya G. K., Boruah, S., Dey, U., Mishra, A. K., Vanlaltani, L., VijayReddy, D., Heisnam, P., Pandey, A. K. 2023 Molecular interaction between plants and *Trichoderma* species against soil-borne plant pathogens. *Front Plant Sci*. 14(1145715): 1-15. <https://doi.org/10.3389/fpls.2023.1145715>.

- Elfina, Y., Ali, M., & Saputra, R. 2016. Penggunaan bahan organik dan kombinasinya dalam formulasi biofungisida berbahan aktif jamur *Trichoderma pseudokoningii* Rifai. untuk menghambat jamur *Ganoderma boninense* Pat. secara *in vitro*. *Jurnal Natur Indonesia*, 16(2): 79-90. <https://doi.org/10.31258/jnat.16.2.79-90>.
- Fadiji, A.E., & O.O. Babalola. 2020. Elucidating mechanisms of endophytes used in plant protection and other bioactivities with multi-functional prospects. *Front. Bioeng. Biotechnol.* 8(467): 1-20. <https://doi.org/10.3389/fbioe.2020.00467>.
- Fatmawati A. 2025 Isolasi dan karakterisasi *Bacillus* sp. endofit asal perakaran putri malu dataran rendah sebagai antagonis penyakit antraknosa buah cabai rawit. *Skripsi*, Fakultas Pertanian. Universitas Jenderal Soedirman, Purwokerto.
- Filaila, N. F., Suryanti, S., & Widiastuti, A. 2021. Zero-energy cool chamber in anthracnose disease management of postharvest *Capsicum frutescens*. *Jurnal Fitopatologi Indonesia*, 17(3):83-91. <https://doi.org/10.14692/jfi.17.3.83-91>.
- Ghazanfar, M. U., Raza, M., Raza, W., & Qamar, M. I. 2018. *Trichoderma* as potential biocontrol agensiat, its exploitation in agriculture: a review. *Plant Protection*. 2(3): 109-135. <https://journals.esciencepress.net/index.php/PP/article/view/3142> diakses 26 Juli 2025.
- Handayani. 2019. Kajian konsentrasi tepung beras sebagai formula cair *Trichoderma harzianum* pengendali penyakit busuk pangkal batang (*Sclerotium rolfsii* Sacc.) bibit mentimun. *Skripsi*. Fakultas Pertanian. Universitas Jenderal Soedirman, Purwokerto.
- Hernawan, E., & Meylani, V. 2016. Analisis karakteristik fisikokimia beras putih, beras merah, dan beras hitam (*Oryza sativa* L., *Oryza nivara* dan *Oryza sativa* L. *indica*). *Jurnal Kesehatan Bakti Tunas Husada: Jurnal Ilmu-Ilmu Keperawatan, Analis Kesehatan Dan Farmasi*. 15(1): 79-91. <https://doi.org/10.36465/jkbth.v15i1.154>.
- Hewavitharana, N., Kannangara, S. D. P., & Senanayake, S. P. 2018. Isolation, identification and mass production of five *Trichoderma* spp. on solid and liquid carrier media for commercialization. *International Journal of Applied Sciences and Biotechnology*, 6(4): 285-293. <https://doi.org/10.3126/ijasbt.v6i4.22128>.

- Hodiyah, I., Suryaman, M., Hartini, E., Juhaeni, A. H., Laksana, B. Y., Aisyah, A., & Benatar, G. V. 2024. Diversity of morphology, pathogenicity, and host range of *Colletotrichum* spp. associated with chili anthracnose in East Priangan, Indonesia. *Biodiversitas Journal of Biological Diversity*. 25(2): 533-541. <https://doi.org/10.13057/biodiv/d250212>.
- Joo, J. H., & Hussein, K. A. 2022. Biological control and plant growth promotion properties of volatile organic compound-producing antagonistic *Trichoderma* spp. *Frontiers in Plant Science*. 13(897668): 1-15. <https://doi.org/10.3389/fpls.2022.897668>.
- Khan, R. A. A., Najeeb, S., Hussain, S., Xie, B., & Li, Y. 2020. Bioactive secondary metabolites from *Trichoderma* spp. against phytopathogenic fungi. *Microorganisms*. 8(817): 1-15. <https://doi.org/10.3390/microorganisms8060817>.
- Kobori N.,N, Mascarin, G.M., Jackson., M.A. & Schisler, D., A. 2015. Liquid culture production of microsclerotia and submerged conidia by *Trichoderma harzianum* active against damping-off disease caused by *Rhizoctonia solani*. *Fungal Biol*. 119(4): 179-190. <https://doi.org/10.1016/j.funbio.2014.12.005>.
- Kommula, S. Effect of various factors (temperature, pH and light intensity) on growth of *Colletotrichum capsici* isolated from infected chill. *International Journal of Pure & Applied Bioscience*. 5(6):535-543. [10.18782/2320-7051.3071](https://doi.org/10.18782/2320-7051.3071)
- Kumar, V., Verma, D. K., Pandey, A. K., & Srivastava, S. 2019. *Trichoderma* spp.: Identification and characterization for pathogenic control and its potential application. P. 36-37 In Verma, D., K., (1st ed), *Microbiology for Sustainable Agriculture, Soil Health, and Environmental Protection*. Apple Academic Press. London. [10.1201/9781351247061-5](https://doi.org/10.1201/9781351247061-5).
- Lazazzara, V., Vicelli, B., Bueschl, C., Parich, A., Pertot, I., Schuhmacher, R., & Perazzolli, M. 2021. *Trichoderma* spp. volatile organic compounds protect grapevine plants by activating defense-related processes against downy mildew. *Physiologia Plantarum* 172(4): 1950-1965. <https://doi.org/10.1111/ppl.13406>.
- Liu, Y., Tan, X., Zhao, J., Niu, Y., Hsiang, T., Yu, Z., & Qin, W. 2024. Diversity of *Colletotrichum* species associated with anthracnose on *Euonymus japonicus* and their sensitivity to fungicides. *Frontiers in Plant Science* 15(1411625): 1-14. <https://doi.org/10.3389/fpls.2024.1411625>.

- Li, X., Liao, Q., Zeng, S., Wang, Y., & Liu, J. 2025. The use of *Trichoderma* species for the biocontrol of postharvest fungal decay in fruits and vegetables: Challenges and opportunities. *Postharvest Biology and Technology*, 219(113236):1-14. <https://doi.org/10.1016/j.postharvbio.2024.113236>.
- Mariana., Liestiany, E., Cholis, F. R., Hasbil, N. S. 2021 Penyakit antraknosa cabai oleh *Colletotrichum* sp. di lahan rawa Kalimantan Selatan. *JIPi*. 23(1): 30-36. <https://doi.org/10.31186/jipi.23.1.30-36>.
- Maimanah, M., Kusuma, R. R., & Aini, L. Q. 2021. Virulency of *Bacillus subtilis* and *Trichoderma harzianum* against sprout disease *Pythium* spp. in Cucumber Plants. *Journal of Tropical Plant Protection*. 2(2): 33-40. <https://doi.org/10.21776/ub.jtpp.2021.002.2.1>.
- Mangiri, J., Mayulu, N., & Kawengian, S. E. 2016. Gambaran kandungan zat gizi pada beras hitam (*Oryza sativa* L.) kultivar Pare Ambo Sulawesi Selatan. *eBiomedik* 4(1): 1-9. [10.35790/ebm.4.1.2016.11050](https://doi.org/10.35790/ebm.4.1.2016.11050).
- Martinez, Y., Ribera, J., Schwarze, F. W., & De France, K. 2023. Biotechnological development of *Trichoderma*-based formulations for biological control. *Applied Microbiology and Biotechnology*, 107(18): 5595-5612. <https://doi.org/10.1007/s00253-023-12687-x>.
- Molebila, D. Y., Padafani, B. D. B., & Achmad, Z. N. 2023. Dampak keberadaan penyakit pada proses penyimpanan terhadap pendapatan pedagang cabai merah besar di Kabupaten Alor. *Partner*, 28(2): 266-279. [http://dx.doi.org/10.35726/jp.v28i2.7169](https://dx.doi.org/10.35726/jp.v28i2.7169).
- Morkunas, I., & Ratajczak, L. 2014. The role of sugar signaling in plant defense responses against fungal pathogens. *Acta Physiologiae Plantarum*, 36(7): 1607-1619. <https://doi.org/10.1007/s11738-014-1559-z>.
- Mukhopadhyay, R., Kumar, D. 2020. *Trichoderma*: a beneficial antifungal agent and insights into its mechanism of biocontrol potential. *Egypt J Biol Pest Control*. 30(133): 1-11. <https://doi.org/10.1186/s41938-020-00333-x>.
- MoranDiez, M. E., Tranque, E., Bettiol, W., Monte, E., & Hermosa, R. 2020. Differential response of tomato plants to the application of three *Trichoderma* species when evaluating the control of *Pseudomonas syringae* populations. *Plants*, 9(626): 1-18. <https://doi.org/10.3390/plants9050626>

- Mugiastuti, E., Hidayat, F., Sastyawan, M. W. R., Leana, N. W. A., & Soesanto, L. 2025. Application of biocontrol products Bio P60 and Bio T10 as single or in combination in suppressing chili fruit anthracnose in the field. *Jurnal Hama dan Penyakit Tumbuhan Tropika*. 25(2): 230-240. <https://doi.org/10.23960/jhptt.225230-240>.
- Mulatu, A., Alemu, T., Megersa, N., & Vetukuri, R. R. 2021. Optimization of culture conditions and production of bio-fungicides from *Trichoderma* species under solid-state fermentation using mathematical modeling. *Microorganisms*, 9(1675): 1-16. <https://doi.org/10.3390/microorganisms9081675>.
- Naeimi, S., Khosravi, V., Varga, A., Vágvolgyi, C., & Kredics, L. 2020. Screening of organic substrates for solid-state fermentation, viability and bioefficacy of *Trichoderma harzianum* AS12-2, a biocontrol strain against rice sheath blight disease. *Agronomy*, 10(1258): 1-15. <https://doi.org/10.3390/agronomy10091258>.
- Nancha, N., Hendarto, Z., Bowchaury, S., & Wonglom, P. 2025. Efficacy of various *Trichoderma* spp. in controlling anthracnose disease in white chaiburi pepper (*Capsicum frutescens*). *Natural Resources and Agricultural Sciences Journal*. 1(1): 1-7. <https://li02.tci-thaijo.org/index.php/NRJ/article/view/1139> diakses 26 Juni 2025.
- Novianti, D. 2018. Perbanyak jamur *Trichoderma* sp. pada beberapa media. *Sainmatika: Jurnal Ilmiah Matematika dan Ilmu Pengetahuan Alam*. 15(1): 35-41. <https://doi.org/10.31851/sainmatika.v15i1.1763>.
- Nurani, S., & Yuwono, S. 2014. Pemanfaatan tepung kimpul (*Xanthosoma sagittifolium*) sebagai bahan baku cookies (kajian proporsi tepung dan penambahan margarin) *Jurnal Pangan dan Agroindustri*. 2(2): 50-58. <https://jpa.ub.ac.id/index.php/jpa/article/view/37>.
- Panchalingam, H., Powell, D., Adra, C., Foster, K., Tomlin, R., Quigley, B. L., & Kurtböke, D. İ. 2022. Assessing the various antagonistic mechanisms of *Trichoderma* strains against the brown root rot pathogen *Pyrrhoderma noxium* infecting heritage fig trees. *Journal of Fungi*, 8(10): 1-25. <https://doi.org/10.3390/jof8101105>.
- Pangerang, F. 2021. Kandungan gizi dan aktivitas antioksidan beras merah dan beras hitam padi ladang lokal dari Kabupaten Bulungan, Provinsi Kalimantan Utara. *Journal of Tropical AgriFood*, 3(2): 93-100. <https://dx.doi.org/10.35941/jtaf.3.2.2021.8475.93-100>.

- Palupi, H., Yulianah, I., & Respatijarti, R. 2015. Uji ketahanan 14 galur cabai besar (*Capsicum annuum* L.) terhadap penyakit antraknosa (*Colletotrichum* Spp) dan layu bakteri (*Ralstonia Solanacearum*). *Jurnal Produksi Tanaman*, 3(8): 640-648. <https://doi.org/10.21176/protan.v3i8.245>.
- Ponnappan, S., Thangavel, A., & Sahu, O. 2017. Anthocyanin, lutein, polyphenol contents and antioxidant activity of black, red and white pigmented rice varieties. *Food Science and Nutrition Studies*, 1(1): 43-49. <https://doi.org/10.22158/fsns.v1n1p43>.
- Pudake. S., P., Ingle., RW., Potdukhe. & Isokar. S.S., 2024. Cultural and morphological characters of *Trichoderma harzianum* isolates and its antagonistic activity against soil borne plant pathogens *International Journal of Advanced Biochemistry Research*. 8(10): 978-981. <https://doi.org/10.33545/26174693.2024.v8.i10Sl.2615>.
- Purwantisari, S., Priyatmojo, A., Sancayaningsih, R. P., & Kasiamdari, R. S. 2016. Masa inkubasi gejala penyakit hawar daun tanaman kentang yang diinduksi ketahanannya oleh jamur antagonis *Trichoderma viride*. *Bioma: Berkala Ilmiah Biologi*. 18(2): 41-47. <https://doi.org/10.1470/bioma>.
- Putri, Y. M. D., & Hartini, H. 2024. Analisa pertumbuhan isolat cendawan *Trichoderma* sp. pada berbagai media tumbuh selektif. In *Prosiding Seminar Nasional Pembangunan dan Pendidikan Vokasi Pertanian*. 5(1): 728-735. <https://doi.org/10.47687/snppvp.v5i1.1152>.
- Purwanto & Oktaviyanto, R. 2015. Respon kualitas pascapanen cabai merah (*Capsicum annum* L.) terhadap suhu penyimpanan. *Skripsi*. Fakultas Pertanian, Institut Pertanian Bogor, Bogor. <https://repository.ipb.ac.id/handle/123456789/146050> diakses 26 Juli 2025.
- Rai, D., & Maurya, S. 2021. Assessment of local strain of *Trichoderma asperellum* against *Fusarium* spp. *J Plant Path Microbiology*, 12(543): 1-7. <https://doi.org/10.4172/2157-7471.1000494>.
- Rangkuti, E. E., Wiyono, S., & Widodo, W. 2017. Identifikasi *Colletotrichum* spp. asal tanaman pepaya. *Jurnal Fitopatologi Indonesia*. 13(5): 175-175. <https://doi.org/10.14692/jfi.13.5.175>.
- Rayaguru K, Khan Md K, and Sahoo NR. 2010 Water use optimization in Zero Energy Cool Chambers for short term storage of fruits and vegetables in coastal area. *J Food Sci Technol*, 47(4):437–441. <https://doi.org/10.1007/s13197-010-0072-7>.

- Salotti, I., Ji, T., & Rossi, V. 2022. Temperature requirements of *Colletotrichum* spp. belonging to different clades. *Frontiers in Plant Science*. 13(953760): 1-20. <https://doi.org/10.3389/fpls.2022.953760>.
- Saputri, R., Syauqi, A., & Santoso, H. 2019. Penambahan nutrisi *pottato dextrose agar* pada pembuatan starter mikroorganisme jamur dengan bahan baku tepung beras. *Jurnal Ilmiah Biosaintropis (Bioscience-Tropic)* 4(2): 40-45. <https://doi.org/10.33474/e-jbst.v4i2.207>.
- Sari, N., & Kasiamdari, R. S. 2021. Identifikasi dan uji patogenisitas *Colletotrichum* spp. dari cabai merah (*Capsicum annuum*): kasus di Kricaan, Magelang, Jawa Tengah. *Jurnal Ilmu Pertanian Indonesia* 26(2): 243-250. <https://doi.org/10.18343/jipi.26.2.243>.
- Sari, A. R., Martono, Y., & Rondonuwu, F. S. 2020. Identifikasi kualitas beras putih (*Oryza sativa* L.) berdasarkan kandungan amilosa dan amilopektin di pasar tradisional dan “Selepan” Kota Salatiga. *Titian Ilmu: Jurnal Ilmiah Multi Sciences*. 12(1): 24-30. <https://doi.org/10.30599/jti.v12i1.599>.
- Singh VK, Kumar A. 2023. Secondary metabolites from endophytic fungi: Production, methods of analysis, and diverse pharmaceutical potential. *Symbiosis* 90(2): 111–125. <https://doi.org/10.1007/s13199-023-00925-9>.
- Sinha, B., Rajendran, P., Devi, P.S. 2021. Mass production of *Trichoderma* from agricultural waste and its application for plant disease management. P. 1-15. In: Baskar, C., Ramakrishna, S., Baskar, S., Sharma, R., Chinnappan, A., Sehrawat, R. (eds), *Handbook of Solid Waste Management*. Springer, Singapore. https://doi.org/10.1007/978-981-15-7525-9_32-1
- Siregar, S., Nurhikmat, A., Amdani, R. Z., Hatmi, R. U., Kobarsih, M., Kusumaningrum, A., & Yuliyanto, P. 2024. Estimation of proximate composition in rice using ATR-FTIR spectroscopy and Chemometrics. *ACS Omega*. 9(30): 32760-32768. <https://doi.org/10.1021/acsomega.4c02816>.
- Soesanto, L., Dapawole, M. A., Sastyawan, M. W. R., Mugiastuti, E., Manan, A., & Istiqomah, D. 2024. Potential of various rice-washing water as a source of manufacturing secondary metabolites of *Trichoderma harzianum* T10 to control cucumber crown and root rot. *Agrotechnology Research Journal*. 8(2): 111-119. <https://doi.org/10.20961/agrotechresj.v8i2.92490>.
- Soesanto, L., Ilahiyyah, H., Mugiastuti, E., Manan, A., & Rostaman, R. 2020. Raw secondary metabolites of *Trichoderma harzianum* T10 in tapioca flour towards cucumber damping-off. *Biosaintifika: Journal of Biology & Biology Education*. 12(2): 226-234. <https://doi.org/10.15294/biosaintifika.v12i2.24567>.

- Soesanto, L., Kustam, K., & Mugiastuti, E. 2019. Application of Bio P60 and Bio T10 in Combination Against *Phytophthora* Wilt of Papaya. *Biosaintifika: Journal of Biology & Biology Education*. 11(3): 339-344. <https://doi.org/10.15294/biosaintifika.v11i3.20389>.
- Soesanto, L., Nuraini, I. V., Sastyawan, M. W. R., Mugiastuti, E., Leana, N. W. A., & Rahayuniati, R. F. 2024. Application of Bio P60 and Bio T10 alone or in combination to control *Fusarium* wilt of Hydroponic Melon. *Jurnal Hama dan Penyakit Tumbuhan Tropika*. 24(2): 199-211. <https://doi.org/10.23960/jhptt.224199-211>.
- Soesanto, L., Solikhah, A. N., Mugiastuti, E., & Suharti, W. S. 2020. Application of *Trichoderma harzianum* T10 liquid formula based on soybean flour against cucumber seedlings damping-off (*Pythium* sp.). *Akta Agrosia*. 23(1): 11-18. <https://doi.org/10.31186/aa.23.1.11-18>.
- Sucipto, I., Munif, A., Suryadi, Y., & Tondok, E. T. 2015. Eksplorasi cendawan endofit asal padi sawah sebagai agensias pengendali penyakit blas pada padi sawah. *Jurnal Fitopatologi Indonesia*. 11(6): 211-218. <https://doi.org/10.14692/jfi.11.6.211>.
- Sula, E., Aliko, V., Barceló, D., & Faggio, C. 2020. Combined effects of moderate hypoxia, pesticides and PCBs upon crucian carp fish, *Carassius carassius*, from a freshwater lake-in situ ecophysiological approach. *Aquatic Toxicology*. 228(105644): 1-10. <https://doi.org/10.1016/j.aquatox.2020.105644>.
- Sulistiyono, F. D., Soesanto, L., & Ratnaningtyas, N. I. 2021. Uji aktivitas protease empat isolat *Trichoderma* spp. yang berasal dari tanah perakaran. *Chimica et Natura Acta*. 9(3): 98-101. <https://doi.org/10.24198/cna.v9.n3.36774>.
- Sun, Y., Qian, Y., Zhang, J., Wang, Y., Li, X., Zhang, W., & Zhong, Y. 2021. Extracellular protease production regulated by nitrogen and carbon sources in *Trichoderma reesei*. *Journal of Basic Microbiology*. 61(2): 122-132. <https://doi.org/10.1002/jobm.202000566>.
- Susanti, D., & Rahmi, S. 2020. Pengaruh komposisi substrat dan lama fermentasi oleh *Trichoderma harzianum* terhadap aktivitas enzim selulase dari campuran tongkol jagung dan blonde. *Jurnal Teknologi Pengolahan Pertanian*. 2(1): 27-33. <https://doi.org/10.35308/jtpp.v2i1.2198>.
- Suriani. 2015. Analisis Proksimat pada Beras Ketan Varietas Putih (*Oryza sativa* glutinosa). *Al-Kimia*. 3(1): 81-91. <https://doi.org/10.24252/al-kimia.v3i1.1663>.

- Syabana, M. A., Saylendra, A., & Ramdhani, D. 2015. aktivitas anti cendawan ekstrak daun sereh wangi (*Cymbopogon Nardus* L.) terhadap *Colletotrichum* sp. penyebab penyakit antraknosa pada buah cabai (*Capsicum Annum* L.) Secara *In vitro* dan *In vivo*. *Agrologia* 4(1): 21-27. <https://doi.org/10.30598/a.v4i1.220>.
- Syabhana, A. 2023. Komparasi keadaan penyakit busuk buah (*Colletotrichum capsici*) pada tanaman cabai merah (*Capsicum annuum* L.) di daratan tinggi dan dataran rendah pada musim hujan. *Skripsi*. Universitas Medan Area. <https://repositori.uma.ac.id/jspui/bitstream/123456789/21809/1/188210122%20-%20Ali%20Syabhana%20Fulltext.pdf> diakses 22 Juli 2025.
- Rochayat, Y. & Munika, V., R., 2015. Respon kualitas dan ketahanan simpan cabai merah (*Capsicum annuum* L.) dengan penggunaan jenis bahan pengemas dan tingkat kematangan buah *Jurnal Kultivasi*. 14(1):65-71. <https://doi.org/10.24198/kultivasi.v14i1.12093>
- Thalmann, M., & Santelia, D., 2017. Starch as determinant of plant fitness under abiotic stress. *New Phytologist Foundation*, 214(3): 943-951. <https://doi.org/10.1111/nph.14491>.
- Trouvelot, S., Héloir, M. C., Poinssot, B., Gauthier, A., Paris, F., Guillier, C., & Adrian, M. 2014. Carbohydrates in plant immunity and plant protection: roles and potential application as foliar sprays. *Frontiers in Plant Science*, 5(592): 1-15. <https://doi.org/10.3389/fpls.2014.00592>.
- Villegas, R., González-Amaro, R. M., Figueroa-Hernández, C. Y., & Rodríguez-Buenfil, I. M. 2023. The genus capsicum: a review of bioactive properties of its polyphenolic and capsaicinoid composition. *Molecules*, 28(10): 4239-4280. <https://doi.org/10.3390/molecules28104239>.
- Vitale, S., Salzano, F., Staropoli, A., Marra, R., Turrà, D., Lorito, M., & Vinale, F. 2025. Nitrogen source orchestrates pH modulation and secondary metabolism in *Trichoderma harzianum*. *Chemical and Biological Technologies in Agriculture*, 12(19): 1-13. <https://doi.org/10.1186/s40538-025-00735-9>.
- Wagh. P., P., & Barhate. B., G. 2021. Survey and isolation of *Trichoderma* spp. from rhizosphere soils of Western Maharashtra. *Journal of Pharmacognosy & Phytochemistry*. 10(1): 699-702. <https://doi.org/10.22271/phyto.2021.v10.i1j.13405>.

- Wicaksono, D., & Kafiya, M. 2022. Penghambatan berbagai isolat *Trichoderma* sp. terhadap perkecambahan spora *Colletotrichum* sp. *Jurnal Agro Wiralodra*. 5(1): 20-27. <https://doi.org/10.31943/agrowiralodra.v5i1.74>.
- Zakaria, L. 2021. Diversity of *Colletotrichum* species associated with anthracnose disease in tropical fruit crops—A review. *Agriculture* 11(297): 1-15. <https://doi.org/10.3390/agriculture11040297>.

