

DAFTAR PUSTAKA

- Abdelghany, A. M., Zhang, S., Azam, M., Shaibu, A. S., Feng, Y., Qi, J., Li, Y., Tian, Y., Hong, H., Li, B., & Sun, J. (2020). Natural variation in fatty acid composition of diverse world soybean germplasms grown in China. *Agronomy*, 10(1), 1–18. <https://doi.org/10.3390/agronomy10010024>
- Ahmada, B., Rahmah, C. N., Larasati, L. A., Muchlis, L., Qonita, M., Khoiruluswati, N. M., Rohmah, S., Karunia Rahayu, T. D., & Nurjani, E. (2020). Climate-based crop pattern determination using Standard Precipitation Index (SPI) and the Oldeman classification in Sangiran Site. *IOP Conference Series: Earth and Environmental Science*, 451(1). <https://doi.org/10.1088/1755-1315/451/1/012019>
- Amarasinghe, R.A.N.D., R., & N.R.R.W.S., R. (2024). Effect of Water Sources on the Growth Performance and Chlorophyll Content of *Azolla pinnata* R.Br. *Proceedings of International Forestry and Environment Symposium*. <https://doi.org/10.31357/fesympo.v27.7170>
- Amoanimaa-Dede, H., Su, C., Yeboah, A., Zhou, H., Zheng, D., & Zhu, H. (2022). Growth regulators promote soybean productivity: a review. *PeerJ*, 10, e12556.
- Anyoni, O. G., Susan, T., Joseph, E., Barnabas, M., & Alfred, O. (2023). Effects of Intercropping on Maize and Soybean Yield Performance, Land Equivalent Ratio, and Maize Leaf Area in Conservation Agriculture. *Journal of Agricultural Science*, 16(1), 37. <https://doi.org/10.5539/jas.v16n1p37>
- Asadi, A., Purwantoro, A., & Yakub, S. (2012). Genetic Control of Soybean Resistance to Soybean Pod Sucker (*Riptortus Linearis* L.). *Agrivita Journal of Agricultural Science*, 34(1), 28–35.
- Asriani, Herdhiansyah, D., Embe, W., & Aksara, M. F. (2024). Forecasting Model of Corn Commodity Production in Indonesia: Production and Operation Management-Quantitative Method (POM-QM) Software. *Journal of Computer Science*, 20(4), 454–464. <https://doi.org/10.3844/jcssp.2024.454.464>
- Bagale, S. (2021). Nutrient Management for Soybean Crops. *International Journal of Agronomy*. <https://api.semanticscholar.org/CorpusID:239056935>
- Bao, X., Li, Z., & Yao, X. (2021). Changes in photosynthetic traits and their responses to increasing fertilization rates in soybean [*Glycine max* (L.) Merr.] during decades of genetic improvement. *Journal of the Science of Food and Agriculture*. <https://api.semanticscholar.org/CorpusID:231703525>
- Bashir, O., Ali, T., Baba, Z. A., Rather, G. H., Bangroo, S. A., Mukhtar, S. D., Naik, N., Mohiuddin, R., Bharati, V., & Bhat, R. A. (2021). *Soil Organic Matter and Its Impact on Soil Properties and Nutrient Status*. <https://api.semanticscholar.org/CorpusID:234250133>
- Bellaloui, N., Gillen, A. M., Mengistu, A., Kebede, H., Fisher, D. K., Smith, J. R., & Reddy, K. N. (2013). Responses of nitrogen metabolism and seed nutrition to drought stress in soybean genotypes differing in slow-wilting phenotype. *Frontiers in Plant Science*, 4, 498. <https://doi.org/10.3389/fpls.2013.00498>

- Bellaloui, N., Hu, Y., Mengistu, A., Kassem, M. A., & Abel, C. A. (2013). Effects of foliar boron application on seed composition, cell wall boron, and seed $\delta(15)\text{N}$ and $\delta(13)\text{C}$ isotopes in water-stressed soybean plants. *Frontiers in Plant Science*, 4, 270. <https://doi.org/10.3389/fpls.2013.00270>
- Bertolino, L. T., Caine, R. S., & Gray, J. E. (2019). Impact of Stomatal Density and Morphology on Water-Use Efficiency in a Changing World. *Frontiers in Plant Science*, Volume 10. <https://doi.org/10.3389/fpls.2019.00225>
- C Gupta, U., C Srivastava, P., & C Gupta, S. (2011). Role of micronutrients: Boron and molybdenum in crops and in human health and nutrition. *Current Nutrition & Food Science*, 7(2), 126–136.
- Cackett, L., Luginbuehl, L. H., Schreier, T. B., Lopez-Juez, E., & Hibberd, J. M. (2022). Chloroplast development in green plant tissues: the interplay between light, hormone, and transcriptional regulation. *The New Phytologist*, 233(5), 2000–2016. <https://doi.org/10.1111/nph.17839>
- Cai, Z., Xian, P., Cheng, Y., Yang, Y., Zhang, Y., He, Z., Xiong, C., Guo, Z., Chen, Z., Jiang, H., Ma, Q., Nian, H., & Ge, L. (2023). Natural variation of GmFATA1B regulates seed oil content and composition in soybean. *Journal of Integrative Plant Biology*, 65(10), 2368–2379. <https://doi.org/10.1111/jipb.13561>
- Cardoso, C. P., Bazzo, J. H. B., Marinho, J. de L., & Zucareli, C. (2021). Effect of seed vigor and sowing densities on the yield and physiological potential of wheat seeds. *Journal of Seed Science*, 43. <https://doi.org/10.1590/2317-1545v43241586>
- Carrera, C., Martínez, M. J., Dardanelli, J., & Balzarini, M. (2011). Environmental variation and correlation of seed components in nontransgenic soybeans: Protein, oil, unsaturated fatty acids, tocopherols, and isoflavones. *Crop Science*, 51(2), 800–809. <https://doi.org/10.2135/cropsci2010.06.0314>
- Cheng, B., Wang, L., Liu, R., Wang, W., Yu, R., Zhou, T., Ahmad, I., Raza, A., Jiang, S., Xu, M., Liu, C., Yu, L., Wang, W., Jing, S., Liu, W., & Yang, W. (2022). Shade-Tolerant Soybean Reduces Yield Loss by Regulating Its Canopy Structure and Stem Characteristics in the Maize–Soybean Strip Intercropping System. *Frontiers in Plant Science*, 13(March), 1–16. <https://doi.org/10.3389/fpls.2022.848893>
- Cheng, Z., Meng, L., Yin, T., Li, Y., Zhang, Y., & Li, S. (2023). Changes in Soil Rhizobia Diversity and Their Effects on the Symbiotic Efficiency of Soybean Intercropped with Maize. *Agronomy*, 13(4). <https://doi.org/10.3390/agronomy13040997>
- Cortleven, A., Marg, I., Yamburenko, M. V., Schlicke, H., Hill, K., Grimm, B., Schaller, G. E., & Schmölling, T. (2016). Cytokinin Regulates the Etioplast-Chloroplast Transition through the Two-Component Signaling System and Activation of Chloroplast-Related Genes. *Plant Physiology*, 172(1), 464–478. <https://doi.org/10.1104/pp.16.00640>
- Cortleven, A., & Schmölling, T. (2015). Regulation of chloroplast development and function by cytokinin. *Journal of Experimental Botany*, 66(16), 4999–5013.
- Cravotto, C., Claux, O., Bartier, M., Fabiano-Tixier, A.-S., & Tabasso, S. (2023). Leading Edge Technologies and Perspectives in Industrial Oilseed Extraction. *Molecules (Basel, Switzerland)*, 28(16). <https://doi.org/10.3390/molecules28165973>

- Deb, D., & Dutta, S. (2022). The robustness of land equivalent ratio as a measure of yield advantage of multi-crop systems over monocultures. *Experimental Results*, 3, e2. <https://doi.org/DOI: 10.1017/exp.2021.33>
- Dobránszky, J., & Mendler-Drienyovszki, N. (2014). Cytokinins affect the stomatal conductance and CO₂ exchange of in vitro apple leaves. *International Journal of Horticultural Science*, 20(1–2), 25–28. <https://doi.org/10.31421/ijhs/20/1-2/1112>
- Du, Y., Zhao, Q., Chen, L., Yao, X., Zhang, H., Wu, J., & Xie, F. (2020). Effect of Drought Stress during Soybean R2-R6 Growth Stages on Sucrose Metabolism in Leaf and Seed. *International Journal of Molecular Sciences*, 21(2). <https://doi.org/10.3390/ijms21020618>
- Duan, Z., Li, Q., Wang, H., He, X., & Zhang, M. (2023). Genetic regulatory networks of soybean seed size, oil and protein contents. *Frontiers in Plant Science*, 14(March), 1–11. <https://doi.org/10.3389/fpls.2023.1160418>
- Dușa, E. M., & Roman, G. V. (2013). RESEARCH ON INTERCROPPING EFFECT ON CROP PRODUCTIVITY AND YIELD QUALITY OF MAIZE (*Zea mays L.*)/SOYBEAN (*Glycine max (L.) MERRILL*), IN THE ORGANIC AGRICULTURE SYSTEM. <https://api.semanticscholar.org/CorpusID:111215140>
- El-metwally, I. M., Saady, H. S., & Abdelhamid, M. T. (2021). Efficacy of benzyladenine for compensating treduction in soybean productivity under low water supply. *Italian Journal of Agrometeorology*, 2021(2), 81–90. <https://doi.org/10.36253/ijam-872>
- Elnashar, W., & Elyamany, A. (2023). Reversing the Negative Effects of Poor Agricultural Drainage Using Risks Management. 1–27.
- Faadhilah, F., Lubis, I., & Ghulamahdi, M. (2024). Pengaruh pemupukan P dan populasi jagung dengan tumpang sari kedelai pada budidaya jenuh air di lahan pasang surut. *Journal of Agrosociology and Sustainability*, 1(2), 111–123. <https://doi.org/10.61511/jassu.v1i2.2024.309>
- Faralli, M., Matthews, J., & Lawson, T. (2019). Exploiting natural variation and genetic manipulation of stomatal conductance for crop improvement. *Current Opinion in Plant Biology*, 49, 1–7. <https://doi.org/https://doi.org/10.1016/j.pbi.2019.01.003>
- Farber, M., Attia, Z., & Weiss, D. (2016). Cytokinin activity increases stomatal density and transpiration rate in tomato. *Journal of Experimental Botany*, erw398.
- Fathi, A. (2022). Role of nitrogen (N) in plant growth, photosynthesis pigments, and N use efficiency: A review. *Agrisost*, 28(October). <https://doi.org/10.5281/zenodo.7143588>
- Feng, L., Raza, M. A., Li, Z., Chen, Y., Khalid, M. H. Bin, Du, J., Liu, W., Wu, X., Song, C., Yu, L., Zhang, Z., Yuan, S., Yang, W., & Yang, F. (2018). The Influence of Light Intensity and Leaf Movement on Photosynthesis Characteristics and Carbon Balance of Soybean. *Frontiers in Plant Science*, 9, 1952. <https://doi.org/10.3389/fpls.2018.01952>
- Ferguson, B. J., Lin, M.-H., & Gresshoff, P. M. (2013). Regulation of legume nodulation by acidic growth conditions. *Plant Signaling & Behavior*, 8(3), e23426. <https://doi.org/10.4161/psb.23426>
- Foleto, E. E., Carvalho, I. R., Ottonelli, A. K. F., Silva, J. A. G., Conceição, G. M., Bandeira,

- W. J. A., Bruinsma, G. M. W., & Sangiovo, J. P. (2024). Multivariate approach applied to phenotypic traits as a function of the selection of soybean cultivars. *Agronomy Science and Biotechnology*, 10, 1–16. <https://doi.org/10.33158/asb.r205.v10.2024>
- Fu, Z., Chen, P., Zhang, X., Du, Q., Zheng, B., Yang, H., Luo, K., Lin, P., Li, Y., Pu, T., Wu, Y., Wang, X., Yang, F., Liu, W., Song, C., Yang, W., & Yong, T. (2023). Maize-legume intercropping achieves yield advantages by improving leaf functions and dry matter partition. *BMC Plant Biology*, 23(1), 438. <https://doi.org/10.1186/s12870-023-04408-3>
- Gibicsár, S., Donkó, T., Fajtai, D., & Keszthelyi, S. (2024). Detection of damage caused by *Nezara viridula* on soybean using novel imaging approaches based on computed tomography and image color analysis. *Plant Direct*, 8(10), e70015. <https://doi.org/10.1002/pld3.70015>
- Gong, W., Long, J., Wu, Y., Du, C., Zhang, X., & Zhang, J. (2022). Application of NPA Restrained Leaf Expansion by Reduced Cell Division in Soybean Under Shade Stress. *Journal of Plant Growth Regulation*, 41(8), 3345–3358. <https://doi.org/10.1007/s00344-021-10517-w>
- Hamayun, M., Hussain, A., Khan, S. A., Irshad, M., Khan, A. L., Waqas, M., Shahzad, R., Iqbal, A., Ullah, N., Rehman, G., Kim, H. Y., & Lee, I. J. (2015). Kinetin modulates physio-hormonal attributes and isoflavone contents of soybean grown under salinity stress. *Frontiers in Plant Science*, 6(June), 1–11. <https://doi.org/10.3389/fpls.2015.00377>
- Hao, Q., Yang, Y., Guo, C., Liu, X., Chen, H., Yang, Z., Zhang, C., Chen, L., Yuan, S., Chen, S., Cao, D., Guo, W., Qiu, D., Zhang, X., Shan, Z., & Zhou, X. (2020). Evaluation of seed vigor in soybean germplasms from different eco-regions. *Oil Crop Science*, 5(1), 22–25. <https://doi.org/https://doi.org/10.1016/j.ocsci.2020.03.006>
- Harsono, A., Elisabeth, D. A. A., Muzaiyanah, S., & Rianto, S. A. (2020). Soybean-maize intercropping feasibility under drought-prone area in East Java, Indonesia. *Biodiversitas*, 21(8), 3744–3754. <https://doi.org/10.13057/biodiv/d210842>
- Harsono, A., Harnowo, D., Ginting, E., & Anggraeni Elisabeth, D. A. (2021). *Soybean in Indonesia: Current Status, Challenges and Opportunities to Achieve Self-Sufficiency* (J. C. Jimenez-Lopez & A. Clemente (eds.)). IntechOpen. <https://doi.org/10.5772/intechopen.101264>
- Hartman, G. L., West, E. D., & Herman, T. K. (2011). Crops that feed the World 2. Soybean—worldwide production, use, and constraints caused by pathogens and pests. *Food Security*, 3, 5–17. <https://api.semanticscholar.org/CorpusID:207431768>
- Hasan, G. N., Khan, M. M. H., & Anik, Md Rashidul Hasan Mahmud, M. H. (2023). Inter-Cropping of Soybean within Maize for Increasing the Crop Productivity and Cropping Intensity in the Coastal Region of Bangladesh. *International Journal of Botany and Horticulture Research*, 1(1), 0–9. <https://doi.org/10.33140/ijbhr.01.01.04>
- Hasanah, Y., & Rahmawati, N. (2017). Analisis Pertumbuhan Kedelai Di Lahan Kering Dengan Aplikasi Bradyrhizobium Japonicum Yang Diinduksi Genistein Dan Pupuk Organik. *Pertanian Tropik*, 2(2), 200–210.

- Jameson, P. E., & Song, J. (2016). Cytokinin: A key driver of seed yield. *Journal of Experimental Botany*, 67(3), 593–606. <https://doi.org/10.1093/jxb/erv461>
- Jing, F., Shi, S., A, Y., Guan, J., Lu, B., Wu, B., Wang, W., Ma, R., & Nan, P. (2023). Analysis of Phenotypic and Physiological Characteristics of Plant Height Difference in Alfalfa. *Agronomy*, 13(7). <https://doi.org/10.3390/agronomy13071744>
- Kambhampati, S., Kurepin, L. V, Kisiala, A. B., Bruce, K. E., Cober, E. R., Morrison, M. J., & Emery, R. J. N. (2017). Yield associated traits correlate with cytokinin profiles in developing pods and seeds of field-grown soybean cultivars. *Field Crops Research*, 214, 175–184. <https://doi.org/10.1016/j.fcr.2017.09.009>
- Kaur, J., Singh, T., & Saini, K. S. (2020). Energetics, Productivity and Profitability of Soybean (Glycine max)-Based Intercropping Systems under Different Planting Patterns. *LEGUME RESEARCH - AN INTERNATIONAL JOURNAL*. <https://api.semanticscholar.org/CorpusID:229525829>
- Kawasaki, N., Stomph, T. J., Woittiez, L. S., Laksono, W. M., Simaniburuk, D. M. P., Fitriani, D., Duhita, N., & van der Werf, W. (2025). Performance of maize, soybean, and mung bean intercropping systems in East Java, Indonesia. *Field Crops Research*, 333, 110015. <https://doi.org/https://doi.org/10.1016/j.fcr.2025.110015>
- Kementerian Pertanian. (2019). Persyaratan teknis minimal pupuk organik, pupuk hayati, dan pembenah tanah. In *Pub. L. No. 261/KPTS/SR. 310/M/4/2019 (2019)*. (pp. 1–18). <http://psp.pertanian.go.id/index.php/page/publikasi/418>
- Kempster, R., Barat, M., Bishop, L., Rufino, M., Borrás, L., & Dodd, I. C. (2021). Genotype and cytokinin effects on soybean yield and biological nitrogen fixation across soil temperatures. *Annals of Applied Biology*, 178(2), 341–354. <https://doi.org/10.1111/aab.12652>
- Khair, M. I. bin M., Azman, E. A., Ismail, R., & Rani, M. N. A. (2021). Effect of the Biofertilizer (*Azolla pinnata*) in Combination with Inorganic Fertilizers on Growth and Yield of Rice. *Grassroots Journal of Natural Resources*, 04(04), 59–75. <https://doi.org/10.33002/nr2581.6853.040405>
- Khan, F., Siddique, A. B., Shabala, S., Zhou, M., & Zhao, C. (2023). Phosphorus Plays Key Roles in Regulating Plants' Physiological Responses to Abiotic Stresses. *Plants (Basel, Switzerland)*, 12(15). <https://doi.org/10.3390/plants12152861>
- Kieber, J. J., & Schaller, G. E. (2018). Cytokinin signaling in plant development. *Development (Cambridge)*, 145(4), 1–7. <https://doi.org/10.1242/dev.149344>
- Kou, H., Liao, Z., Liu, Y., Zhang, H., Lai, Z., Yu, J., Li, Z., & Fan, J. (2025). Light Distribution, Interception and Use Efficiency of Drip-Fertigated Maize-Soybean Strip Intercropping Systems Under Various Row Configuration Conditions. *Plant, Cell & Environment*. <https://api.semanticscholar.org/CorpusID:279600248>
- Kubar, M. S., Shar, A. H., Kubar, K. A., Rind, N. A., Ullah, H., Kalhor, S. A., Wang, C., Feng, M., Gujar, A., Sun, H., Yang, W., El Enshasy, H., Brestic, M., Zivcak, M., Ondrisik, P., Aljuaid, B. S., El-Shehawi, A. M., & Ansari, M. J. (2021). Optimizing nitrogen supply promotes biomass, physiological characteristics and yield components of soybean (*Glycine max* L. Merr.). *Saudi Journal of Biological Sciences*, 28(11),

- 6209–6217. <https://doi.org/10.1016/j.sjbs.2021.06.073>
- Kumar, U., Kaviraj, M., Rout, S., Chakraborty, K., Swain, P., Nayak, P. K., & Nayak, A. K. (2024). Combined effects of elevated CO₂ and nitrogen fertilizers on plant physiological variables in two contrasting *Azolla* spp. *Scientia Horticulturae*, 331, 113152. <https://doi.org/10.1016/j.scienta.2024.113152>
- Kurepa, J., Shull, T. E., & Smalle, J. A. (2019). Antagonistic activity of auxin and cytokinin in shoot and root organs. *Plant Direct*, 3. <https://api.semanticscholar.org/CorpusID:263125062>
- Lai, H., Gao, F., Su, H., Zheng, P., Li, Y., & Yao, H. (2022). Nitrogen Distribution and Soil Microbial Community Characteristics in a Legume–Cereal Intercropping System: A Review. *Agronomy*. <https://api.semanticscholar.org/CorpusID:251604470>
- Lavenburg, V. M., Rosentrater, K. A., & Jung, S. (2021). Extraction Methods of Oils and Phytochemicals from Seeds and Their Environmental and Economic Impacts. *Processes*, 9(1839), 1–14.
- Leyser, O. (2009). The control of shoot branching: an example of plant information processing. *Plant, Cell & Environment*, 32(6), 694–703. <https://doi.org/10.1111/j.1365-3040.2009.01930.x>
- Li, W., Wang, L., Xue, H., Zhang, M., Song, H., Qin, M., & Dong, Q. (2024). Molecular and genetic basis of plant architecture in soybean. *Frontiers in Plant Science*, 15, 1477616. <https://doi.org/10.3389/fpls.2024.1477616>
- Li, X., Qian, X., Zhao, F., Niu, L., Zhang, Y., Han, S., Hao, D., & Chen, Z. (2025). Knockout of GmCKX3 Enhances Soybean Seed Yield via Cytokinin-Mediated Cell Expansion and Lipid Accumulation. *Plants*, 14(14), 1–17. <https://doi.org/10.3390/plants14142207>
- Liu, M., & Zhao, H. (2023). Maize-soybean intercropping improved maize growth traits by increasing soil nutrients and reducing plant pathogen abundance. *Frontiers in Microbiology*, 14(November), 1–12. <https://doi.org/10.3389/fmicb.2023.1290825>
- Liu, S., Begum, N., An, T., Zhao, T., Xu, B., Zhang, S., Deng, X., Lam, H. M., Nguyen, H. T., Siddique, K. H. M., & Chen, Y. (2021). Characterization of root system architecture traits in diverse soybean genotypes using a semi-hydroponic system. *Plants*, 10(12). <https://doi.org/10.3390/plants10122781>
- Lum, M. S., binti Aldam, N. F., & Chin, C. F. S. (2024). The Effect of *Azolla* (*Azolla pinnata*) Extract on the Growth and Yield of Sweet Corn under Reduced Nitrogen Fertilization Practice. *Sarhad Journal of Agriculture*. <https://api.semanticscholar.org/CorpusID:273496935>
- Luo, X., Tong, Z., Xie, Y., An, R., Yang, Z., & Liu, Y. (2022). Land Use Change under Population Migration and Its Implications for Human–Land Relationship. *Land*, 11(6). <https://doi.org/10.3390/land11060934>
- Mandal, M. K., Saikia, P., Chanu, N. K., & Chaurasia, N. (2019). Modulation of lipid content and lipid profile by supplementation of iron, zinc, and molybdenum in indigenous microalgae. *Environmental Science and Pollution Research International*, 26(20), 20815–20828. <https://doi.org/10.1007/s11356-019-05065-6>
- Mangena, P. (2020). Effect of Hormonal Seed Priming on Germination, Growth, Yield and

- Biomass Allocation in Soybean Grown under Induced Drought Stress. *Indian Journal of Agricultural Research*, 54(5), 592–598. <https://doi.org/10.18805/IJARE.A-441>
- Mangena, P. (2022a). Evolving role of synthetic cytokinin 6-benzyl adenine for drought stress tolerance in soybean (*Glycine max* L. Merr.). *Frontiers in Sustainable Food Systems*, 6, 992581.
- Mangena, P. (2022b). Evolving role of synthetic cytokinin 6-benzyl adenine for drought stress tolerance in soybean (*Glycine max* L. Merr.). *Frontiers in Sustainable Food Systems*, 6. <https://doi.org/10.3389/fsufs.2022.992581>
- Marzouk, S. H., Tindwa, H. J., Amuri, N. A., & Semoka, J. M. (2023). An overview of underutilized benefits derived from Azolla as a promising biofertilizer in lowland rice production. *Heliyon*, 9(1), e13040. <https://doi.org/10.1016/j.heliyon.2023.e13040>
- Matthiesen, R. L., & Robertson, A. E. (2023). Effect of Infection Timing by Four *Pythium* spp. on Soybean Damping-Off Symptoms with and Without Cold Stress. *Plant Disease*, 107(12), 3975–3983. <https://doi.org/10.1094/PDIS-01-23-0082-RE>
- Mbana, F. R. L., Prihtanti, T. M., & Yuliawati, Y. (2020). Comparative Economic Competitiveness Analysis of Soybean Farming with and without Subsidy to Rice and Corn Farming in Bancak Sub-district, Semarang. *Agriekonomika*, 9(2), 193–204. <https://doi.org/10.21107/agriekonomika.v9i2.7855>
- Mbofung, G. C. Y., Goggi, A. S., Leandro, L. F. S., & Mullen, R. E. (2013). Effects of Storage Temperature and Relative Humidity on Viability and Vigor of Treated Soybean Seeds. *Crop Science*, 53, 1086–1095. <https://api.semanticscholar.org/CorpusID:83613153>
- Monareh, J. M., Paulus, J. M., & Pakasi, S. E. (2023). Utilization Of Water Fertilizer (Azolla pinnata) As A Liquid Organic Fertilizer In Pakcoy (*Brassica rapa* L.). *Jurnal Agroekoteknologi Terapan*.
- Morsy, A. R., Mohamed, E. N. M., & Abou-Sin, T. M. (2016). *Seed Yield and Seed Quality of Some Soybean Genotypes as Influenced by Planting Date*. <https://api.semanticscholar.org/CorpusID:203882788>
- Mthiyane, P., Aycan, M., & Mitsui, T. (2024). Integrating Biofertilizers with Organic Fertilizers Enhances Photosynthetic Efficiency and Upregulates Chlorophyll-Related Gene Expression in Rice. *Sustainability (Switzerland)*, 16(21). <https://doi.org/10.3390/su16219297>
- Müller, D., & Leyser, O. (2011). Auxin, cytokinin and the control of shoot branching. *Annals of Botany*, 107(7), 1203–1212.
- Mwamlima, L. H., Cheruiyot, E. K., & Ouma, J. P. (2020). Reduced stomatal conductance and irradiance account for soybean [*Glycine max* (L.) Merrill] yield decline in maize-soybean intercrop. *Journal of Bioscience and Agriculture Research*, 24(1), 1977–1989. <https://doi.org/10.18801/jbar.240120.242>
- Nasar, J., Ahmad, M., Gitari, H., Tang, L., Chen, Y., & Zhou, X.-B. (2024). Maize/soybean intercropping increases nutrient uptake, crop yield and modifies soil physio-chemical characteristics and enzymatic activities in the subtropical humid region based in Southwest China. *BMC Plant Biology*, 24(1), 434. <https://doi.org/10.1186/s12870-024->

05061-0

- Nasar, J., Zhao, C. J., Khan, R., Gul, H., Gitari, H., Shao, Z., Abbas, G., Haider, I., Iqbal, Z., Ahmed, W., Rehman, R., Liang, Q. P., Zhou, X. B., & Yang, J. (2023). Maize-soybean intercropping at optimal N fertilization increases the N uptake, N yield and N use efficiency of maize crop by regulating the N assimilatory enzymes. *Frontiers in Plant Science*, 13(January), 1–15. <https://doi.org/10.3389/fpls.2022.1077948>
- Navi, S. S., Huynh, T., Mayers, C. G., & Yang, X. B. (2019). Diversity of *Pythium* spp. associated with soybean damping-off, and management implications by using foliar fungicides as seed treatments. *Phytopathology Research*, 1(1), 1–10. <https://doi.org/10.1186/s42483-019-0015-9>
- Neto, A. R. da C., Ambrósio, A. D. S., Resende, A. de J. R., Santos, B. R., & Nadal, M. C. (2025). From Cell Division to Stress Tolerance: The Versatile Roles of Cytokinins Plants. *Phyton-International Journal of Experimental Botany*, 94(3), 539–560. <https://doi.org/10.32604/phyton.2025.061776>
- Nguyen, H. N., Kambhampati, S., Kisiala, A., Seegobin, M., & Emery, R. J. N. (2021). The soybean (*Glycine max* L.) cytokinin oxidase/dehydrogenase multigene family; Identification of natural variations for altered cytokinin content and seed yield. *Plant Direct*, 5(2), 1–15. <https://doi.org/10.1002/pld3.308>
- Niaghi, A. R., Garcia y Garcia, A., & Strock, J. S. (2024). Supplemental Irrigation with Recycled Drainage Water: Outcomes for Corn and Soybean in a Fine-Textured Soil. *Agronomy*, 14(9). <https://doi.org/10.3390/agronomy14091948>
- Ningrum, I. H., Irianto, H., & Riptanti, E. W. (2018). Analysis of soybean production and import trends and its import factors in Indonesia. *IOP Conference Series: Earth and Environmental Science*, 142(1). <https://doi.org/10.1088/1755-1315/142/1/012059>
- Novák, J., Pavlů, J., Novák, O., Nožková-Hlaváčková, V., Špundová, M., Hlavinka, J., Koukalová, Š., Skalák, J., Černý, M., & Brzobohatý, B. (2013). High cytokinin levels induce a hypersensitive-like response in tobacco. *Annals of Botany*, 112(1), 41–55. <https://doi.org/10.1093/aob/mct092>
- Odoom, A., & Ofosu, W. (2024). *Role of Phosphorus in the Photosynthetic Dark Phase Biochemical Pathways* (N. A. Anjum, A. Masood, S. Umar, & N. A. Khan (eds.)). IntechOpen. <https://doi.org/10.5772/intechopen.112573>
- Oliveira, N. P., Faquin, V., da Costa, A. L., do Livramento, K. G., de Pinho, P. J., & Guilherme, L. R. G. (2016). Genotypic variation of agronomic traits as well as concentrations of Fe, Zn, P and phytate in soybean cultivars. *Revista Ceres*, 63(3), 403–411. <https://doi.org/10.1590/0034-737X201663030018>
- Orhevba, B. A., Chukwu, O., Oguagwu, V., & Osunde, Z. D. (2013). Effect of Moisture Content on some Quality Parameters of Mechanically Expressed Neem Seed Kernel Oil. *The International Journal of Engineering and Science*, 2(8), 1–7. www.savap.org.pk/5Cnwww.journals.savap.org.pk
- Pakasi, J. M. J. M. P. S. . (2023). Pemanfaatan Paku Air (*Azolla pinnata*) Sebagai Pupuk Organik Cair Pada Tanaman Pakcoy (*Brassica rapa* L.). *Jurnal Agroekoteknologi Universitas Sam Ratulangi*, 2, 4–6. <https://ejournal.unsrat.ac.id/v3/index.php/samrat->

- agrotek/article/view/34061/32157
- Permadi, K., & Haryati, Y. (2015). Pemberian Pupuk N, P, dan K Berdasarkan Pengelolaan Hara Spesifik Lokasi untuk Meningkatkan Produktivitas Kedelai (Review). *Agrotrop: Journal on Agriculture Science*, 5(1), 1–8.
- Pimentel-Gomes, F., & Garcia, C. H. (2002). *Estatística aplicada a experimentos agrônômicos e florestais: exposição com exemplos e orientações para uso de aplicativos*. <https://api.semanticscholar.org/CorpusID:197971855>
- Purwani, J., Suchayono, D., & Wardana, I. P. (2021). The efficacy of biofertilizer contains Bradyrhizobium japonicum isolates on soybean yields grown in Inceptisols, Bogor, West Java, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 648(1). <https://doi.org/10.1088/1755-1315/648/1/012201>
- Purwantoro, Sulisty, A., Mejaya, M. J., Soehendi, R., Trustinah, Suyamto, & Nuryati. (2023). Resistance Level of Soybean Genotypes against Pod Sucking Bug (Riptortus linearis F. Hemiptera: Alydidae). *Legume Research*, 46(6), 796–800. <https://doi.org/10.18805/LRF-731>
- Rahma Harti, A. O., Sakhidin, S., Muhammad Rif'an, & Totok Agung. (2024). Agro-Climatic Factors and Their Influence on Sustainable Soybean Production. *International Journal of Advanced Multidisciplinary*, 2(4), 969–978. <https://doi.org/10.38035/ijam.v2i4.463>
- Raza, M. A., Yasin, H. S., Gul, H., Qin, R., Mohi Ud Din, A., Khalid, M. H. Bin, Hussain, S., Gitari, H., Saeed, A., Wang, J., Rezaei-Chiyaneh, E., Sabagh, A. El, Manzoor, A., Fatima, A., Ahmad, S., Yang, F., Skalicky, M., & Yang, W. (2022). Maize/soybean strip intercropping produces higher crop yields and saves water under semi-arid conditions. *Frontiers in Plant Science*, 13(November). <https://doi.org/10.3389/fpls.2022.1006720>
- Reski Bengkal, Paulus, J. M., Supit, P. C. H., Wanget, S. A., Rantung, M. R., & Pamandungan, Y. (2023). Application Of Liquid Organic Fertilizer (Poc) To The Growth And Yield Of Organically Cultivated Glycine max (L.) Soybeans. *Jurnal Agroekoteknologi Terapan*, 4(2), 293–300. <https://doi.org/10.35791/jat.v4i2.46826>
- Rustiana, R., Sjah, T., Karyadi, L. W., Zaini, A., & Suriadi, A. (2021). Profitability and Land Equivalent Ratio of Maize and Soybean Intercropping on Dryland Agroecosystem. *Advances in Economics, Business and Management Research*, 199(Icsasard), 76–84.
- Sachin, V.H., A., Naidu, G. K., & B.O., K. (2024). Using Biochemical and Growth Parameters to Assess Soybean Yield Potential. *Journal of Experimental Agriculture International*, 46(9), 105–110. <https://doi.org/10.9734/jeai/2024/v46i92809>
- Saini, M., Yadav, R. R., Kumar, R., Chandra, S., Rathod, N. K. K., Taku, M., Yadav, M., Basu, S., Rajendran, A., Lal, S. K., & Talukdar, A. (2024). Mapping of quantitative trait loci and mining of candidate genes for seed viability in soybean [Glycine max (L.) Merr.]. *Frontiers in Plant Science*, 15(February), 1–15. <https://doi.org/10.3389/fpls.2024.1372037>
- Sajar, S., Setiawan, A., & Tri Anzani, A. (2024). Azolla Liquid Fertilizer (Azolla pinnata) And Chicken Manure Fertilizer on the Growth and Yield of Shallots. *International*

- Journal of Research and Review*, 11(10), 406–421.
<https://doi.org/10.52403/ijrr.20241036>
- Salim, M., Chen, Y., Ye, H., Nguyen, H. T., Solaiman, Z. M., & Siddique, K. H. M. (2022). Screening of soybean genotypes based on root morphology and shoot traits using the semi-hydroponic phenotyping platform and rhizobox technique. *Agronomy*, 12(1).
<https://doi.org/10.3390/agronomy12010056>
- Salvagiotti, F., Prystupa, P., Ferraris, G., Couretot, L., Magnano, L., Dignani, D., & Gutiérrez BGutiérrez-Boemoem, F. H. (2017). N:P:S stoichiometry in grains and physiological attributes associated with grain yield in maize as affected by phosphorus and sulfur nutrition. *Field Crops Research*, 203, 128–138.
<https://doi.org/https://doi.org/10.1016/j.fcr.2016.12.019>
- Setiawati, M. R., Damayani, M., Herdiyantoro, D., Suryatmana, P., Anggraini, D., & Khumairah, F. H. (2018). Inorganic fertilizer verses organic fertilizer. *AIP Conference Proceedings*, 030017. <https://doi.org/10.1063/1.5021210>
- Shamsudin, R., Azhari, N. A. A., Kasim, S., & Rahmat, M. A. S. (2021). Macro and micro-nutrients of azolla pinnata as a soilless growth media. *Basrah Journal of Agricultural Sciences*, 34(Special Issue 1), 180–189.
<https://doi.org/10.37077/25200860.2021.34.SP1.18>
- Sharma, S., Kaur, P., & Gaikwad, K. (2022). Role of cytokinins in seed development in pulses and oilseed crops: Current status and future perspective. *Frontiers in Genetics*, 13(October), 1–22. <https://doi.org/10.3389/fgene.2022.940660>
- Shen, L., Wang, X. Y., Yang, T. T., Teng, Y. X., Liu, T. T., Li, L. H., & Zhang, W. (2021). *Effects of different planting patterns on the growth and yield of maize and soybean in Northwest China*. 13(4), 1–14. <https://doi.org/10.5539/jas.v13n4p1>
- Shilpha, J., Song, J., & Jeong, B. R. (2023). Ammonium Phytotoxicity and Tolerance: An Insight into Ammonium Nutrition to Improve Crop Productivity. *Agronomy*, 13(6), 1–23. <https://doi.org/10.3390/agronomy13061487>
- Silva, M. E. J. da, Mathe, L. O. J. M., Rooyen, I. L. van, Brink, H. G., & Nicol, W. (2022). Optimal Growth Conditions for Azolla pinnata R. Brown: Impacts of Light Intensity, Nitrogen Addition, pH Control, and Humidity. *Plants*, 11(April 2014), 37–41.
- Singh, D. P., Syed, S., Yadav, K., Verma, S. K., Tiwari, J. K., Kumar, A., & Kumar, K. (2025). Improving Maize Yield and Soil Productivity through N Management Practices in Maize-legume Intercropping. *Journal of Experimental Agriculture International*.
<https://doi.org/10.9734/jeai/2025/v47i13233>
- Singh, R. K., Upadhyay, P. K., Dhar, S., Rajanna, G. A., Singh, V. K., Kumar, R., Singh, R. K., Babu, S., Rathore, S. S., Shekhawat, K., Dass, A., Kumar, A., Gupta, G., Shukla, G., Rajpoot, S., Prakash, V., Kumar, B., Sharma, V. K., & Barthakur, S. (2023). Soybean crop intensification for sustainable aboveground-underground plant–soil interactions. *Frontiers in Sustainable Food Systems*, 7(June).
<https://doi.org/10.3389/fsufs.2023.1194867>
- Soares, L. H., Dourado Neto, D., Fagan, E. B., Teixeira, W. F., & Pereira, I. S. (2017). Physiological, phenometric and productive changes in soybean crop due to the use of

- kinetin. *Pesquisa Agropecuária Tropical*, 47(1), 80–86. <https://doi.org/10.1590/1983-40632016v4742790>
- Soinne, H., Keskinen, R., Tähtikarhu, M., Kuva, J., & Hyväluoma, J. (2023). Effects of organic carbon and clay contents on structure-related properties of arable soils with high clay content. *European Journal of Soil Science*, 74(5), 1–16. <https://doi.org/10.1111/ejss.13424>
- Song, W., Li, J., Sun, H., Huang, S., Gong, X., Ma, Q., Zhang, Y., & Xu, G. (2013). Increased photosynthetic capacity in response to nitrate is correlated with enhanced cytokinin levels in rice cultivar with high responsiveness to nitrogen nutrients. *Plant and Soil*, 373(1), 981–993. <https://doi.org/10.1007/s11104-013-1867-x>
- Sosnowski, J., Truba, M., & Vasileva, V. (2023). The impact of auxin and cytokinin on the growth and development of selected crops. *Agriculture*, 13(3), 724.
- Ssenku, J. E., Nabyonga, L., Kitalikyawe, J., Ntambi, S., Aguttu, G., & Mustafa, A. S. (2022). Potential of *Azolla pinnata* R. Br. green manure for boosting soil fertility and yield of terrestrial crops in Uganda: a case study of *Eleusine coracana* (L.) Gaertn. *Journal of Crop Science and Biotechnology*, 25(1), 9–18. <https://doi.org/10.1007/s12892-021-00108-2>
- Sultana, S. N., Jo, H., Song, J. T., Kim, K., & Lee, J. D. (2024). Stomatal Density Variation Within and Among Different Soybean Cultivars Across Various Growth Stages. *Agriculture (Switzerland)*, 14(11), 1–14. <https://doi.org/10.3390/agriculture14112028>
- Suntoro, S., Herdiansyah, G., Minardi, S., Hartati, S., Sari, C. W., Damayanti, F., & Ardhasista, O. I. (2024). Use of *Azolla* in organic farming on availability and uptake of N, P, K of rice paddy (*Oryza Sativa*, L.). *Journal of Applied and Natural Science*, 16(1), 299–307. <https://doi.org/10.31018/jans.v16i1.5336>
- Suryatmana, P., Halimah, U., Azizah, Kmaluddin, N. N., Herdiyantoro, D., & Setiawati, M. R. (2024). The Potential of *Azolla pinnata* Powder and Compost as a Carrier-base for Improving N-Fixing and P-Solubilizing Bacteria Performance to Increase Soybean Productivity. *Agrikultura*. <https://doi.org/10.24198/agrikultura.v35i2.55096>
- Szpunar-Krok, E., & Wondolowska-Grabowska, A. (2022). Quality Evaluation Indices for Soybean Oil in Relation to Cultivar, Application of N Fertiliser and Seed Inoculation with *Bradyrhizobium japonicum*. *Foods (Basel, Switzerland)*, 11(5). <https://doi.org/10.3390/foods11050762>
- Tanaka, Y., Fujii, K., & Shiraiwa, T. (2010). Variability of Leaf Morphology and Stomatal Conductance in Soybean [*Glycine max* (L.) Merr.] Cultivars. *Crop Science*, 50, 2525–2532. <https://api.semanticscholar.org/CorpusID:84315112>
- Thenveetil, N., Bheemanahalli, R., Reddy, K. N., Gao, W., & Reddy, K. R. (2024). Temperature and elevated CO₂ alter soybean seed yield and quality, exhibiting transgenerational effects on seedling emergence and vigor. *Frontiers in Plant Science*, 15, 1427086. <https://doi.org/10.3389/fpls.2024.1427086>
- Tilmon, K., & Hadi, B. (2019). Chapter 37: The Identification, Biology, and Management of Two-spotted Spider Mites, Grasshoppers, and Caterpillars. *IGrow Soybean, BEST MANAGEMENT PRACTICES.*, 305–314.

- Tomar, S. S., & Singh, N. (2025). Yield and Yield Attributes of Chickpea as Influenced by Phosphorus and Bio-fertilizer Application under Rainfed Conditions. *Legume Research*, 48(2), 312–316. <https://doi.org/10.18805/LR-4837>
- Unnikrishnan, D., Raj, S. K., & Babu, C. S. A. (2022). Weed Management in Oilseeds-A Holistic Perspective: A Review. *Agricultural Reviews*, 45(Of), 472–479. <https://doi.org/10.18805/ag.r-2417>
- Vogel, J. T., Liu, W., Olhoft, P., Crafts-Brandner, S. J., Pennycooke, J. C., & Christiansen, N. (2021). Soybean Yield Formation Physiology - A Foundation for Precision Breeding Based Improvement. *Frontiers in Plant Science*, 12, 719706. <https://doi.org/10.3389/fpls.2021.719706>
- Wall, S., Violet-Chabrand, S., Davey, P., Van Rie, J., Galle, A., Cockram, J., & Lawson, T. (2022). Stomata on the abaxial and adaxial leaf surfaces contribute differently to leaf gas exchange and photosynthesis in wheat. *The New Phytologist*, 235(5), 1743–1756. <https://doi.org/10.1111/nph.18257>
- Wang, H., Zhang, D., Zhang, X., Gao, C., Wang, Z., & Wu, J. (2024). Does settlement land expansion necessarily induce the decrease of cultivated land? Differences in national scale and local counties of China. *Journal of Environmental Management*, 358, 120948. <https://doi.org/10.1016/j.jenvman.2024.120948>
- Wang, P., Ji, S., & Grimm, B. (2022). Post-translational regulation of metabolic checkpoints in plant tetrapyrrole biosynthesis. *Journal of Experimental Botany*, 73(14), 4624–4636. <https://doi.org/10.1093/jxb/erac203>
- Wang, X., Wu, X., Ding, G., Yang, F., Yong, T., Wang, X., & Yang, W. (2020). Analysis of Grain Yield Differences Among Soybean Cultivars under Maize–Soybean Intercropping. *Agronomy*, 10(1), 110. <https://doi.org/10.3390/agronomy10010110>
- Wang, X., Zhou, S., Wang, J., Lin, W., Yao, X., Su, J., Li, H., Fang, C., Kong, F., & Guan, Y. (2023). Genome-wide association study for biomass accumulation traits in soybean. *Molecular Breeding: New Strategies in Plant Improvement*, 43(5), 33. <https://doi.org/10.1007/s11032-023-01380-6>
- Wang XiuRong, W. X., Liao Hong, L. H., He Yong, H. Y., Qiu LiJuan, Q. L., & Yan XiaoLong, Y. X. (2006). *Variations for protein and oil content of different soybean cultivars*. 27(3), 9–11.
- Wang, Y., Lu, J. W., Ren, T., Li, P. F., Liu, Q. X., & Li, X. K. (2020). Effects of exogenous cytokinin on photosynthesis, senescence, and yield performance of inferior rice tillers grown under different nitrogen regimes. *Photosynthetica*, 58(1).
- Wang, Y., Shen, W., Chan, Z., & Wu, Y. (2015). Endogenous Cytokinin Overproduction Modulates ROS Homeostasis and Decreases Salt Stress Resistance in Arabidopsis Thaliana. *Frontiers in Plant Science*, 6, 1004. <https://doi.org/10.3389/fpls.2015.01004>
- Watimena, S. F. (2023). Effect of Organic and Inorganic Fertilizer Application on Soybeans Growth and Yield (Glycine max L. Merrill). *Journal of Science and Science Education*, 4(1), 65–70. <https://doi.org/10.29303/jossed.v4i1.3340>
- Werner, S., Bartrina, I., Novák, O., Strnad, M., Werner, T., & Schmölling, T. (2021). The Cytokinin Status of the Epidermis Regulates Aspects of Vegetative and Reproductive

- Development in *Arabidopsis thaliana*. *Frontiers in Plant Science*, 12, 613488. <https://doi.org/10.3389/fpls.2021.613488>
- Wortmann, C. S., Krienke, B. T., Ferguson, R. B., & Maharjan, B. (2018). *Fertilizer Recommendations for Soybean*. December, 1–5. <https://doi.org/10.1094/CM->
- Wu, W., Du, K., Kang, X., & Wei, H. (2021). The diverse roles of cytokinins in regulating leaf development. *Horticulture Research*, 8.
- Wu, Y., Gong, W., Yang, F., Wang, X., Yong, T., & Yang, W. (2016). Responses to shade and subsequent recovery of soya bean in maize-soya bean relay strip intercropping. *Plant Production Science*, 19, 206–214. <https://api.semanticscholar.org/CorpusID:87272509>
- Xu, Z., Li, C., Zhang, C., Yu, Y., van der Werf, W., & Zhang, F. (2020). Intercropping maize and soybean increases efficiency of land and fertilizer nitrogen use; A meta-analysis. *Field Crops Research*, 246, 107661. <https://doi.org/https://doi.org/10.1016/j.fcr.2019.107661>
- Yamori, W., Kusumi, K., Iba, K., & Terashima, I. (2020). Increased stomatal conductance induces rapid changes to photosynthetic rate in response to naturally fluctuating light conditions in rice. *Plant Cell and Environment*, 43(5), 1230–1240. <https://doi.org/10.1111/pce.13725>
- Yang, Q., Lin, G., Lv, H., Wang, C., Yang, Y., & Liao, H. (2021). Environmental and genetic regulation of plant height in soybean. *BMC Plant Biology*, 21(1), 63. <https://doi.org/10.1186/s12870-021-02836-7>
- Yang, Z., Zhang, Y., Wang, Y., Zhang, H., Zhu, Q., Yan, B., Fei, J., Xiangmin, R., Peng, J., & Luo, G. (2022). Intercropping regulation of soil phosphorus composition and microbially-driven dynamics facilitates maize phosphorus uptake and productivity improvement. *Field Crops Research*, 287(May), 108666. <https://doi.org/10.1016/j.fcr.2022.108666>
- Yao, X., Zhou, H., Zhu, Q., Li, C., Zhang, H., Wu, J.-J., & Xie, F. (2017). Photosynthetic Response of Soybean Leaf to Wide Light-Fluctuation in Maize-Soybean Intercropping System. *Frontiers in Plant Science*, 8, 1695. <https://doi.org/10.3389/fpls.2017.01695>
- Yao, Y., Xue, Y., Yan, J., Tang, X., Cao, D., He, W., Luan, X., Liu, Q., Zhu, Z., & Liu, X. (2025). Exogenous Cytokinins Regulate Nitrogen Metabolism in Soybean Under Low Phosphorus Stress. *Agronomy*, 15(6), 1459. <https://doi.org/10.3390/agronomy15061459>
- Yoon, B.-H., Truong, V.-L., & Jeong, W.-S. (2025). Phytosterols: Extraction Methods, Analytical Techniques, and Biological Activity. *Molecules*, 30(12), 2488. <https://doi.org/10.3390/molecules30122488>
- Yuliarni, A. R. N., Sulistyaningsih, D. I. E., & Handayani, V. D. S. (2024). Pertumbuhan dan Hasil Tiga Kultivar Kedelai (*Glycine max* (L.) Merr.) Umur Pendek serta Kelimpahan Gulma pada Sistem Tumpang Sisip di Lahan Pasir Pantai ADHITYA RAHMA NILAM YULIARNI, Dr. Ir. Endang Sulistyaningsih, M. Sc;Valentina Dwi Suci Handayani, S. P. *Doctoral Dissertation, Universitas Gadjah Mada*.
- Zeid, I., Ghaly, E. K., & Shedeed, Z. A. (2024). *Azolla pinnata* as a phytoremediator:

- improves germination, growth and yield of maize irrigated with Ni-polluted water. *Scientific Reports*, 14(1), 22284. <https://doi.org/10.1038/s41598-024-72651-1>
- Zelege, Y. G., Haile, A., Kiflu, A., & Alemayehu, H. (2024). Morphological and physiological plasticity of tomato in response to Azolla fern, a novel organic fertilizer of environmentally friendliness. *Heliyon*, 10(20), e39110. <https://doi.org/10.1016/j.heliyon.2024.e39110>
- Zeng, T., Wu, Y., Xin, Y., Chen, C., Du, Z., Li, X., Zhong, J., Tahir, M., Kang, B., Jiang, D., Wang, X., Yang, W., & Yan, Y. (2022). Silage Quality and Output of Different Maize–Soybean Strip Intercropping Patterns. *Fermentation*, 8(4). <https://doi.org/10.3390/fermentation8040174>
- Zhang, D., Chang, E., Yu, X., Chen, Y., Yang, Q., Cao, Y., Li, X., Wang, Y., Fu, A., & Xu, M. (2018). Molecular characterization of magnesium chelatase in soybean [glycine max (L.) merr.]. *Frontiers in Plant Science*, 9(June). <https://doi.org/10.3389/fpls.2018.00720>
- Zhang, N., Berman, S. R., Joubert, D., Violet-Chabrand, S., Marcelis, L. F. M., & Kaiser, E. (2022). Variation of Photosynthetic Induction in Major Horticultural Crops Is Mostly Driven by Differences in Stomatal Traits. *Frontiers in Plant Science*, 13, 860229. <https://doi.org/10.3389/fpls.2022.860229>
- Zhang, W., Wei, Y.-X., Khan, A., Lu, J.-S., Xiong, J.-L., Zhu, S.-G., Fang, X.-W., Wang, W., Hao, M., Zhao, L., Zhang, X.-L., Deng, J.-M., Li, S.-Q., & Xiong, Y.-C. (2023). Intercropped soybean boosts nitrogen benefits and amends nitrogen use pattern under plastic film mulching in the semiarid maize field. *Field Crops Research*, 295, 108881. <https://doi.org/https://doi.org/10.1016/j.fcr.2023.108881>
- Zhang, X., An, X., Liu, H., Peng, J., Cai, S., Wang, W., Lin, D.-T., & Yang, Y. (2015). The topographical arrangement of cutoff spatial frequencies across lower and upper visual fields in mouse V1. *Scientific Reports*, 5, 7734. <https://doi.org/10.1038/srep07734>
- Zhang, X., Huang, G., & Zhao, Q. (2014). Differences in maize physiological characteristics, Nitrogen accumulation, And yield under different cropping patterns and nitrogen levels. *Chilean Journal of Agricultural Research*, 74(3), 326–332. <https://doi.org/10.4067/S0718-58392014000300011>
- Zhang, X., Zhang, L., Liu, J., Shen, Z., Liu, Z., Gu, H., Hu, X., Yu, Z., Li, Y., Jin, J., & Wang, G. (2025). Biofertilizers Enhance Soil Fertility and Crop Yields Through Microbial Community Modulation. *Agronomy*, 15(7), 1–20. <https://doi.org/10.3390/agronomy15071572>
- Zhang, Y., Liu, S., Du, X., Chen, Z., Ma, Z., & Mu, Y. (2024). The inhibitory potential of green manure return on the germination and seedling growth of *Eleusine indica* L. *Frontiers in Plant Science*, 15(February), 1–12. <https://doi.org/10.3389/fpls.2024.1287379>
- Zheng, H., Wang, J., Cui, Y., Guan, Z., Yang, L., Tang, Q., Sun, Y., Yang, H., Wen, X., Mei, N., Chen, X., & Gu, Y. (2022). Effects of Row Spacing and Planting Pattern on Photosynthesis, Chlorophyll Fluorescence, and Related Enzyme Activities of Maize Ear Leaf in Maize–Soybean Intercropping. *Agronomy*, 12(10).

<https://doi.org/10.3390/agronomy12102503>

Zhu, X.-H., Tan, J., Zhou, H.-Y., Wang, T., Zhang, B., Lu, X., Tian, J., Liang, C., & Tian, J. (2024). [Effects of different genotypes soybean and maize intercropping on soil phosphorus fractions and crop phosphorus uptake]. *Ying Yong Sheng Tai Xue Bao = The Journal of Applied Ecology*, 35 6, 1583–1589.
<https://api.semanticscholar.org/CorpusID:272400812>

