

DAFTAR PUSTAKA

- Adeoluwa, O. O., Mutengwa, C. S., Chiduzi, C., & Tandzi, N. L. (2022). Nitrogen use efficiency of quality protein maize (*Zea mays* L.) genotypes. *Agronomy*, 12(5), 1–13. <https://doi.org/10.3390/agronomy12051118>
- Adhikari, K., Bhandari, S., Aryal, K., Mahato, M., & Shrestha, J. (2021). Effect of different levels of nitrogen on growth and yield of hybrid maize (*Zea mays* L.) Varieties. *Journal of Agriculture and Natural Resources*, 4(2), 48–62. <https://doi.org/10.3126/janr.v4i2.33656>
- Afrida, E., & Tampubolon, K. (2022). Limiting factors of agronomic characteristics for maize through nutrient omission techniques. *Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis*, 70(2), 109–118. <https://doi.org/10.11118/actaun.2022.010>
- Agustin, H., Warid, W., & Musadik, I. M. (2023). Kandungan nutrisi kasgot larva lalat tentara hitam (*Hermetia illucensi*) sebagai pupuk organik. *Jurnal Ilmu-Ilmu Pertanian Indonesia*, 25(1), 12–18. <https://doi.org/10.31186/jipi.25.1.12-18>
- Agustiyani, D., Agandi, R., Arinafril, Nugroho, A. A., & Antonius, S. (2021). The effect of application of compost and frass from black soldier fly larvae (*Hermetia illucens* L.) On growth of pakchoi (*Brassica rapa* L.). *IOP Conference Series: Earth and Environmental Science*, 762(1), 1–10. <https://doi.org/10.1088/1755-1315/762/1/012036>
- Aini, N. (2013). *Teknologi Fermentasi pada Tepung Jagung*. Graha Ilmu.
- Akande. O.M, Oluwatoyinbo I. F, Makinde A.E, Adepoju. S. A, & Adepoju. S.I. (2010). Response of okra to organic and inorganic fertilization. *Nature and Science*, 8(11), 261–266. https://www.researchgate.net/publication/266266881_Response_of_Okra_to_Organic_and_Inorganic_Fertilization
- Aliyev, Z. H., & Aliyeva, A. (2020). Influence of organic fertilizers on the issue of carbonic gas in the soil under vegetable crops. *Agricultural Extension Journal*, 4(1), 21–25. www.aextj.com
- Almuklas, R., Ilyas, I., & Helmi, H. (2024). Evaluasi beberapa sifat kimia tanah pada perkebunan kelapa sawit rakyat (*Elaeis guineensis* Jacq.) di Kecamatan Lhoksukon Kabupaten Aceh Utara. *Jurnal Ilmiah Mahasiswa Pertanian*, 9(2), 235–242. <https://doi.org/10.17969/jimfp.v9i2.29763>
- Anggarwulan, E. S. (2012). Pertumbuhan, aktivitas nitrat reduktase dan polifenol kimpul (*Xanthosoma sagittifolium* (L.) schott pada variasi naungan dan nitrogen. *Seminar Nasional IX Pendidikan Biologi FKIP UNS 671*, 670–676.
- Arafat, Y., Kusumarini, N., & Syekhfani. (2016). Pengaruh pemberian zeolit terhadap efisiensi pemupukan fosfor dan pertumbuhan jagung manis di

- pasuruan, jawa timur. *Jurnal Tanah Dan Sumberdaya Lahan*, 3(1), 319–327.
- Astiani, M., Rahim, I., Yamin, M., Agroteknologi, P. S., & Pertanian, F. (2024). Karakteristik dan analisis korelasi karakter fisiologis tanaman jagung hibrida (*Zea mays* L.) pada tanah bertekstur liat diperkaya pupuk *slowrelease* berbasis biochar. *Perbal: Jurnal Pertanian Berkelanjutan*, 12(2), 154–163.
- Avşar, Ö., Kolay, B., & Bilge, U. (2025). The influence of nitrogen rates on yield and some quality parameters of sweet corn (*Zea mays saccharata* Sturt.) Growing in diyarbakir districts of türkiye. *Journal of Tekirdag Agricultural Faculty*, 22(1), 175–196. <https://doi.org/10.33462/jotaf.1491888>
- Badan Pusat Statistik. (2023). *Luas Panen, Produksi, dan Produktivitas Jagung Menurut Provinsi, 2020-2023*. <https://www.bps.go.id/id/statistics-table/2/MjIwNCMy/luas-panen--produksi--dan-produktivitas-jagung-menurut-provinsi.html>
- Beasley, J., Kuehny, J., Gentimis, T., & Fields, J. (2023). Black soldier fly frass supports plant growth and reduces nitrogen leaching during coleus production. *HortTechnology*, 33(3), 305–312. <https://doi.org/10.21273/HORTTECH05093-22>
- Beesigamukama, D., Mochoge, B., Korir, N., Ghemoh, C. J., Subramanian, S., & Tanga, C. M. (2021). In situ nitrogen mineralization and nutrient release by soil amended with black soldier fly frass fertilizer. *Scientific Reports*, 11(1), 1–14. <https://doi.org/10.1038/s41598-021-94269-3>
- Behin, J., & Sadeghi, N. (2016). Utilization of waste lignin to prepare controlled-slow release urea. *International Journal of Recycling of Organic Waste in Agriculture*, 5(3), 289–299. <https://doi.org/10.1007/s40093-016-0139-1>
- Biederman, L. A., & Stanley Harpole, W. (2013). Biochar and its effects on plant productivity and nutrient cycling: A meta-analysis. *GCB Bioenergy*, 5(2), 202–214. <https://doi.org/10.1111/gcbb.12037>
- Boudabbous, K., Hammami, S. B. M., Toukabri, W., Bouhaouel, I., Ayed, S., Fraihi, W., & Labidi, S. (2023). Black soldier fly (*Hermetia illucens*) larvae frass organic fertilizer improves soil quality and the productivity of durum wheat. *Communications in Soil Science and Plant Analysis*, 54(18), 2491–2507. <https://doi.org/10.1080/00103624.2023.2227208>
- Budiastuti, M. T. S., Purnomo, D., Pujiasmanto, B., & Setyaningrum, D. (2023). Response of maize yield and nutrient uptake to indigenous organic fertilizer from corn cobs. *Agriculture (Switzerland)*, 13(2), 1–11. <https://doi.org/10.3390/agriculture13020309>
- Chatzistathis, T., Papaioannou, E., Giannakoula, A., & Papadakis, I. E. (2021). Zeolite and vermiculite as inorganic soil amendments modify shoot-root allocation, mineral nutrition, photosystem ii activity and gas exchange parameters of chestnut (*Castanea sativa* Mill) *Plants*. *Agronomy*, 11(1), 1–14.

<https://doi.org/10.3390/agronomy11010109>

- Chen, J., Liu, L., Wang, Z., Zhang, Y., Sun, H., Song, S., Bai, Z., Lu, Z., & Li, C. (2020). Nitrogen fertilization increases root growth and coordinates the root–shoot relationship in cotton. *Frontiers in Plant Science*, 11, 1–13. <https://doi.org/10.3389/fpls.2020.00880>
- Conte, P. (2014). Biochar, soil fertility, and environment. *Biology and Fertility of Soils*, 50(8), 1-12. <https://doi.org/10.1007/s00374-014-0973-0>
- Cun, Z., Zhang, J. Y., Wu, H. M., Zhang, L., & Chen, J. W. (2021). High nitrogen inhibits photosynthetic performance in a shade-tolerant and N-sensitive species panax notoginseng. *Photosynthesis Research*, 147(3), 283–300. <https://doi.org/10.1007/s11120-021-00823-5>
- Darma, S., Ramayana, S., & Sadaruddin. (2020). Pengaruh pupuk kompos dedaunan terhadap pertumbuhan dan biomassa padi lokal Mayas Merah pada cuplikan tanah pasca tambang batubara. *J. Agroteknologi Tropika Lembab*, 3(1), 27–32. <https://doi.org/210.35941/JATL>
- Datta, S. K. De, Stangel, P. J., & Craswell, E. T. (1981). Evaluation of nitrogen fertility and increasing fertilizer efficiency in wetland rice soils. *Proceedings of Symposium on Paddy Soils*, 13, 139–140.
- Ding, Y., Liu, Y., Liu, S., Li, Z., Tan, X., Huang, X., Zeng, G., Zhou, L., & Zheng, B. (2016). Biochar to improve soil fertility. A review. *Agronomy for Sustainable Development*, 36(2), 1–18. <https://doi.org/10.1007/s13593-016-0372-z>
- Disniwati, E., Khalil, M., & Fikrinda, F. (2021). Status karbon organik dan nitrogen total tanah serta pertumbuhan jagung (*Zea mays* L.) Akibat aplikasi fungi selulolitik indigenous dan jerami padi pada inceptisol Aceh. *Jurnal Ilmiah Mahasiswa Pertanian*, 6(4), 664–670. <https://doi.org/10.17969/jimfp.v6i4.18437>
- Du, K., Zhao, W., Lv, Z., Xu, B., Hu, W., Zhou, Z., & Wang, Y. (2024). Optimal rate of nitrogen fertilizer improves maize grain yield by delaying the senescence of ear leaves and thereby altering their nitrogen remobilization. *Field Crops Research*, 310, 109359. <https://doi.org/10.1016/j.fcr.2024.109359>
- Düring, H. (2003). Stomatal and mesophyll conductances control CO_2 transfer to chloroplasts in leaves of grapevine (*Vitis vinifera* L.). *Vitis*, 42(2), 65–68. <https://doi.org/10.5073/vitis.2003.42.65-68>
- Erawan, D., Yani, W. O., & Bahrin, A. (2013). Pertumbuhan dan hasil tanaman sawi (*Brassica juncea* L.) pada berbagai dosis pupuk urea. *JURNAL AGROTEKNOS*, 3(1), 19–25.
- Erisman, J. W., Sutton, M. A., Galloway, J., Klimont, Z., & Winiwarer, W. (2008). How a century of ammonia synthesis changed the world. *Nature Geoscience*,

1(10), 636–639. <https://doi.org/10.1038/ngeo325>

- Esteves, C., Fareleira, P., Castelo-Branco, M. A., Lopes, I. G., Mota, M., Murta, D., & Menino, R. (2022). Black soldier fly larvae frass increases the soil's residual nutrient content and enzymatic activity – a lettuce production trial. *Journal of Insects as Food and Feed*, 8(12), 1431–1440. <https://doi.org/10.3920/JIFF2022.0005>
- Fageria, N. K., & Baligar, V. C. (2005). Enhancing nitrogen use efficiency in crop plants. *Advances in Agronomy*, 88(05), 97–185. [https://doi.org/10.1016/S0065-2113\(05\)88004-6](https://doi.org/10.1016/S0065-2113(05)88004-6)
- Fagodiya, R. ., Kumar, A., Kumari, S., Medhi, K., & Shabnam, A. A. (2020). Role of nitrogen and its agricultural management in changing environment. In: Naeem, m., Ansari, a., Gill, s. (eds) contaminants in agriculture. In *Contaminants in Agriculture: Sources, Impacts and Management*. <https://doi.org/10.1007/978-3-030-41552-5>
- Fields. (2004). Cycling out of control. *Environmental Health Perspectives*, 112(10), 556–563.
- Flatian, A. N., Rachmadhani, A. F., & Suryadi, E. (2020). Efisiensi pemupukan n tanaman jagung manis akibat beberapa dosis dan waktu aplikasi urea menggunakan teknik isotop 15 N. 44(2), 93–100.
- Fornes, F., Liu-Xu, L., Lidón, A., Sánchez-García, M., Cayuela, M. L., Sánchez-Monedero, M. A., & Belda, R. M. (2020). Biochar improves the properties of poultry manure compost as growing media for rosemary production. *Agronomy*, 10(2), 1–16. <https://doi.org/10.3390/agronomy10020261>
- G. X. Cai, D. L. Chen, H. Ding, A. Pacholski, X. H. Fan, & Z. L. ZHU. (2002). Nitrogen losses from fertilizers applied to maize, wheat and rice in the north china plain. *Nutrient Cycling in Agroecosystems*, 63(1), 187–195. <https://doi.org/10.1023/A>
- Gabler, F. (2014). *Using Black Soldier Fly for Waste Recycling and Effective Salmonella spp. reduction*. In *Sveriges lantbruksuniversitet Swedish. Swedish University of Agricultural Sciences*.
- Gamit, M. K., Bavalgave, V. G., Patel, K. K., & Ganvit, J. M. (2023). Effect of different levels and times of nitrogen application on grain and forage quality of sweet corn (*Zea mays* L. saccharata). *International Journal of Environment and Climate Change*, 13(12), 457–464. <https://doi.org/10.9734/ijecc/2023/v13i123702>
- Gardner, F. ., Pearce, R. B., & Mitchell, R. L. (1991). *Fisiologi Tanaman Budidaya*. Universitas Indonesia-Press.
- Gärttling, D., Kirchner, S. M., & Schulz, H. (2020). Assessment of the N- and P-Fertilization Effect of Black Soldier Fly (*Diptera: Stratiomyidae*) By-Products on Maize. *Journal of Insect Science*, 20(5) .

<https://doi.org/10.1093/jisesa/ieaa089>

- Gärttling, D., & Schulz, H. (2022). Compilation of black soldier fly frass analyses. *Journal of Soil Science and Plant Nutrition*, 22(1), 937–943. <https://doi.org/10.1007/s42729-021-00703-w>
- Gebremikael, M. T., Wickeren, N. van, Hosseini, P. S., & De Neve, S. (2022). The impacts of black soldier fly frass on nitrogen availability, microbial activities, c sequestration, and plant growth. *Frontiers in Sustainable Food Systems*, 6, 1–13. <https://doi.org/10.3389/fsufs.2022.795950>
- Gheith, E. M. S., El-Badry, O. Z., Lamloom, S. F., Ali, H. M., Siddiqui, M. H., Ghareeb, R. Y., El-Sheikh, M. H., Jebril, J., Abdelsalam, N. R., & Kandil, E. E. (2022). Maize (*Zea mays* L.) Productivity and nitrogen use efficiency in response to nitrogen application levels and time. *Frontiers in Plant Science*, 13(July), 1–12. <https://doi.org/10.3389/fpls.2022.941343>
- Głab, T., Gondek, K., & Mierzwa-Hersztek, M. (2025). Enhancing soil physical quality with compost amendments: effects of particle size and additives. *Agronomy*, 458(15), 1–18. <https://doi.org/10.3390/agronomy15020458>
- Good, A. G., Shrawat, A. K., & Muench, D. G. (2004). Can less yield more? Is reducing nutrient input into the environment compatible with maintaining crop production? *Trends in Plant Science*, 9(12), 597–605. <https://doi.org/10.1016/j.tplants.2004.10.008>
- Govindasamy, P., Muthusamy, S. K., Bagavathiannan, M., Mowrer, J., Jagannadham, P. T. K., Maity, A., Halli, H. M., G. K, S., Vadivel, R., T. K, D., Raj, R., Pooniya, V., Babu, S., Rathore, S. S., L, M., & Tiwari, G. (2023). Nitrogen use efficiency—a key to enhance crop productivity under a changing climate. *Frontiers in Plant Science*, 14(3), 1–19. <https://doi.org/10.3389/fpls.2023.1121073>
- Green, T. (2023). A biochemical analysis of black soldier fly (*Hermetia illucens*) larval frass plant growth promoting activity. *PLOS ONE*, 18(7), 1–11. <https://doi.org/10.1371/journal.pone.0288913>
- Gunawan, H., Helmi, & Muyassir. (2019). Pengaruh bahan amelioran dan pemupukan terhadap kandungan hara dan hasil padi lokal tipe baru pada lahan suboptimal. *Jurnal Ilmiah Mahasiswa Pertanian*, 4(3), 327–337. <https://doi.org/10.17969/jimfp.v6i3.17654>
- Gurmu, G. (2019). Soil organic matter and its role in crop production improvement. *Academic Research Journal of Agricultural Science and Research*, 3(4), 432–432. <https://doi.org/10.14662/ARJASR2019.147>
- Handayani, E. P. (2015). Upaya peningkatan hasil padi (*Oryza sativa* L.) dengan aplikasi zeolit menyertai pemupukan NPK. *Prosiding Seminar Nasional Swasembada Pangan Politeknik Negeri Lampung 29 April 2015*, 111–116.
- Hardjowigeno, A. (1987). *Ilmu Tanah*. Mediyatama Sarana Perkasa.

- Hartatik, W., Mardiyati, E., Wibowo, H., Sukarto, A., & Yusron, Y. (2020). Formulasi dan pola kelarutan N pupuk urea-zeolit lepas lambat. *Jurnal Tanah Dan Iklim*, 44(1), 61. <https://doi.org/10.21082/jti.v44n1.2020.61-70>
- Hauck, R. D. (1984). *Nitrogen In Crop Production ASA, CSSA, SSSA*. Madison.
- Husna, M., Sugiyanta, S., & Pratiwi, E. (2020). Kemampuan konsorsium bacillus pada pupuk hayati dalam memfiksasi N₂, melarutkan fosfat dan mensintesis fitohormon indole 3-acetic-acid. *Jurnal Tanah Dan Iklim*, 43(2), 117. <https://doi.org/10.21082/jti.v43n2.2019.117-125>
- Ismadi, R. A., Apriawan, R., & Sidabutar, J. (2024). Bioconversion of legume cover crop waste into organic fertilizer based on integrated composting-vermicomposting method. *IOP Conference Series: Earth and Environmental Science*, 1422(1). <https://doi.org/10.1088/1755-1315/1422/1/012022>
- Isrun. (2010). Perubahan serapan nitrogen tanaman jagung dan kadar al-dd akibat pemberian kompos tanaman legum dan nonlegum pada inseptisols napu. *Jurnal Agroland*, 17(1), 23–29.
- Jiang, Y., Li, H., Ma, W., Yu, W., Chen, J., Gao, Y., Qi, G., Yin, M., Kang, Y., Ma, Y., Wang, J., & Xu, L. (2024). A meta-analysis of the effects of nitrogen fertilizer application on maize (*Zea mays* L.) yield in northwest china. *Frontiers in Plant Science*, 15, 1–16. <https://doi.org/10.3389/fpls.2024.1485237>
- Ju, X. T., Xing, G. X., Chen, X. P., Zhang, S. L., Zhang, L. J., Liu, X. J., Cui, Z. L., Yin, B., Christie, P., Zhu, Z. L., & Zhang, F. S. (2009). Reducing environmental risk by improving n management in intensive chinese agricultural systems. *Proceedings of the National Academy of Sciences of the United States of America*, 106(9), 3041–3046. <https://doi.org/10.1073/pnas.0813417106>
- K.C., N., & Mahat, B. (2024). A review article on the effect of biochar on soil properties. *Journal of Wastes and Biomass Management (JWBM)*, 6(2), 111–115. <https://doi.org/10.26480/jwbm.02.2023.111.115>
- Kakabouki, I., Roussis, I., Mavroeidis, A., Stavropoulos, P., Kanatas, P., Pantaleon, K., Folina, A., Beslemes, D., & Tigka, E. (2025). Effects of zeolite application and inorganic nitrogen fertilization on growth, productivity, and nitrogen and water use efficiency of maize (*Zea mays* L.) cultivated under mediterranean conditions. *Sustainability (Switzerland)*, 17(5). <https://doi.org/10.3390/su17052178>
- Kalita, B., Bora, S. S., & Gogoi, B. (2020). Zeolite: A soil conditioner. *International Journal of Current Microbiology and Applied Sciences*, 9(1), 1184–1206. <https://doi.org/10.20546/ijcmas.2020.901.133>
- Kammann, C. I., Schmidt, H. P., Messerschmidt, N., Linsel, S., Steffens, D., Müller, C., Koyro, H. W., Conte, P., & Stephen, J. (2015). Plant growth

- improvement mediated by nitrate capture in co-composted biochar. *Scientific Reports*, 5, 1–13. <https://doi.org/10.1038/srep11080>
- Kastolani, W. (2019). Utilization of BSF to reduce organic waste in order to restoration of the citarum river ecosystem. *IOP Conference Series: Earth and Environmental Science*, 286(1). <https://doi.org/10.1088/1755-1315/286/1/012017>
- Kementerian Pertanian. (2019). *Peraturan Menteri Pertanian Nomor 261/KPTS/SR.310/M/4/2019. Tentang Persyaratan Teknis Minimal Pupuk Organik, Pupuk Hayati dan Pembenh Tanah.*
- Kementerian Pertanian. (2020). Outlook Jagung 2020: Komoditas Pertanian Subsektor Tanaman Pangan. In *Pusat Data dan Sistem Informasi Pertanian Sekretariat Jenderal Kementerian Pertanian*. Pusat Data dan Sistem Informasi Pertanian Sekretariat Jenderal Kementerian Pertanian. <http://epublikasi.setjen.pertanian.go.id>
- Kenchanna, D., Waliczek, T. M., & Drewery, M. L. (2024). Evaluating black soldier fly (*Hermetia illucens*) frass and larval sheddings in the production of a quality compost. *Fermentation*, 10(12). <https://doi.org/10.3390/fermentation10120613>
- Klammsteiner, T., Turan, V., Juárez, M. F. D., Oberegger, S., & Insam, H. (2020). Suitability of black soldier fly frass as soil amendment and implication for organic waste hygienization. *Agronomy*, 10(10), 1–12. <https://doi.org/10.3390/agronomy10101578>
- Koto, M. Y., Muyassir, M., & Jufri, Y. (2021). Pemanfaatan kompos ampas tebu dan biochar terhadap perbaikan sifat kimia tanah sawah, pertumbuhan dan produksi padi varietas sanbei. *Jurnal Ilmiah Mahasiswa Pertanian*, 6(2), 88–96. <https://doi.org/10.17969/jimfp.v6i2.16945>
- Koushal, S., Shenoy, H., Purushotham, P., & Singh, K. C. (2025). Enhancing nitrogen use efficiency (NUE) in agriculture : Challenges , strategies and future prospects. *International Journal of Advanced Biochemistry Research* 2025, 9(2), 598–602. <https://doi.org/10.33545/26174693.2025.v9.i2h.3848>
- Kristanto, B. A. (2006). Perubahan karakter tanaman jagung (*Zea mays* L.) akibat alelopati dan persaingan teki (*Cyperus rotundus* L.). *Journal Indonesia Tropic Animal Agriculture*, 31(3), 189–194.
- Kristiono, A., & Subandi. (2013). Evaluasi efektivitas pupuk organik untuk tanaman kedelai di lahan kering masam. *Prosiding Seminar Hasil Penelitian Tanaman Aneka Kacang Dan Umbi 2013*, 3, 49–58.
- Kusparwanti, T. R., Eliyatiningsih, E., & Wardana, R. (2020). Application legume compost with bio-activator *Trichoderma* sp as inorganic fertilizer substitution in sweet corn (*Zea mays* L. *Saccharata*) cultivation. *IOP Conference Series: Earth and Environmental Science*, 411(1), 1–5. <https://doi.org/10.1088/1755-1315/286/1/012017>

- Lassaletta, L., Billen, G., Grizzetti, B., Anglade, J., & Garnier, J. (2014). 50 year trends in nitrogen use efficiency of world cropping systems: the relationship between yield and nitrogen input to cropland. *Environmental Research Letters*, 9(10), 1–9. <https://doi.org/10.1088/1748-9326/9/10/105011>
- Lawlor, D. W., Kontturi, M., & Young, A. T. (1989). Photosynthesis by flag leaves of wheat in relation to protein, ribulose biphosphate carboxylase activity and nitrogen supply. *Journal of Experimental Botany*, 40(1), 43–52. <https://doi.org/10.1093/jxb/40.1.43>
- Lehmann, J., Bossio, D. A., Kögel-Knabner, I., & Rillig, M. C. (2020). The concept and future prospects of soil health. *Nature Reviews Earth and Environment*, 1(10), 544–553. <https://doi.org/10.1038/s43017-020-0080-8>
- Lehmann, J., & Joseph, S. (2024). Biochar for environmental management. In *Biochar for Environmental Management*. <https://doi.org/10.4324/9781003297673-1>
- Lestari, & Gati, E. (2006). The relation between stomata index and drought resistant at rice somaclones of gajah mungkur, towuti, and IR 64. *Biodiversitas Journal of Biological Diversity*, 7(1), 44–48. <https://doi.org/10.13057/biodiv/d070112>
- Liao, C., Peng, Y., Ma, W., Liu, R., Li, C., & Li, X. (2012). Proteomic Analysis Revealed Nitrogen-mediated Metabolic, Methylation and Chromatin Patterning Developmental, and Hormonal Regulation of Maize (*Zea mays* L.) Ear Growth. *Journal of Experimental Botany*, 63(14), 695–709. <https://doi.org/10.1093/jxb/err313>
- Lingga, P., & Marsono. (2006). *Petunjuk Penggunaan Pupuk*. Penebar Swadaya Grup.
- Liu, H., Zhu, Q., Pei, X., Xing, G., Ou, X., & Li, H. (2020). Comparative analysis of the photosynthetic physiology and transcriptome of a high-yielding wheat variety and its parents. *The Crop Journal*, 8(6), 1037–1048. <https://doi.org/10.1016/j.cj.2020.01.004>
- Lladó, S., López-Mondéjar, R., & Baldrian, P. (2017). Forest soil bacteria: diversity, involvement in ecosystem processes, and response to global change. *Microbiology and Molecular Biology Reviews*, 81(2). <https://doi.org/10.1128/mmbr.00063-16>
- Ma, B., Wang, J., Han, Y., Zhou, C., Xu, T., Qu, Z., Wang, L., Ma, B., Yuan, M., Wang, L., Ding, X., & Qian, C. (2022). The response of grain yield and ear differentiation related traits to nitrogen levels in maize varieties with different nitrogen efficiency. *Scientific Reports*, 12(1), 1–14. <https://doi.org/10.1038/s41598-022-18835-z>
- Mahat, B., Upadhayay, B., & Poudel, A. (2023). Effect of different nitrogen dose on growth and yield characteristics of hybrid maize (*Zea mays* L.) varieties at

- Sundarbazar, Lamjung. *Malaysian Journal of Sustainable Agriculture*, 7(2), 65–71. <https://doi.org/10.26480/mjsa.02.2023.65.71>
- Mao, H., Zhang, H., Fu, Q., Zhong, M., Li, R., Zhai, B., Wang, Z., & Zhou, L. (2019). Effects of four additives in pig manure composting on greenhouse gas emission reduction and bacterial community change. *Bioresource Technology*, 292. <https://doi.org/10.1016/j.biortech.2019.121896>
- Medoro, V., Ferretti, G., Galamini, G., Rotondi, A., Morrone, L., Faccini, B., & Coltorti, M. (2022). Reducing nitrogen fertilization in olive growing by the use of natural chabazite-zeolite as soil improver. *Land*, 11(9), 1–20. <https://doi.org/10.3390/land11091471>
- Meng, C., Wang, Z., Cai, Y., Du, F., Chen, J., & Xiao, C. (2022). Effects of planting density and nitrogen (N) application rate on light energy utilization and yield of maize. *Sustainability (Switzerland)*, 14(24), 1–13. <https://doi.org/10.3390/su142416707>
- Meng, F., Zhang, R., Zhang, Y., Li, W., Zhang, Y., Zhang, M., Yang, X., & Yang, H. (2024). Improving maize carbon and nitrogen metabolic pathways and yield with nitrogen application rate and nitrogen forms. *PeerJ*, 12, 1–22. <https://doi.org/10.7717/peerj.16548>
- Meng, Q., Yue, S., Hou, P., Cui, Z., & Chen, X. (2016). Improving yield and nitrogen use efficiency simultaneously for maize and wheat in China: a review. *Pedosphere*, 26(2), 137–147. [https://doi.org/10.1016/S1002-0160\(15\)60030-3](https://doi.org/10.1016/S1002-0160(15)60030-3)
- Moharana, P. C., Sharma, B. M., & Biswas, D. R. (2017). Changes in the soil properties and availability of micronutrients after six-year application of organic and chemical fertilizers using STCR-based targeted yield equations under pearl millet-wheat cropping system. *Journal of Plant Nutrition*, 40(2), 165–176. <https://doi.org/10.1080/01904167.2016.1201504>
- Monneveux, P., Sanchez, C., & Tiessen, A. (2008). Future progress in drought tolerance in maize needs new secondary traits and cross combinations. *Journal of Agricultural Science*, 146(3), 287–300. <https://doi.org/10.1017/S0021859608007818>
- Munir, A. A., Tripatmasari, M., & Lazuardi Arif, M. (2010). Respon tanaman tembakau rajangan madura (*Nicotiana tabacum* L.) varietas Prancak-N2 terhadap pemberian dosis pupuk NPK. *Rekayasa*, 3(1), 30–35.
- Murjiono, M. A., Supriyo, H., & Ariyanto, S. E. (2024). Respon pertumbuhan tanaman terong ungu (*Solanum melongena* L.) terhadap pemberian pupuk organik eceng gondok (*Eichhornia Crassipes*) dan dosis pupuk NPK. *Muria Jurnal Agroteknologi (MJ-Agroteknologi)*, 2(2), 40–47. <https://doi.org/10.24176/mjagrotek.v2i2.12090>
- Novan, & Maharani, D. K. (2017). Kajian daya serap air (*Swelling*) pupuk urea *slow release fertilizer* (SRF) menggunakan matriks kitosan-zeolit. *UNESA Journal*

of Chemistry, 6(2), 91–93. <https://doi.org/10.26740/ujc.v6n2.p%25p>

- Oenema O, Brentrup F, Lammel J, Bascou P, Billen G, Dobermann A, Erisman JW, Garnett T, Hammel M, Hanjotis T, Hillier J, Hoxha A, Jensen LS, Oleszek W, Pallière C, Powlson D, Quemada M, Schulman M, Sutton MA, Winiwarter W. (2015). *Nitrogen use efficiency (NUE) - an indicator for the utilization of nitrogen in agriculture and food systems*. In EU Nitrogen Expert Panel.
- Oktem, A., Oktem, A. G., & Emeklier, H. Y. (2010). Effect of nitrogen on yield and some quality parameters of sweet corn. *Communications in Soil Science and Plant Analysis*, 41(7), 832–847. <https://doi.org/10.1080/00103621003592358>
- Oni, B. A., Oziegbe, O., & Olawole, O. O. (2019). Significance of biochar application to the environment and economy. *Annals of Agricultural Sciences*, 64(2), 222–236. <https://doi.org/10.1016/j.aoas.2019.12.006>
- Oyebiyi, F. B., Aula, L., Omara, P., Nambi, E., Dhillon, J. S., & Raun, W. R. (2019). Maize (*Zea mays* L.) Grain yield response to methods of nitrogen fertilization. *Communications in Soil Science and Plant Analysis*, 50(21), 2694–2700. <https://doi.org/10.1080/00103624.2019.1670837>
- Pant, P. K., Mishra, A., & Bhatt, P. (2020). Amelioration of soil: based on mineral (zeolite) source: a review. *Trends in Technical & Scientific Research*, 4(1), 1–4. <https://doi.org/10.19080/ttsr.2020.04.555626>
- Pradiksa, O. I., Setyati, W. A., & Widianingsih, W. (2022). Pengaruh bioaktivator EM4 terhadap proses degradasi pupuk organik cair *Cymodocea serrulata*. *Journal of Marine Research*, 11(2), 136–144. <https://doi.org/10.14710/jmr.v11i2.33771>
- Proklamasiningsih, E., Prijambada, I. D., Rachmawati, D., & Sancayaningsih, R. (2012). Photosynthesis rate and chlorophyll content of soybean in planting media sour with aluminum salt. (In Indonesia). *Agrotrop*, 2(1), 17–24.
- Ragályi, P., Szabó, A., Csathó, P., Rékási, M., & Csontos, P. (2025). Interaction of nitrogen, phosphorus, and potassium fertilisation and precipitation on the nitrogen use efficiency of rainfed grass. *Nitrogen (Switzerland)*, 6(1), 1–17. <https://doi.org/10.3390/nitrogen6010008>
- Ravali, C., Jeevan Rao, K., Srilatha, M., & Suresh, K. (2019). Effect of different levels of zeolite and nitrogen on grain yield and nutrient uptake of maize grown in red soil. *International Journal of Current Microbiology and Applied Sciences*, 8(06), 248–258. <https://doi.org/10.20546/ijemas.2019.806.028>
- Raza, M. A., Gul, H., Hasnain, A., Khalid, M. H. Bin, Hussain, S., Abbas, G., Ahmed, W., Babar, M. J., Ahmed, Z., Saeed, A., Riaz, M. U., Khan, A. I., Kakar, K. M., Ercisli, S., Sabah, A. El, Qin, R., Ahmad, S., Feng, Y., & Yang, W. (2022). Leaf area regulates the growth rates and seed yield of soybean (*Glycine max* L. Merr.) in intercropping system. *International Journal of Plant*

- Production*, 16(4), 639–652. <https://doi.org/10.1007/s42106-022-00201-8>
- Ritonga, F. R., Muhammad, Walida, H., Elizabeth Mustamu, N., & Ayu Putri Septyani, I. (2024). The effect of casgot fertilizer on the growth of cucumber plants. *International Journal of Science, Technology & Management*, 5(4), 840–845. <https://doi.org/10.46729/ijstm.v5i4.1142>
- Riwandi, Handajaningsih, M., & Hasanudin. (2014). Teknik budidaya jagung dengan sistem organik di lahan marjinal. In *Revista Brasileira de Linguística Aplicada* (1st ed.). Perpustakaan Nasional RI: Katalog Dalam Terbitan (KDT).
- Romano, N., & Islam, S. (2023). Productivity and elemental/chlorophyll composition of collard greens in an aquaponic system at different combinations of media and black soldier fly (*Hermetia illucens*) larvae frass supplementations. *Aquaculture Research*, 2023, 1–7. <https://doi.org/10.1155/2023/3308537>
- Romano, N., Sinha, A., Powell, A., & Fischer, H. (2023). Mineral composition in black soldier fly (*Hermetia illucens*) larvae and resulting frass from fruit and their peels. *Journal of Insects as Food and Feed*, 9(1), 43–53. <https://doi.org/10.3920/JIFF2022.0019>
- Rombel, A., Krasucka, P., & Oleszczuk, P. (2022). Sustainable biochar-based soil fertilizers and amendments as a new trend in biochar research. *Science of the Total Environment*, 816, 151588. <https://doi.org/10.1016/j.scitotenv.2021.151588>
- S.K. Rajkishore, P. Doraisamy, M. Maheswari, K.S. Subramanian, R. Prabhu, & G. Vanitha. (2021). Modulations in carbon and nitrogen assimilation patterns in rice plants exposed to elevated atmospheric carbon dioxide concentrations. *Journal of Environmental Biology*, 42(4), 1114–1125. [https://doi.org/10.22438/jeb/42/4\(SI\)/MRN-1532a](https://doi.org/10.22438/jeb/42/4(SI)/MRN-1532a)
- Sarpong, D., Oduro-Kwarteng, S., Gyasi, S. F., Buamah, R., Donkor, E., Awuah, E., & Baah, M. K. (2019). Biodegradation by composting of municipal organic solid waste into organic fertilizer using the black soldier fly (*Hermetia illucens*) (Diptera: Stratiomyidae) larvae. *International Journal of Recycling of Organic Waste in Agriculture*, 8(4), 45–54. <https://doi.org/10.1007/s40093-019-0268-4>
- Sawinska, Z., Radzikowska-Kujawska, D., Kowalczewski, P. Ł., Grzanka, M., Sobiech, Ł., Skrzypczak, G., Drozdzyńska, A., & Slachcinski, M. (2024). *Hermetia illucens* frass fertilization: a novel approach for enhancing lettuce resilience and photosynthetic efficiency under drought stress conditions. *Applied Sciences*, 14, 1–15. <https://doi.org/10.3390/app14062386>
- Schulte-Uebbing, L., & de Vries, W. (2018). Global-scale impacts of nitrogen deposition on tree carbon sequestration in tropical, temperate, and boreal forests: a meta-analysis. *Global Change Biology*, 24(2), 416–431. <https://doi.org/10.1111/gcb.13862>

- Setyorini, D., Hartatik, W., Made Subiksa, I., & Aksani, D. (2023). Agronomic effectiveness, dry-matter, grain yield, nutrient uptake, and fertilizer use-efficiency of liquid organic fertilizer combined with NPK to sweet corn (*Zea mays saccharata* Sturt). *IOP Conference Series: Earth and Environmental Science*, 1, 1–9. <https://doi.org/10.1088/1755-1315/1165/1/012014>
- Shah, I. H., Jinhui, W., Li, X., Hameed, M. K., Manzoor, M. A., Li, P., Zhang, Y., Niu, Q., & Chang, L. (2024). Exploring the role of nitrogen and potassium in photosynthesis implications for sugar: accumulation and translocation in horticultural crops. *Scientia Horticulturae*, 327. <https://doi.org/10.1016/j.scienta.2023.112832>
- Shangguan, Z., Shao, M., & Dyckmans, J. (2000). Effects of nitrogen nutrition and water deficit on net photosynthetic rate and chlorophyll fluorescence in winter wheat. *Journal of Plant Physiology*, 156(1), 46–51. [https://doi.org/10.1016/S0176-1617\(00\)80271-0](https://doi.org/10.1016/S0176-1617(00)80271-0)
- Sharma, P. K., Gurjar, R., Kumar, M., Kumar, D., & Dabaria, A. (2023). Combined effect of nitrogen and phosphorus fertilizer on the activity of the nitrate reductase enzyme in different wheat cultivars. *International Journal of Environment and Climate Change*, 13(1), 196–204. <https://doi.org/10.9734/ijecc/2023/v13i11667>
- Shiade, G., S. R., F., Kardoni, A., Pandey, F., & Pessarakli, M. (2023). Nitrogen contribution in plants: recent agronomic approaches to improve nitrogen use efficiency. *Journal of Plant Nutrition*, 47(2), 314–331. <https://doi.org/10.1080/01904167.2023.2278656>
- Sitompul, S. M., & Guritno, B. (1995). *Analisis Pertumbuhan Tanaman*. Gadjah Mada University Press.
- Slameto, Fariroh, I., Rusdiana, R. Y., & Kriswanto, B. (2022). Nitrogen fertilizer reduction on way Apo Buru and Inpari 33 rice varieties. *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 50(2), 132–138. <https://doi.org/10.24831/jai.v50i2.39299>
- Smith, O. M., Cohen, A. L., Rieser, C. J., Davis, A. G., Taylor, J. M., Adesanya, A. W., Jones, M. S., Meier, A. R., Reganold, J. P., Orpet, R. J., Northfield, T. D., & Crowder, D. W. (2019). Organic farming provides reliable environmental benefits but increases variability in crop yields: a global meta-analysis. *Frontiers in Sustainable Food Systems*, 3(September), 1–10. <https://doi.org/10.3389/fsufs.2019.00082>
- Solfianti, M., Herviyanti, H., Prasetyo, T. B., & Maulana, A. (2021). Pengaruh aplikasi biochar limbah kulit pinang dosis rendah terhadap sifat kimia inceptisol. *Agrikultura*, 32(1), 77. <https://doi.org/10.24198/agrikultura.v32i1.32602>
- Souza, J. R. de, Meirelles, F. C., & Ribeiro, B. . (2025). Yield and agronomic efficiency of maize under conventional and enhanced-efficiency nitrogen

sources. *Int. J. Plant Prod*, 19, 131–140. <https://doi.org/10.1007/s42106-024-00324-0>

Styana, Fenti, U., & Sudiyo, R. (2010). *Penggunaan Metode Coating Campuran Zeolit dan Pati untuk Meningkatkan Ketertarikan Nitrogen dan Kekuatan Pada Pupuk Granul*. Universitas Gadjah Mada.

Sugiyono, Soekarto, S. T., Hariyadi, P., & Supriadi, A. (2004). Kajian optimasi teknologi pengolahan beras jagung instan. *Jurnal Teknologi Dan Industri Pangan*, 15(2), 119–128.

Surianti, K., Darusman, D., & Syakur, S. (2021). Pengaruh biochar sekam dan jerami padi terhadap sifat kimia tanah pada tanah bekas tambang batubara. *Jurnal Ilmiah Mahasiswa Pertanian*, 6(2), 105–111. <https://doi.org/10.17969/jimfp.v6i2.16936>

Suryaningsih, D. R. (2023). Pengaruh Pemberian Biochar dan Kompos Terhadap Pertumbuhan Tanaman Pakcoy (*Brassica rapa* L.) Pada Tanah Vertisol. *Journal of Applied Plant Technology*, 2(1), 21–29. <https://doi.org/10.30742/japt.v2i1.76>

Susanti, D., & Safrina, D. (2021). Specific leaf area and leaf area index identification of centella (*Centella asiatica* (L.) Urb .) leaf in karang. *Jurnal Tumbuhan Obat Indonesia*, 11(2), 10–17. <https://doi.org/10.22435/toi.v11i1.8242>. CITATIONS

Susilo, H., Nurmayulis, N., Syahbana, M. A., & Sodik, A. H. (2024). The potential of frass BSF as an organic fertilizer for making sustainable agriculture a reality. *Jurnal Biologi Tropis*, 24(2), 209–215. <https://doi.org/10.29303/jbt.v24i2.6782>

Syafruddin. (2012). Pemetaan Rekomendasi Pemupukan pada Tanaman Jagung Berdasarkan Agroekosistem Lahan di Kabupaten Gowa, Sulawesi Selatan. *Laporan Akhir Penelitian Insentif Peningkatan Kemampuan Peneliti dan Perakayasa Kementerian Ristek*. 25 hal

Syafruddin, S. S., & Subandi. (2008). Penggunaan bagan warna daun untuk efisiensi pemupukan N pada tanaman jagung. *Penelitian Pertanian Tanaman Pangan*, 27(1), 24–31.

Syarifah, R. N. K., Ulinuha, Z., & Purwanto, P. (2022). Pengaruh pemupukan N terhadap serapan dan efisiensi penggunaan N, serta hasil padi hibrida. *Jurnal AGRO*, 8(2), 262–273. <https://doi.org/10.15575/15084>

Tambeayuk, M. A., Taiwo, O. J., & Kamga, M. A. (2024). Evaluation of the fertilizer potential of black soldier fly larval frass obtained by the processing of multiple organic wastes in agriculture in cameroon: effects on plant growth parameters and maize kernel nutrient composition. *Research Journal of Agricultural Economics and Development*, 3(2), 43–63. <https://doi.org/10.52589/RJAED-V00FXZMX>

- Tanga, C. M., Beesigamukama, D., Kassie, M., Egonyu, P. J., Ghemoh, C. J., Nkoba, K., Subramanian, S., Anyega, A. O., & Ekesi, S. (2022). Performance of black soldier fly frass fertiliser on maize (*Zea mays* L.) growth, yield, nutritional quality, and economic returns. *Journal of Insects as Food and Feed*, 8(2), 185–196. <https://doi.org/10.3920/JIFF2021.0012>
- Toda, M., Walder, F., & van der Heijden, M. G. A. (2023). Organic management and soil health promote nutrient use efficiency. *Journal of Sustainable Agriculture and Environment*, 2(3), 215–224. <https://doi.org/10.1002/sae2.12058>
- Triyono, A., Purwanto, & Budiyono. (2013). Efisiensi penggunaan pupuk – N untuk pengurangan kehilangan nitrat pada lahan pertanian. *Prosiding Seminar Nasional Pengelolaan Sumber Daya Alam Dan Lingkungan*, 1, 526–531.
- United States Environmental Protection Agency. (2014). *Global Mitigation of Non-CO 2 Greenhouse Gases 2010-2030*. United States Environmental Protection Agency. <http://www.epa.gov/climatechange/economics/international.html>
- Wang, G., Chen, X., Cui, Z., Yue, S., & Zhang, F. (2014). Estimated reactive nitrogen losses for intensive maize production in China. *Agriculture, Ecosystems and Environment*, 197, 293–300. <https://doi.org/10.1016/j.agee.2014.07.014>
- Wang, Z., Ma, B. L., Yu, X., Gao, J., Sun, J., Su, Z., & Yu, S. (2019). Physiological basis of heterosis for nitrogen use efficiency of maize. *Scientific Reports*, 9(1), 1–11. <https://doi.org/10.1038/s41598-019-54864-x>
- Wei, Z., Hoffland, E., Zhuang, M., Hellegers, P., & Cui, Z. (2021). Organic inputs to reduce nitrogen export via leaching and runoff: a global meta-analysis. *Environmental Pollution*, 291. <https://doi.org/doi:10.1016/j.envpol.2021.118176>
- Weil, R. R., & Brady, N. C. (2017). *The Nature and Properties of Soils. 15th Edition*. Pearson Education, Inc.
- Woo, K. T., Shamsuddin, R., Hakimi, M., Manogaran, M. D., Looi, L. W., Tan, Z. Sen, & Abubakar, A. M. (2024). Co-composting of black soldier fly frass (BSFF) with various organics additives for nutrient enhancement. *Bioresource Technology Reports*, 27. <https://doi.org/10.1016/j.biteb.2024.101944>.
- Yadav, M. R., Kumar, R., Parihar, C. M., Yadav, R. K., Jat, S. L., Ram, H., Meena, R. K., Singh, M., . B., Verma, A. P., Ghoshand, A., & Jat, M. L. (2017). Strategies for improving nitrogen use efficiency: a review. *Agricultural Reviews*, 38(OF), 29–40. <https://doi.org/10.18805/ag.v0iof.7306>
- Yan, Y., Hou, P., Duan, F., Niu, L., Dai, T., Wang, K., Zhao, M., Li, S., & Zhou, W. (2021). Improving photosynthesis to increase grain yield potential: an analysis of maize hybrids released in different years in China. *Photosynthesis Research*, 150(3), 295–311. <https://doi.org/10.1007/s11120-021-00847-x>

- Yang, G. D., Hu, Z. Y., Hao, Z. Y., Li, J. H., Wang, Q., Meng, X. X., Zhou, Y. F., & Huang, R. D. (2021). Effect of nitrogen on the metabolic enzyme activity of leaves, protein content and yield of sorghum (*Sorghum bicolor* (L.) *moench*) in Northern China. *Applied Ecology and Environmental Research*, 19(5), 3467–3479. https://doi.org/10.15666/aeer/1905_34673479
- Yugi, S. (2012). *Ekologi tanaman : pengaruh faktor lingkungan terhadap pertumbuhan tanaman dan beberapa aspeknya*. UB Press.
- Zafar-ul-Hye, M., Ahmad, M., & Shahzad, S. M. (2013). Synergistic effect of rhizobia and plant growth promoting rhizobacteria on the growth and nodulation of lentil seedlings under axenic conditions. *Soil and Environment*, 32(1), 79–86.
- Zheng, H., Noor, H., Lin, C., Feng, Y., Luo, Z., Hou, Y., Seleiman, M. F., & Noor, F. (2025). Agrochemical nitrogen cycles, photosynthesis performance of nitrogen use efficiency, and yield of maize. *Atmosphere*, 16(4), 1–16. <https://doi.org/10.3390/atmos16040373>
- Zheng, J., Chen, T., Chi, D., Xia, G., Wu, Q., Liu, G., Chen, W., Meng, W., Chen, Y., & Siddique, K. H. M. (2019). Influence of zeolite and phosphorus applications on water use, P uptake and yield in rice under different irrigation managements. *Agronomy*, 9(9). <https://doi.org/10.3390/agronomy9090537>
- Zhou, M., & Butterbach-Bahl, K. (2014). Assessment of nitrate leaching loss on a yield-scaled basis from maize and wheat cropping systems. *Plant and Soil*, 374(1), 977–991. <https://doi.org/10.1007/s11104-013-1876-9>
- Zolotareva, B. N., & Ruzieva, R. K. (2000). Physiologically active phenols and indoles in grey forest soil upon regular application of organic fertilizers. *Pochvovedenia*, 33, 434–438.