

DAFTAR PUSTAKA

- Abd Mutalib, M., Rahman, M. A., Othman, M. H. D., Ismail, A. F., & Jaafar, J. (2017). Scanning electron microscopy (SEM) and energy-dispersive X-ray (EDX) spectroscopy. In *Membrane characterization* (pp. 161–179). Elsevier.
- Anuar, M. F., Fen, Y. W., Zaid, M. H. M., Matori, K. A., & Khaidir, R. E. M. (2018). Synthesis and structural properties of coconut husk as potential silica source. *Results in Physics*, 11, 1–4.
- Bansal, R. C., & Goyal, M. (2005). *Activated carbon adsorption*. CRC press.
- Colpan, C. O., Nalbant, Y., & Ercelik, M. (2018). 4.28 *fundamentals of fuel cell technologies*.
- Erlina, U., & Budi, E. (2015). Pengaruh konsentrasi larutan KOH pada karbon aktif tempurung kelapa untuk adsorpsi logam Cu. *Prosiding Seminar Nasional Fisika (E-Journal)*, 4, IV, pp. 55–60.
- Firdus, F., Samadi, S., Muhammadar, A. A., Sarong, M. A., Muchlisin, Z. A., Sari, W., Mellisa, S., Satria, S., Boihaqi, B., & Batubara, A. S. (2021). Supplementation of rice husk activated charcoal in feed and its effects on growth and histology of the stomach and intestines from giant trevally, *Caranx ignobilis*. *F1000Research*, 9, 1–13.
- Fox, M. (2010). *Optical properties of solids* (Vol. 3). Oxford university press.
- Gonzalez, G. (1997). *Microwave transistor amplifiers: analysis and design* (Vol. 2). Prentice hall New Jersey.
- Heidarinejad, Z., Dehghani, M. H., Heidari, M., Javedan, G., Ali, I., & Sillanpää, M. (2020). Methods for preparation and activation of activated carbon: a review. *Environmental Chemistry Letters*, 18(2), 393–415.
- Idrus, R., Lapanporo, B. P., & Putra, Y. S. (2013). Pengaruh suhu aktivasi terhadap kualitas karbon aktif berbahan dasar tempurung kelapa. *Prisma Fisika*, 1(1).
- Jankowska, H., Swiatkowski, A., and Choma, J. (1991). Active Karbon. *Ellis Hardwood*, 1.
- Juneja, S., Sudhakar, S., Khonina, S. N., Skidanov, R. V, Porfirevb, A. P., Moissev, O. Y., Kazanskiy, N. L., & Kumar, S. (2016). Nanocrystalline silicon thin films and grating structures for solar cells. *Optical Technologies for Telecommunications 2015*, 9807, 115–122.
- Khasanah, Q. F. (2012). Efek Substitusi Parsial Ion La Pada Material Sistem LaxSr1-xO. 6 (Fe1, 5 Mn0, 25 Ti0, 25 O3 Terhadap Sifat Absorpsi Gelombang Mikro. Depok: Tesis Pada Program Studi Material UI.

- Lawtae, P., & Tangsathitkulchai, C. (2021). The use of high surface area mesoporous-activated carbon from longan seed biomass for increasing capacity and kinetics of methylene blue adsorption from aqueous solution. *Molecules*, 26(21), 6521.
- Mardiatmoko, G. (2024). Biomass-based agroforestry for sustainable land use planning and management. In *Agroforestry for Carbon and Ecosystem Management* (pp. 283–293). Elsevier.
- Mashuri. (2012). *Partikel Nano Ni_{0,5}Zn_{0,5}Fe₂O₄ dari Pasir Besi Sebagai Bahan Penyerap Gelombang Mikro pada Frekuensi Tinggi*. Institut Teknologi Sepuluh Nopember Surabaya.
- Meilita, T. S., & Tuti, S. S. (2003). Arang Aktif (Pengenalan dan proses pembuatannya). *Jurusan Teknik Industri, Fakultas Teknik, Universitas Sumatera Utara, Wwww. Library. Usu. Ac. Id.*
- Munasir, M., Triwikantoro, T., Zainuri, M., & Darminto, D. (2012). Uji XRD dan XRF pada bahan mineral (batuan dan pasir) sebagai sumber material cerdas (CaCO₃ dan SiO₂). *Jurnal Penelitian Fisika Dan Aplikasinya (JPFA)*, 2(1), 20–29.
- Nzetchuen Kouahou, G., Fotsop, C. G., Adoum Amola, L., Donlifack Atemkeng, C., Kamdem Tamo, A., Teikam Kenda, G., Tiegam Tagne, R. F., & Kamgaing, T. (2023). Optimized preparation of activated carbon with high porosities based on puck shells (*Afrostryax lepidophyllus*) by response surface methodology and physico-chemical characterization. *Royal Society Open Science*, 10(12), 230911.
- Pari, G., Darmawan, S., & Prihandoko, B. (2014). Porous carbon spheres from hydrothermal carbonization and KOH activation on cassava and tapioca flour raw material. *Procedia Environmental Sciences*, 20, 342–351.
- Phothong, K., Tangsathitkulchai, C., & Lawtae, P. (2021). The analysis of pore development and formation of surface functional groups in bamboo-based activated carbon during CO₂ activation. *Molecules*, 26(18), 5641.
- Pozar, D. M. (2012). Microwave engineering. *Fourth Editions, University of Massachusetts at Amherst, John Wiley & Sons, Inc, 4th ed*, 26–30.
- Prabawati, S. Y., Widiakongko, P. D., & Taqwim, M. A. (2023). Activated Charcoal from Coffee Dregs Waste as an Alternative Biosorbent of Cu (II) and Ag (I). *Indonesian Journal of Chemistry*, 23(4), 1120–1128.
- Pui, W. K., Yusoff, R., & Aroua, M. K. (2019). A review on activated carbon adsorption for volatile organic compounds (VOCs). *Reviews in Chemical Engineering*, 35(5), 649–668.
- Rahmadani, N., & Kurniawati, P. (2017). Sintesis dan karakterisasi karbon teraktivasi asam dan basa berbasis mahkota nanas. *Prosiding Seminar Nasional Kimia Dan Pembelajarannya*, 5, 154–161.

- Sankar, S., Lee, H., Jung, H., Kim, A., Ahmed, A. T. A., Inamdar, A. I., Kim, H., Lee, S., Im, H., & Kim, D. Y. (2017). Ultrathin graphene nanosheets derived from rice husks for sustainable supercapacitor electrodes. *New Journal of Chemistry*, 41(22), 13792–13797.
- Saville, P. (2005). *Review of radar absorbing materials*. Defence Research & Development Canada, Defence R & D Canada-Atlantic.
- Seo, I. S., & Chin, W. S. (2004). Characterization of electromagnetic properties of polymeric composite materials with free space method. *Composite Structures*, 66(1–4), 533–542.
- statistik. (2023). *Luas Areal Tanaman Perkebunan Menurut Kecamatan dan Jenis Tanaman di Kabupaten Banyumas (ha)*, 2023. Bps.Go.Id. <https://banyumaskab.bps.go.id/id/statistics-table/1/NjYxIzE=/luas-areal-tanaman-perkebunan-menurut-kecamatan-dan-jenis-tanaman-di-kabupaten-banyumas-ha-2023.html>
- Subiyanto, I. (2011). Perhitungan Impedansi pada bahan $\text{La}_0.67\text{Sr}_0.33\text{Mn}_{1-x}\text{Ti}_x\text{O}_3$ untuk Penyerap Gelombang Elektromagnetik. *Universitas Indonesia: Jakarta*.
- Taryana, Y., Manaf, A., Sudrajat, N., & Wahyu, Y. (2019). Material penyerap gelombang elektromagnetik jangkauan frekuensi radar. *Jurnal Keramik Dan Gelas Indonesia*, 28(1), 1–29.
- Ting, T.-H., & Wu, K.-H. (2010). Synthesis, characterization of polyaniline/ $\text{BaFe}_{12}\text{O}_{19}$ composites with microwave-absorbing properties. *Journal of Magnetism and Magnetic Materials*, 322(15), 2160–2166.
- Widanarto, W., Budianti, S. I., Ghoshal, S. K., Kurniawan, C., Handoko, E., & Alaydrus, M. (2022). Improved microwave absorption traits of coconut shells-derived activated carbon. *Diamond and Related Materials*, 126, 109059.