

DAFTAR PUSTAKA

- Arief, F. (2020). *Analisis Faktor-Faktor yang Berhubungan dengan Pelaksanaan Mobilisasi Dini Pasien Pasca Bedah Digestif Appendiktomi di Rumah Sakit dr. H. Moch. Ansari Saleh Banjarmasin Tahun 2016*. 2(1), 61–73.
- Ataei, N., Ameli, S., Yousefifard, M., Oraei, A., Ataei, F., Bazargani, B., Abbasi, A., & Hosseini, M. (2018). Urinary Neutrophil Gelatinase-Associated Lipocalin (NGAL) and Cystatin C in Early Detection of Pediatric Acute Kidney Injury; a Diagnostic Accuracy Study. In *Emergency* (Vol. 6, Issue 1). www.jemerg.com
- Au, V., Feit, J., Barasch, J., Sladen, R. N., & Wagener, G. (2016). Urinary Neutrophil Gelatinase–Associated Lipocalin (NGAL) Distinguishes Sustained From Transient Acute Kidney Injury After General Surgery. *Kidney International Reports*, 1(1), 3–9. <https://doi.org/10.1016/j.ekir.2016.04.003>
- Ávila, M., Sánchez, M. G. M., Amador, A. S. B., & Paniagua, R. (2025). The Metabolism of Creatinine and Its Usefulness to Evaluate Kidney Function and Body Composition in Clinical Practice. In *Biomolecules* (Vol. 15, Issue 1). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/biom15010041>
- Bang, J.-Y., Lee, J., Oh, J., un-Gol Song, & Hwang, G.-S. (2016). The Influence of Propofol and Sevoflurane on Acute Kidney Injury After Colorectal Surgery: A Retrospective Cohort Study. *PMID: 27088995*, 123(2), 363–370.
- Biteker, M., Dayan, A., Tekkeşin, A. İ., Can, M. M., Taycı, İ., İlhan, E., & Şahin, G. (2014). Incidence, risk factors, and outcomes of perioperative acute kidney injury in noncardiac and nonvascular surgery. *PMID: 24050540*, 207(1), 53–59.
- Bolignano, D., Donato, V., Coppolino, G., Campo, S., Buemi, A., Lacquaniti, A., & Buemi, M. (2008). Neutrophil gelatinase-associated lipocalin (NGAL) as a marker of kidney damage. *PMID: 18725016*, 52(3), 595–605.
- Clerico, A., Galli, C., Fortunato, A., & Ronco, C. (2012). Neutrophil gelatinase-associated lipocalin (NGAL) as biomarker of acute kidney injury: a review of the laboratory characteristics and clinical evidences. *Clin Chem Lab Med*, 50(9), 1505–1517.
- clinic Staff, M. (2023). Creatinine test. <https://www.mayoclinic.org/Tests-Procedures/Creatinine-Test/about/Pac-20384646>.
- Connor, M. E. O., Kirwan, C. J., Pearse, R. M., & Prowle, J. R. (2016). Incidence and associations of acute kidney injury after major abdominal surgery. *PMID: 26602784*, 42(4), 521–530.

- Dahlan, M. (2020). *Langkah-langkah membuat proposal penelitian bidang kedokteran dan kesehatan* (3rd ed., Vol. 2020). Sagung AK.
- Dahlan, M. S. (2024). *Statistik untuk Kedokteran dan Kesehatan* (wawan Kurniawan, Ed.; 6th ed., Vol. 1). Epidemiologi Indonesia.
- Danquah, M., Owiredo, W. K. B. A., Jnr, B. A. E., Serwaa, D., Anto, E. O., Peprah, M. O., Obirikorang, C., & Fondjo, L. A. (2023). Diagnostic value of neutrophil gelatinase-associated lipocalin (NGAL) as an early biomarker for detection of renal failure in hypertensives: a case-control study in a regional hospital in Ghana. *BMC Nephrology*, 24(1). <https://doi.org/10.1186/s12882-023-03120-6>
- Demarchi, A. C. D. S., Almeida, C. T. P. De, Ponce, D., Castro, M. C. N. E., Danaga, A. R., Yamaguti, F. A., Vital, D., Gut, A. L., Ferreira, A. L. D. A., Freschi, L., Oliveira, J., Teixeira, U. A., Christovan, J. C., Grejo, J. R., & Martin, L. C. (2014). Intra-abdominal pressure as a predictor of acute kidney injury in postoperative abdominal surgery. *Renal Failure*, 36(4), 557–561. <https://doi.org/10.3109/0886022X.2013.876353>
- Doi, K., Negishi, K., Ishizu, T., Katagiri, D., Fujita, T., Matsubara, T., Yahagi, N., Sugaya, T., & Noiri, E. (2011). Evaluation of new acute kidney injury biomarkers in a mixed intensive care unit. *Critical Care Medicine*, 39(11), 2464–2469. <https://doi.org/10.1097/CCM.0b013e318225761a>
- Endre, Z. H., Kellum, J. A., Somma, S. Di, Doi, K., Goldstein, S. L., Koyner, J. L., Macedo, E., Mehta, R. L., Murray, P. T., & the ADQI 10 Workgroup. (2013). Differential Diagnosis of AKI in Clinical Practice by Functional and Damage Biomarkers: Workgroup Statements from the Tenth Acute Dialysis Quality Initiative Consensus Conference. In *ADQI Consensus on AKI Biomarkers and Cardiorenal Syndromes* (Vol. 182). KARGER.
- Gameiro, J., Fonseca, J. A., Neves, M., Jorge, S., & Lopes, J. A. (2018). Acute kidney injury in major abdominal surgery: Incidence, risk factors, pathogenesis and outcomes. In *Annals of Intensive Care* (Vol. 8, Issue 1). Springer. <https://doi.org/10.1186/s13613-018-0369-7>
- Gorelik, Y., Abassi, Z., Bloch-Isenberg, N., Khamaisi, M., & Heyman, S. N. (2022). Changing serum creatinine in the detection of acute renal failure and recovery following radiocontrast studies among acutely ill inpatients: Reviewing insights regarding renal functional reserve gained by large-data analysis. *Practical Laboratory Medicine*, 30. <https://doi.org/10.1016/j.plabm.2022.e00276>
- Goyal, A., Daneshpajouhnejad, P., Hashmi, M. F., & Bashir, K. (2023). Acute Kidney Injury. In *National Library of Medicine*. StatPearls.
- Halvorsen, S., Mehilli, J., Cassese, S., Hall, T. S., Abdelhamid, M., Barbato, E., Hert, S. De, Laval, I. De, Geisler, T., Hinterbuchner, L., Ibanez, B., Lenarczyk, R., Mansmann, U. R., McGreavy, P., Mueller, C., Muneretto, C., Niessner, A., Potpara, T. S., Ristić, A., ... Zacharowski, K. (2022). 2022 ESC Guidelines on cardiovascular assessment and management of patients undergoing non-

- cardiac surgery. In *European Heart Journal* (Vol. 43, Issue 39, pp. 3826–3924). Oxford University Press. <https://doi.org/10.1093/eurheartj/ehac270>
- Hjortrup, P. B., Haase, N., Wetterslev, M., & Perner, A. (2013). *Clinical review: Predictive value of neutrophil gelatinase-associated lipocalin for acute kidney injury in intensive care patients*. 17(211).
- Hobson, C., Lysak, N., Huber, M., Scali, S., & Bihorac, A. (2018). Epidemiology, outcomes, and management of acute kidney injury in the vascular surgery patient. In *Journal of Vascular Surgery* (Vol. 68, Issue 3, pp. 916–928). Mosby Inc. <https://doi.org/10.1016/j.jvs.2018.05.017>
- Huepenbecker, S., & Iniesta, M. (2021). Incidence of acute kidney injury after open gynecologic surgery in an enhanced recovery after surgery pathway. *Gynecologic Oncology*, 163(1), 191–198.
- Idzko, M., Ferrari, D., & Eltzschig, H. K. (2014). Nucleotide signalling during inflammation. In *Nature* (Vol. 509, Issue 7500, pp. 310–317). Nature Publishing Group. <https://doi.org/10.1038/nature13085>
- Inker, L. A., Eneanya, N. D., Coresh, J., Tighiouart, H., Wang, D., Sang, Y., Crews, D. C., Doria, A., Estrella, M. M., Froissart, M., Grams, M. E., Greene, T., Grubb, A., Gudnason, V., Gutiérrez, O. M., Kalil, R., Karger, A. B., Mauer, M., Navis, G., ... Levey, A. S. (2021). New Creatinine- and Cystatin C–Based Equations to Estimate GFR without Race. *New England Journal of Medicine*, 385(19), 1737–1749. <https://doi.org/10.1056/nejmoa2102953>
- Kairupan, J. D., & Palar, S. (2020). Gangguan Ginjal Akut et Kausa Sepsis: Laporan Kasus. *Medical Scope Journal*, 2(1). <https://doi.org/10.35790/msj.2.1.2020.31670>
- Kashani, K., Rosner, M. H., & Ostermann, M. (2021). Creatinine: From physiology to clinical application. *PMID: 31708357*, 72(9), 9–14.
- Kellum, J. A., Romagnani, P., Ashuntantang, G., Ronco, C., Zarbock, A., & Anders, H.-J. (2021). Acute kidney injury. *Nature Reviews Disease Primers*, 7(52).
- Khwaja, A. (2012). KDIGO clinical practice guidelines for acute kidney injury. *Doi: 10.1159/000339789*, 120(4), 179–184.
- Kim, M., Brady, J., & Brady, J. (2014). Variations in the Risk of Acute Kidney Injury Across Intraabdominal Surgery Procedures. *DOI: 10.1213/ANE.0000000000000425*, 119(5), 1121–1132.
- Kiseli, M., Caglar, G. S., Yilmaz, H., Gursoy, A. Y., Candar, T., Pabuccu, E. G., Bengisun, Z. K., & Tuzuner, F. (2017). Neutrophil gelatinase-associated lipocalin levels during pneumoperitoneum. *Journal of the Society of Laparoendoscopic Surgeons*, 21(1). <https://doi.org/10.4293/JSLS.2016.00091>
- Lei, S.-H., Guo, G.-F., Yan, T., Zhao, B.-C., Qiu, S.-D., & Liu, K.-X. (2023). Acute Kidney Injury After General Thoracic Surgery: A Systematic Review and Meta-analysis. *PMID: 36870304*, 287, 72–81.

- Liao, B., Nian, W., Xi, A., & Zheng, M. (2019). Evaluation of a diagnostic test of serum neutrophil gelatinase-associated lipocalin (NGAL) and urine KIM-1 in contrast-induced nephropathy (CIN). *Medical Science Monitor*, 25, 565–570. <https://doi.org/10.12659/MSM.912569>
- Macedo, E., Bouchard, J., Soroko, S. H., Chertow, G. M., Himmelfarb, J., Ikizler, T. A., Paganini, E. P., & Mehta, R. L. (2010). Fluid accumulation, recognition and staging of acute kidney injury in critically-ill patients. *Critical Care*, 14(3). <https://doi.org/10.1186/cc9004>
- Mårtensson, J., & Bellomo, R. (2014). The rise and fall of NGAL in acute kidney injury. *PMID: 25170751*, 37(4), 304–310.
- Martin, D., Mantziari, S., Demartines, N., Hübne, M., & Group, E. S. A. S. (2020). Defining Major Surgery: A Delphi Consensus Among European Surgical Association (ESA) Members. *PMID: 32172309*, 44(7), 2211–2219.
- Med, D., Reza, C., Klarskov, N., & Amirian, I. (2023). Systematic Review Acute kidney injury after gynaecological Acute kidney injury after gynaecological surgery-a systematic review and meta-surgery-a systematic review and meta-analysis analysis. In *J* (Vol. 70, Issue 6). <https://content.ugeskriftet.dk/sites/default/files/2023-05/a11220733->
- Meersch, M., Schmidt, C., & Zarbock, A. (2017). Perioperative Acute Kidney Injury: An Under-Recognized Problem. *Anesthesia and Analgesia*, 125(4), 1223–1232. <https://doi.org/10.1213/ANE.0000000000002369>
- Mohtashami, A. Z., Hadian, B., Mahmoudi, G. A., Anbari, K., & Selahbarzin, A. (2020). The Application of Urinary NGAL Measurement for Early Detection of AKI in Hospitalized Patients with Poisoning. *PMID: 32361697*, 14(3), 206–211.
- Moledina, D. G., & Parikh, C. R. (2018). Phenotyping of Acute Kidney Injury: Beyond Serum Creatinine. In *Seminars in Nephrology* (Vol. 38, Issue 1, pp. 3–11). W.B. Saunders. <https://doi.org/10.1016/j.semnephrol.2017.09.002>
- Nadim, M. K., Forni, L. G., Bihorac, A., Hobson, C., Koyner, J. L., Shaw, A., Arnaoutakis, G. J., Ding, X., Engelman, D. T., Gasparovic, H., Gasparovic, V., Herzog, C. A., Kashani, K., Katz, N., Liu, K. D., Mehta, R. L., Ostermann, M., Pannu, N., Pickkers, P., ... Kellum, J. A. (2018). Cardiac and vascular surgery-associated acute kidney injury: The 20th International Consensus Conference of the ADQI (Acute Disease Quality Initiative) Group. *Journal of the American Heart Association*, 7(11). <https://doi.org/10.1161/JAHA.118.008834>
- Naruka, V., McKie, M. A., Ahmadi, N., Pama, E. A. C., Coonar, A. S., & Collaborators, M. (2022). Multicentre evaluation of renal impairment in thoracic surgery (MERITS): a retrospective cohort study. *BMJ Open*, 12(9). <https://doi.org/10.1136/bmjopen-2021-058542>
- Nickolas, T. L., O, M. J., Yang, J., Sise, M. E., Canetta, P. A., Barasch, N., Buchen, C., Khan, F., Mori, K., Giglio, J., Devarajan, P., Barasch, J., Barasch, J.,

- Barasch, N., Luke, S., & Hospital, R. (2008). *Sensitivity and Specificity of a Single Emergency Department Measurement of Urinary Neutrophil Gelatinase-Associated Lipocalin for Diagnosing Acute Kidney Injury*.
- Nishimoto, M., Murashima, M., Kokubu, M., Matsui, M., Eriguchi, M., Samejima, K.-I., Akai, Y., & Tsuruya, K. (2020). Positive association between intra-operative fluid balance and post-operative acute kidney injury in non-cardiac surgery: the NARA-AKI cohort study. *Doi: 10.1007/S40620-019-00688-x* , 33(3), 561–568.
- Ostermann, M., & Joannidis, M. (2016). Acute kidney injury 2016: Diagnosis and diagnostic workup. In *Critical Care* (Vol. 20, Issue 1). BioMed Central Ltd. <https://doi.org/10.1186/s13054-016-1478-z>
- Ostermann, M., Legrand, M., Meersch, M., Srisawat, N., Zarbock, A., & Kellum, J. A. (2024). Biomarkers in acute kidney injury. *Annals of Intensive Care*, 14(1), 145. <https://doi.org/10.1186/s13613-024-01360-9>
- Otto, G. P., Hurtado-Oliveros, J., Chung, H. Y., Knoll, K., Neumann, T., Müller, H. J., Herbsleb, M., Kohl, M., Busch, M., Sossdorf, M., & Claus, R. A. (2015). Plasma neutrophil gelatinase-associated lipocalin is primarily related to inflammation during sepsis: A translational approach. *PLoS ONE*, 10(4). <https://doi.org/10.1371/journal.pone.0124429>
- Prowle, J. R., Forni, L. G., Bell, M., Chew, M. S., Edwards, M., Grams, M. E., Grocott, M. P. W., Liu, K. D., McIlroy, D., Murray, P. T., Ostermann, M., Zarbock, A., Bagshaw, S. M., Bartz, R., Bell, S., Bihorac, A., Gan, T. J., Hobson, C. E., Joannidis, M., ... Kellum, J. A. (2021). Postoperative acute kidney injury in adult non-cardiac surgery: joint consensus report of the Acute Disease Quality Initiative and PeriOperative Quality Initiative. In *Nature Reviews Nephrology* (Vol. 17, Issue 9, pp. 605–618). Nature Research. <https://doi.org/10.1038/s41581-021-00418-2>
- Santos, M. G., Pontes, J. P. J., Gonçalves Filho, S., Lima, R. M., Thom, M. M., Módolo, N. S. P., Ponce, D., & Navarro, L. H. (2022). Impact of colloids or crystalloids in renal function assessed by NGAL and KIM-1 after hysterectomy: randomized controlled trial. *Brazilian Journal of Anesthesiology (English Edition)*, 72(6), 720–728. <https://doi.org/10.1016/j.bjane.2021.10.009>
- Santoso, K. H., Wahyu, S., & Maulydia, M. (2024). Neutrophil gelatinase associated lipocalin as biomarker in predicting acute renal tubular injury following general anesthesia with sevoflurane on low-flow anesthesia. In *Journal of Medicinal and Pharmaceutical Chemistry Research* (Vol. 6, Issue 10, pp. 1567–1582). Sami Publishing Company. <https://doi.org/10.48309/jmpcr.2024.449596.1151>
- Sharrod-Cole, H., Fenn, J., Gama, R., Ford, C., Giri, R., & Luckraz, H. (2022). Utility of plasma NGAL for the diagnosis of AKI following cardiac surgery

- requiring cardiopulmonary bypass: a systematic review and meta-analysis. *Scientific Reports*, 12(1). <https://doi.org/10.1038/s41598-022-10477-5>
- Shen, J., Chu, Y., Wang, C., & Yan, S. (2022). Risk factors for acute kidney injury after major abdominal surgery in the elderly aged 75 years and above. *BMC Nephrology*, 23(1). <https://doi.org/10.1186/s12882-022-02822-7>
- Singer, E., Markó, L., Paragas, N., Barasch, J., Dragun, D., Müller, D. N., Budde, K., & Schmidt-Ott, K. M. (2013). Neutrophil gelatinase-associated lipocalin: Pathophysiology and clinical applications. In *Acta Physiologica* (Vol. 207, Issue 4, pp. 663–672). <https://doi.org/10.1111/apha.12054>
- Soliman, S., & Lewin, J. (2023). what should my creatinine level be. <https://www.Medicalnewstoday.Com/Articles/322380> .
- Suneja, M., & Kumar, A. B. (2014). Obesity and perioperative acute kidney injury: a focused review. *PMID: 24666959*, 29(4), 694e1-6.
- Syadiah, A. R., Febrina, E., & Levita, J. (2021). Review Neutrophil Gelatinase-Associated Lipocalin (NGAL): Perannya sebagai Biomarker pada Kerusakan Ginjal Akut. *Jurnal Sains Farmasi & Klinis*, 8(1), 35. <https://doi.org/10.25077/jsfk.8.1.35-42.2021>
- Thongprayoon, C., Cheungpasitporn, W., & Kashani, K. (2016). Serum creatinine level, a surrogate of muscle mass, predicts mortality in critically ill patients. *Journal of Thoracic Disease*, 8(5), E305–E311. <https://doi.org/10.21037/jtd.2016.03.62>
- Villa, G., Rosa, S. De, Calabrisotto, C. S., Nerini, A., Saitta, T., Degl’Innocenti, D., Paparella, L., Bocciero, V., Allinovi, M., Gaudio, A. R. De, Ostermann, M., & Romagnoli, S. (2021). Perioperative use of serum creatinine and postoperative acute kidney injury: a single-centre, observational retrospective study to explore physicians’ perception and practice. *Perioperative Medicine*, 10(1). <https://doi.org/10.1186/s13741-021-00184-6>
- Younes-Ibrahim, M. S., & Younes-Ibrahim, M. (2022). Biomarkers and kidney diseases: a brief narrative review. In *Journal of Laboratory and Precision Medicine* (Vol. 7). AME Publishing Company. <https://doi.org/10.21037/jlpm-22-1>
- Yu, Y., Xu, S., Yan, B., Tang, X., Zhang, H., Pan, C., & Zhu, S. (2023). Incidence and Associations of Acute Kidney Injury after General Thoracic Surgery: A System Review and Meta-Analysis. In *Journal of Clinical Medicine* (Vol. 12, Issue 1). MDPI. <https://doi.org/10.3390/jcm12010037>
- Zhang, J., Han, J., Liu, J., Liang, B., Wang, X., & Wang, C. (2017). Clinical significance of novel biomarker NGAL in early diagnosis of acute renal injury. *Experimental and Therapeutic Medicine*, 14(5), 5017–5021. <https://doi.org/10.3892/etm.2017.5150>