

DAFTAR PUSTAKA

- Allaway, H.C., Bloski, T.G., Pierson, R.A., & Lujan, M.E. 2009. Digit Ratios (2D:4D) Determined by Computer-Assisted Analysis are More Reliable than Those Using Physical Measurements, Photocopies, and Printed Scans. *American Journal of Human Biology*. 2009 May–Jun; 21(3): 365–370.
- Almasry, S.M., El Domiaty, M.A., Algaidi, S.A., Elbastawisy, Y.M., & Safwat, M.D. 2011. Index to ring digit ratio in Saudi Arabia at Almadinah Almonawarah province: a direct and indirect measurement study. *Journal of Anatomy*. 218:202–208.
- Al-Salihi, A.R., Selman, M.O., & Wasif, H.F. 2011. The Anthropometric Ratio of Index Finger to Ring Finger (2D:4D) Correlation with Some Seminal Fluid Analysis Parameters. *The Iraqi Postgraduate Medical Journal*. 10(2): 244–248.
- Berenbaum, S.A., Bryk, K.K., Nowak, N., Quigley, C.A., & Moffat, S. 2009. Fingers as a Marker of Prenatal Androgen Exposure. *Endocrinology*. 150 (11): 5119–24.
- Bowen-Thomas, O., Jeffrey, M., & O'Donnell, C. 2013. Refractive Lens Exchange for High Myopia: Case Report. *Optometry in Practice*. 14(4): 155–160
- Cao, Y.N., Tang, R.H., Li, R.R., Xie, Y., Li, Q.L., & Yi, J.H. 2012. A Retrospective Study on the Progression of Myopia in School-Age Children. *Zhongguo Dang Dai Er Ke Za Zhi*. 14(9):693–6.
- Chen, Z.T., Wang, I., Liao, Y., Shih, Y., & Lin, L.L. 2011. Polymorphisms in steroidogenesis genes, sex steroid levels, and high myopia in the Taiwanese population. *Molecular Vision*. 17:2297–2310.
- Ciomas, C., Lindén-Hirschberg, A., & Savic I. 2009. High fetal testosterone and sexually dimorphic cerebral networks in females. *Cerebral Cortex*. 19 (5): 1164–72.
- Crabbe, P., Bogaert, V., De Bacquer, D., Goemaere, S., & Zmierzak, H. 2007. Part of the interindividual variation in serum testosterone levels in healthy men reflects differences in androgen sensitivity and feedback set point: contribution of the androgen receptor polyglutamine tract polymorphism. *The Journal of Clinical Endocrinology & Metabolism*. 92 (9).
- Dahlan, S. 2012. *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan Edisi 3 Cetakan 2*. Jakarta: Salemba Medika.

- Danborn, B., Adebisi, S.S., Adelaiye, A.B., & Ojo, S.A. 2010. Relationship between Digit Ratio (2D:4D) and Birth Weight in Nigerian. *Anthropologist*. 12(2): 127-130.
- Fink, B., Neave, N., & Manning, J.T. 2003. Second to fourth digit ratio, body mass index, waist-to-hip ratio, and waist-to-chest ratio: their relationships in heterosexual men and women. *Annals of human biology*. 30(6):728-38.
- Fink, B., Thanzami, V., Seydel, H., Manning, J.T. 2006. Digit ratio and handgrip strength in German and Mizos men: cross-cultural evidence for an organizing effect of prenatal testosterone on strength. *Annals of Human Biology* 18:776–782.
- Foster, P.J., & Jiang, Y. 2014. Epidemiology of Myopia. *Eye, the Scientific Journal of The Royal College of Ophthalmologist*. 28(2): 202–208.
- Galizzi, M. M., & Nieboer, J. 2015. Digit ratio (2D:4D) and altruism: evidence from a large, multi-ethnic sample. *Frontiers in Behavioral Neuroscience*. 9:41.
- Gupta, P., Johar, K., Nagpal, & Vasavada. 2005. Sex Hormone Receptors in the Human Eye. *Survey of Ophthalmology*. 50(3): 274–284.
- Gwiazda, J., Deng, L., Dias, L., & Marsh-Tootle, W. 2011. Association of education and occupation with myopia in COMET parents. *Optometry and vision science*. 88(9):1045-53.
- Hampson, E., Sankar, J.S. 2012. Re-examining the Manning hypothesis: androgen receptor polymorphism and the 2D:4D ratio. *Evolution and Human Behavior*. 33 (4): 557–561.
- Hartanto, W., & Inakawati, S. 2010. Incomplete Corrected Refraction Anomaly in Kariadi Hospital Semarang. *Medika Medika Muda*. 4: 25-30.
- Hebort, C.P., Papadia, M., & Neri, P. 2011. Myopia and Inflammation. *Journal of ophthalmic & vision research*. 6(4):270-83.
- Hines, M. 2011. Gender development and the human brain. *Annual Review of Neuroscience*. 34: 69-88.
- Hone, L.S.E., & McCullough, M.E. 2012. 2D:4D ratios predict hand grip strength (but not hand grip endurance) in men (but not in women). *Evolution and Human Behavior*. 33:780–789.
- Hönekopp, J. 2013. No Evidence that 2D:4D is Related to the Number of CAG Repeats in the Androgen Receptor Gene. *Frontiers in Endocrinology (Lausanne)*. 4: 185.

- Honekopp, J., & Watson, S. 2010. Meta-analysis of digit ratio 2D:4D shows greater sex difference in the right hand. *American Journal of Human Biology*. 619–630.
- Hornbeak, D.M., & Young, T.L. 2009. Myopia Genetics: A Review of Current Research and Emerging Trends. *Current Opinion in Ophthalmology*. 20(5): 356–362.
- Hwang, H., Jo, H. W., Yun, B., Kim, T., Yu, D., *et al.* 2014. The Second-to-Fourth Digit Ratio in Cryptorchidism: A Case-Control Study. *Korean Journal of Urology*. 55(2): 140–144. doi:10.4111/kju.2014.55.2.140
- Ilyas, S., & Yulianti, S.R. 2015. *Ilmu Penyakit Mata*. Jakarta: Badan Penerbit FKUI.
- Jacobi, F.K., & Pusch, C.M. 2010. A decade in search of myopia genes. *Frontiers in bioscience : a journal and virtual library*. 15: 359–372.
- Kemper, C.J., & Schwerdtfeger, A. 2009. Comparing indirect methods of digit ratio (2D:4D) measurement. *American journal of human biology: the official journal of the Human Biology Council*. 21(2):188-91.
- Klimek, M., Galbarczyk, A., Nenko, I., Alvarado, L.C., & Jasienka, G. 2014. Digit ratio (2D:4D) as an indicator of body size, testosterone concentration and number of children in human males. *Annals of Human Biology*.
- Krishnakumar, M., Atheeshwar, S., & Chandrasekar, M. D. 2014. Myopia and Digit Ratio in Medical College Students. *PLoS One*. 9(2): 1-4.
- Lai, T.Y.Y. 2007. Retinal Complications of High Myopia. *Medical Bulletin*. 12 (9): 18-20.
- Lang, G. 2006. *Ophthalmology: A Pocket Textbook Atlas*. New York: Thieme.
- Leong, A., Rubin, G.S., & Allan, B.D.S. 2008. Quality of Life in High Myopia. *Ophtalmology*. 116 (2): 275-280.
- Lohr, S.L. 2010. *Sampling: Design and Analysis, 2nd Edition*. Arizona: Cengage Learning.
- Manning, J., Kilduff, L., Cook, C., Crewther, B., & Fink, B. 2014. A biomarker for prenatal sex steroids and adult sex steroids in challenge situations. *Frontiers in Endocrinology*. 5(9).
- Manning, J., Scutt, D., Wilson, J., & D. I. Lewis-Jones, D. 1998. The ratio of 2nd to 4th digit length: a predictor of sperm numbers and concentrations of testosterone, luteinizing hormone and oestrogen. *Human Reproduction*. 13(11): 3000-4.
- Manning, J.T. 2002. *Digit ratio: a pointer to fertility, behavior and health*. New Brunswick, NJ: Rutgers University Press.

- Manning, J.T., Kilduff, L.P., & Trivers, R. 2013. Digit ratio (2D:4D) in Klinefelter's syndrome. *Andrology*. 1 (1): 94–99.
- Mayhew, T. M., Gillam, L., McDonald, R., & Ebling, F. J. 2007. Human 2D (Index) and 4D (Ring) Digit Lengths: Their Variation and Relationships During the Menstrual Cycle. *Journal of Anatomy*, 211(5): 630–638.
- Moreira, B., Matsushita, R., Silva, D., & Da Silva, S. 2010. Risk seeking behavior of preschool children in a gambling task. *Journal of Economic Psychology*. 794–801.
- Myrowitz, E.H. 2012. Juvenile Myopia Progression, Risk Factors and Interventions. *Saudi journal of Ophthalmology: Official Journal of the Saudi Ophthalmological Society*. 26(3):293-7.
- Neyse, L., & Brañas-Garza, P. 2014. *Digit Ratio Measurement Guide*. Kiel: Kiel Institute.
- Nowk, N.T. 2008. Relationships Between Second to Fourth Digit Ratio (2D:4D), Spatial Cognition, and Virtual Navigation. *ProQuest*.
- Oguea, S.B., Schwartz, S.D., Yamashita, C.K., & Farber, D.B. 1999. Estrogen Receptor in the Human Eye: Influence of Gender and Age on Gene Expression. *Investigative ophthalmology*. 40(9): 1906-1911
- Ortiz S., Mena, L., Cristobal, A.R., & Martin, R. 2014. Relationships between central and peripheral corneal thickness in different degrees of myopia. *Journal of Optometry*. 2014 Jan; 7(1): 44–50.
- Paue, P., Ramson, P., Naduvilath, T., Wilson, D., Phuong, H. T., Ho, S. M., & Giap, N. V. 2014. Prevalence of Vision Impairment and Refractive Error in School Children in Ba Ria - Vung Tau province, Vietnam. *Clinical & Experimental Ophthalmology*. 42(3): 217–226.
- Rose, K., Harper, R., Tromans, C., Waterman, C., & Goldberg, D. 2000. Quality of Life in Myopia. *Journal of Ophtalmology*. 84: 1031-1034.
- Sadler, T.W. 2009. *Embriologi Kedokteran*. Jakarta: EGC.
- Saw, S.M., Tong, L., Chua, W.H., Chia, K.S., & Koh, D., *et al.* 2005. Incidence and progression of myopia in Singaporean school children. *Investigative ophthalmology & visual science*. 2005 46:51-7.
- Saw, S.-M., Tong, L., Chua, W.-H., Chia, K.-S., Koh, D., Tan, D. T., & Katz, J. 2005. Incidence and Progression of Myopia in Singaporean School Children. *Investigative Ophthalmology & Visual Science*. 46(1): 51-57.

- Showers, M.F., Beebe, J.L., McConnel, J.R., & Jannausch, M. 2000. Testosterone Concentrations in Women Aged 25–50 Years: Associations with Lifestyle, Body Composition, and Ovarian Status. *American Journal of Epidemiology*. 153 (3): 256-254.
- Simon, N., Kato, B.S., Cherkas, L.F., Andrew, T., & Spector, T.D. 2005. Heritability of the Second to Fourth Digit Ratio (2D:4D): A Twin Study. *Twin Research and Human Genetics*. 9 (2): 215-219.
- Sng, C. C., Lin, X.-Y., Gazzard, G., Chang, B., Dirani, M., Chia, A., *et al.* 2011. Peripheral Refraction and Refractive Error in Singapore Chinese Children. *Investigative Ophthalmology & Visual Science*. 52(2): 1181-1190.
- Steidl, S.M. 2006. How Does Visual Acuity Change Over Time in Adults With High Myopia?. *Journal of Ophthalmology*. 90(5): 524.
- Takahima, T., Yokoyama, T., Futagami, S., Ohno-Matsui, K., & Tanaka, H., *et al.* 2001. The quality of life in patients with pathologic myopia. *Journal of Ophthalmology*. 45(1):84-92.
- Tihayo, I., Gunawan, W., & Suhardjo. 2008. Pertambahan Miopia pada Anak Sekolah Dasar Daerah Perkotaan dan Pedesaan di Daerah Istimewa Yogyakarta. *Jurnal Oftalmologi Indonesia*. 6(2): 104 - 112.
- Trivers, R., Manning, J., & Jacobson, A. 2006. A longitudinal study of digit ratio (2D:4D) and other finger ratios in Jamaican children. *Hormones Behavior*. 49(2): 150-6.
- Van Dongen, S. 2009. Second to fourth digit ratio in relation to age, BMI and life history in a population of young adults: a set of unexpected results. *Journal of Negative Results*. 6:1-7.
- Van Honk, J., Schutter, D. J., Bos, P., Kruijt, A., & Lentjes, E. 2011. Testosteron administration impairs cognitive empathy in women depending on second-to-fourth digit ratio. *Proceedings of the National Academy of Sciences of the United States of America*. 3448–3452.
- Vermeersch, H., T'Sjoen, G., Kaufman, J.M., Vincke, J., & Van Houtte, M. 2010. Testosterone, androgen receptor gene CAG repeat length, mood and behaviour in adolescent males. *European journal of endocrinology*. 163(2):319-28.
- Wagner, H., Fink, B.A., Zadnik, K. 2008. Sex and Gender-Based Differences in Healthy and Diseased Eyes. *Optometry*. 79:636-52
- Walker, F.O. 2007. Huntington's disease. *Lancet*. 369 (9557): 218–28 [220].
- WHO. 2004. Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *Lancet*. 363: 157–63.

- Widodo, A., & Prilia, T. 2007. Miopia Patologi. *Jurnal Oftalmologi Indonesia*. 5(1):19 – 26.
- Wlodarski, R., Manning, J., & Dunbar, R.I.M. 2015. Stay or stray? Evidence for alternative mating strategy phenotypes in both men and women. *The Royal Society Publishing*.
- Wojciechowski, R., Congdon, N., Bowie, H., Munoz, B., & Gilbert, D., *et al.* 2005. Heritability of Refractive Error and Familial Agregation of Myopia in an *Elderly American Population*. 46 (5): 1588 – 1592.
- Yang, J., Song, X., & Wang, Y. 1997. The measurement of eye axial length by ultrasound. *Zhongguo Yi Liao Qi Xie Za Zhi*. 21(1):24-5.
- Zhao, D., Li, B., Yu, K., & Zheng, L. 2012. Digit ratio (2D:4D) and handgrip strength in subjects of Han ethnicity: impact of sex and age. *American Journal of Physical Anthropology*. 149:266–271.
- Zheng, Z., & Cohn, M. J. 2011. Developmental Basis of Sexually Dismorphic Digit Ratio. *Proceedings of the National Academy of Sciences of the United States of America*. 108(39): 16289–16294.

