

DAFTAR PUSTAKA

- Abdassah, M. (2017). Nanopartikel dengan gelasi ionik. *Farmaka*, 15(1), 45–52.
- Abdolahi, A., Hamzah, E., Ibrahim, Z., & Hashim, S. (2012). Synthesis of uniform polyaniline nanofibers through interfacial polymerization. *Materials*, 5(8), 1487–1494.
- Al Kausor, M., & Chakraborty, D. (2022). Polyaniline (PANI) grafted hierarchical heterostructure nanocomposites for photocatalytic degradation of organic pollutants in waste water: a review. *Surfaces and Interfaces*, 31, 102079.
- Ali, A., Chiang, Y. W., & Santos, R. M. (2022). X-ray diffraction techniques for mineral characterization: A review for engineers of the fundamentals, applications, and research directions. *Minerals*, 12(2), 205.
- Aroui, L., Madani, S., Bousnoubra, I., Boubli, A., Lakikza, I., Aouni, S. I., Abdelouahed, L., Ernst, B., Alam, M., & Benguerba, Y. (2024). Enhanced degradation of crystal violet using PANI-ZnO nanocomposites: Electro-oxidation and photocatalysis studies. *Journal of Molecular Liquids*, 412, 125818.
- Arsa, A. K., & Achmad, Z. (2020). Ekstraksi minyak atsiri dari rimpang temu ireng (*Curcuma aeruginosa* Roxb) dengan pelarut etanol dan n-heksana. *Jurnal Teknologi Technoscientia*, 13(1), 83–94.
- Bargozideh, S., & Tasviri, M. (2021). *Investigation of photocatalytic efficiency of BiSI/BiOI/CNT composite for degradation of Malachite Green*.
- Bargozideh, S., & Tasviri, M. (2018). Construction of a novel BiSI/MoS₂ nanocomposite with enhanced visible-light driven photocatalytic performance. *New Journal of Chemistry*, 42(22), 18236–18241.
- Bargozideh, S., Tasviri, M., & Ghabraei, M. (2020). Effect of carbon nanotubes loading on the photocatalytic activity of BiSI/BiOI as a novel photocatalyst. *Environmental Science and Pollution Research*, 27(29), 36754–36764.
- Beygisangchin, M., Abdul Rashid, S., Shafie, S., Sadrolhosseini, A. R., & Lim, H. N. (2021). Preparations, properties, and applications of polyaniline and polyaniline thin films—A review. *Polymers*, 13(12), 2003.
- Bhadra, S., & Khastgir, D. (2008). Determination of crystal structure of polyaniline and substituted polyanilines through powder X-ray diffraction analysis. *Polymer Testing*, 27(7), 851–857.
- Boudjelida, S., Li, X., Djellali, S., Chiappetta, G., Russo, F., Figoli, A., & Carraro, M. (2024). Synthesis and characterization of polyaniline emeraldine salt

- (PANI-ES) colloids using potato starch as a stabilizer to enhance the physicochemical properties and processability. *Materials*, 17(12), 2941.
- Cao, Y., El-Shafay, A. S., Mohammed, A. H., Almojil, S. F., Almohana, A. I., & Alali, A. F. (2022). Controlling the charge carriers recombination kinetics on the g-C₃N₄-BiSI nn heterojunction with efficient photocatalytic activity in N₂ fixation and degradation of MB and phenol. *Advanced Powder Technology*, 33(4), 103513.
- Cheng, Y., Shah, N. H., Yang, J., Zhang, K., Cui, Y., & Wang, Y. (2019). Bi-based Z-scheme nanomaterials for the photocatalytic degradation of organic dyes. *ACS Applied Nano Materials*, 2(10), 6418–6427.
- Csele, M. (n.d.). *FUNDAMENTALS OF LIGHT SOURCES AND LASERS*. www.copyright.com.
- Elsan, R., & Minarsih, T. (2022). Analisis Sildenafil Sitrat dalam jamu kuat dengan metode Spektrofotometri UV-Vis. *Indonesian Journal of Pharmacy and Natural Product*, 5(1), 43–50.
- Ezzati, R., Azizi, M., & Ezzati, S. (2024). A theoretical approach for evaluating the contributions of pseudo-first-order and pseudo-second-order kinetics models in the Langmuir rate equation. *Vacuum*, 222, 113018.
- Groom, R., Jacobs, A., Cepeda, M., Drummey, R., & Lattur, S. E. (2017). Bi₁₃S₁₈I₂:(Re) discovery of a subvalent bismuth compound featuring [Bi₂]⁴⁺ dimers grown in sulfur/iodine flux mixtures. *Chemistry of Materials*, 29(7), 3314–3323.
- Huda, T., & Yulitaningtyas, T. K. (2018). Kajian adsorpsi methylene blue menggunakan selulosa dari alang-alang. *Indonesian Journal of Chemical Analysis (IJCA)*, 1(01), 9–19.
- Huo, Y., Xiu, S., Meng, L.-Y., & Quan, B. (2023). Solvothermal synthesis and applications of micro/nano carbons: A review. *Chemical Engineering Journal*, 451, 138572.
- Jayatissa, Y. X. G. A. H., Yu, Z., Chen, X., & Li, M. (2020). Hydrothermal synthesis of nanomaterials. *Journal of Nanomaterials*, 2019, NA-NA.
- Kakame, D. Y. N., Wuntu, A. D., & Koleangan, H. (2019). *Degradasi dan Adsorpsi Zat Warna Methylene Blue Menggunakan Komposit Ag-Tulang Ikan Terkalsinasi*.
- Kaur, H., Kumar, S., Kaushal, S., Badru, R., Singh, P. P., & Pugazhendhi, A. (2023a). Highly customized porous TiO₂-PANI nanoparticles with excellent photocatalytic efficiency for dye degradation. *Environmental Research*, 225, 114960.

- Kaur, K., Badru, R., Singh, P. P., & Kaushal, S. (2020). Photodegradation of organic pollutants using heterojunctions: A review. *Journal of Environmental Chemical Engineering*, 8(2), 103666.
- Khera, S., & Chand, P. (2019). Influence of different solvents on the structural, optical, impedance and dielectric properties of ZnO nanoflakes. *Chinese Journal of Physics*, 57, 28–46.
- Kumar, S., Sharma, S., Sood, S., Umar, A., & Kansal, S. K. (2016). Bismuth sulfide (Bi_2S_3) nanotubes decorated TiO_2 nanoparticles heterojunction assembly for enhanced solar light driven photocatalytic activity. *Ceramics International*, 42(15), 17551–17557. <https://doi.org/10.1016/j.ceramint.2016.08.068>
- Li, S., Shen, X., Liu, J., & Zhang, L. (2017). Synthesis of $\text{Ta}_3\text{N}_5/\text{Bi}_2\text{MoO}_6$ core-shell fiber-shaped heterojunctions as efficient and easily recyclable photocatalysts. *Environmental Science: Nano*, 4(5), 1155–1167.
- Li, S., Xu, L., Kong, X., Kusunose, T., Tsurumachi, N., & Feng, Q. (2020). Bismuth chalcogenide iodides $\text{Bi}_{13}\text{S}_{18}\text{I}_2$ and BiSI : Solvothermal synthesis, photoelectric behavior, and photovoltaic performance. *Journal of Materials Chemistry C*, 8(11), 3821–3829.
- Li, Y., Yu, Y., Wu, L., & Zhi, J. (2013). Processable polyaniline/titania nanocomposites with good photocatalytic and conductivity properties prepared via peroxo-titanium complex catalyzed emulsion polymerization approach. *Applied Surface Science*, 273, 135–143.
- Liu, C., Huang, K., Park, W.-T., Li, M., Yang, T., Liu, X., Liang, L., Minari, T., & Noh, Y.-Y. (2017). A unified understanding of charge transport in organic semiconductors: the importance of attenuated delocalization for the carriers. *Materials Horizons*, 4(4), 608–618.
- Liu, J., Wu, J., Wang, N., Tian, F., & Li, J. (2022). Surface reconstruction of BiSI nanorods for superb photocatalytic Cr(VI) reduction under near-infrared light irradiation. *Chemical Engineering Journal*, 435, 135152.
- Liu, J., Zhong, Q., Wang, Y., Zhang, Z., Zheng, H., Yan, B., & Shi, Y. (2024a). Constructing AgI/BiSI pn heterojunctions with an internal electric field for efficient degradation of refractory organic pollutants. *Arabian Journal of Chemistry*, 17(7), 105844.
- Liu, X., & Cai, L. (2019). A novel double Z-scheme $\text{BiOBr-GO-polyaniline}$ photocatalyst: Study on the excellent photocatalytic performance and photocatalytic mechanism. *Applied Surface Science*, 483, 875–887. <https://doi.org/10.1016/j.apsusc.2019.03.273>
- Mistewicz, K. (2023). *Low-Dimensional Chalcogenide Nanomaterials*. Springer Nature Switzerland. <https://doi.org/10.1007/978-3-031-25136-8>

- Mistewicz, K., Das, T. K., Nowacki, B., Smalcerz, A., Kim, H. J., Hajra, S., Godzierz, M., & Masiuchok, O. (2023). Bismuth sulfoiodide (BiSI) nanorods: synthesis, characterization, and photodetector application. *Scientific Reports*, *13*(1), 8800.
- Mistewicz, K., Kępińska, M., Nowak, M., Sasiela, A., Zubko, M., & Stróż, D. (2020). Fast and efficient piezo/photocatalytic removal of methyl orange using SbSI nanowires. *Materials*, *13*(21), 1–15. <https://doi.org/10.3390/ma13214803>
- Mombrú Frutos, M., Grosso, C., Olivera, Á., Bentos Pereira, H., Fornaro, L., & Aguiar, I. (2022). Understanding the crystal growth of bismuth chalcogenide nanorods through a self-sacrificing template process: A comprehensive study. *Inorganic Chemistry*, *61*(24), 9231–9241.
- Naciri, Y., Hsini, A., Bouziani, A., Tanji, K., El Ibrahimi, B., Ghazzal, M. N., Bakiz, B., Albourine, A., Benlhachemi, A., & Navío, J. A. (2022). Z-scheme WO₃/PANI heterojunctions with enhanced photocatalytic activity under visible light: A depth experimental and DFT studies. *Chemosphere*, *292*, 133468.
- Park, Y., Numan, A., Ponomarev, N., Iqbal, J., & Khalid, M. (2021). Enhanced photocatalytic performance of PANI-rGO-MnO₂ ternary composite for degradation of organic contaminants under visible light. *Journal of Environmental Chemical Engineering*, *9*(5), 106006.
- Radoičić, M., Šaponjić, Z., Janković, I. A., Ćirić-Marjanović, G., Ahrenkiel, S. P., & Čomor, M. I. (2013). Improvements to the photocatalytic efficiency of polyaniline modified TiO₂ nanoparticles. *Applied Catalysis B: Environmental*, *136*, 133–139.
- Reza, M., Srikandi, N., Amalina, A. N., Benu, D. P., Steky, F. V., Rochliadi, A., & Suendo, V. (2019). Variation of Ammonium Persulfate Concentration Determines Particle Morphology and Electrical Conductivity in HCl Doped Polyaniline. *IOP Conference Series: Materials Science and Engineering*, *599*(1). <https://doi.org/10.1088/1757-899X/599/1/012002>
- Salsyabil, A. (2020). Perkembangan Teknologi Deionisasi Air. *Teknik Kimia ITB*, 1–14.
- Setyaningsih, N. E., & Septiano, A. F. (2019). Optimasi kualitas citra scanning electron microscopy (SEM) dengan metode contrast to noise ratio (CNR). *Prosiding Seminar Nasional IV Hasil Penelitian Pranata Laboratorium Pendidikan Indonesia, IV-ISSN*, 1924–2548.
- Striova, J., Dal Fovo, A., & Fontana, R. (2020). Reflectance imaging spectroscopy in heritage science. *La Rivista Del Nuovo Cimento*, *43*, 515–566.

- Suarsa, I. W. (2015). Spektroskopi. *Falkutas Matematika Dan Ilmu Pengetahuan Alam, Program Studi Kimia: Denpasar*.
- Sugiyana, D., & Notodarmojo, S. (2015). Studi mekanisme degradasi fotokatalitik zat warna azo acid red 4 menggunakan katalis mikropartikel TiO_2 . *Arena Tekstil*, 30(2).
- Sulaeman, U., Ramadhanti, S. F., Diastuti, H., Iswanto, P., Isnaeni, I., & Yin, S. (2023). The enhanced photo-stability of defective Ag_3PO_4 tetrahedron prepared using tripolyphosphate. *Arabian Journal of Chemistry*, 16(1), 104409.
- Swedha, M., Okla, M. K., Al-Amri, S. S., Alaraidh, I. A., Al-Ghamdi, A. A., Mohebaldin, A., Abdel-Maksoud, M. A., Aufy, M., Studenik, C. R., & Thomas, A. M. (2022). Green synthesis of two-electron centre based $\text{ZnO}/\text{NiCo}_2\text{S}_4$ QDs-OVs using Punica granatum fruit peel extract for an exceptional visible light photocatalytic degradation of doxycycline and ciprofloxacin. *Chemosphere*, 304, 135225.
- Vijayalakshmi, S., Kumar, E., Ganeshbabu, M., Venkatesh, P. S., & Rathnakumar, K. (2021). Structural, electrical, and photocatalytic investigations of PANI/ZnO nanocomposites. *Ionics*, 27, 2967–2977.
- Wadsworth, A., Hamid, Z., Kosco, J., Gasparini, N., & McCulloch, I. (2020). The bulk heterojunction in organic photovoltaic, photodetector, and photocatalytic applications. *Advanced Materials*, 32(38), 2001763.
- Wijaya, D. P., Rohmah, M., Putri, R. P., Wijaya, H. W., & Sari, M. E. F. (2023). Sintesis Zeolit Y dengan Metode Hidrotermal. *Jurnal MIPA Dan Pembelajarannya (JMIPAP)*, 3(7), 312–324.
- Xu, Q., Zhang, L., Cheng, B., Fan, J., & Yu, J. (2020). S-scheme heterojunction photocatalyst. *Chem*, 6(7), 1543–1559.
- Yadav, A., Kumar, H., Sharma, R., & Kumari, R. (2021). Influence of polyaniline on the photocatalytic properties of metal nanocomposites: A review. *Colloid and Interface Science Communications*, 40, 100339.
- Zhang, R., & Zeng, K. (2021). A novel flower-like dual Z-scheme $\text{BiSI}/\text{Bi}_2\text{WO}_6/\text{g-C}_3\text{N}_4$ photocatalyst has excellent photocatalytic activity for the degradation of organic pollutants under visible light. *Diamond and Related Materials*, 115, 108343.
- Zhang, R., Zeng, K., & Zhang, T. (2022). Enhanced visible-light-driven photocatalytic activity of Bi_2WO_6 - BiSI Z-scheme heterojunction photocatalysts for tetracycline degradation. *International Journal of Environmental Analytical Chemistry*, 102(18), 7084–7099.

Zhou, C., Wang, R., Jiang, C., Chen, J., & Wang, G. (2019). Dynamically optimized multi-interface novel BiSI-promoted redox sites spatially separated n-p-n double heterojunctions BiSI/MoS₂/CdS for hydrogen evolution. *Industrial & Engineering Chemistry Research*, 58(19), 7844–7856.

