

DAFTAR PUSTAKA

- Abdelhafiz, A.H., and Sinclair, A.J. 2015. Low HbA1c and increased mortality risk-is frailty a counfounding factor?. *Aging and Disease Journals*. 6: 262-270.
- Agaba, E.I., Mary, D., Patricia, A.A., and Dorcas, A. 2005. Serum Lipid Profile of Nigerian Diabetics with End Stage Renal Disease. *West African Joournal of Medicine*. 24(4): 305-308.
- American Diabetes Association. 2010. Executive summary: Standards of medical care in diabetes. *Diabetes Care*. 33: 4-10.
- Antonios, H., Tzamaloukas, H., and Friedman, E.A. 2007. Diabetes. *Handbook of Dyalysis*. 3: 453-465.
- Apple, G.B., and A.S., Apple. 2004. Dyslipidemia in chronic kidney disease and end stage renal disease: A review. *Dialysis and Transplantation*. 33(11): 715.
- Archana, B., Coudhary, S., Chandanwale, S.S., and Kumar, H. 2015. Study of renal and lipid profile in diabetic patients. *International Journal of Pharmacy and Biological Siences*. 5(1): 33-41.
- Badan Penelitian dan Pengembangan Kesehatan Kementerian RI. 2013. *Riset Kesehatan Dasar (Riskesdas) 2013*. Badan Penelitian dan Pengembangan Kesehatan. Kementerian Kesehatan RI, Jakarta.
- Bakris, G.L., and Ritz, E. 2009. The message for World Kidney Day 2009: hypertension and kidney disease—a marriage that should be prevented. *Journal of Hypertension*. 27: 666–669.
- Black, J.M., and Hawks, J.H. 2005. *Medical surgical nursing clinical management for positive outcomes, 7th edition*. Elsevier Sunders, St. Louis Missouri.
- Botham, K.M., dan Peter, A. M. 2009. *Lipid yang Penting Secara Fisiologis*. Dalam Biokimia Harper Edisi 27. EGC, Jakarta.
- Buowari, O.Y. 2013. *Diabetes Mellitus in Developing Countries and Case Series*. Chapter 8. Intech.
- Canani, L.H., Clarissa, C., Daniel, P.K., Serena, G.L., Ana, L.M., Gustavo, B.N., et al. 2006. The fatty acid-binding protein-2 A54T polymorphism is associated with renal disease patients with type 2 diabetes. *Diabetes Journal*. 54: 3326-3330.

- Center for Disease Control and Prevention. 2012. *Chronic Kidney Disease Initiative*. Center for Disease Control and Prevention.
- Center for Disease Control and Prevention. 2015. *Chronic Kidney Disease Initiative*. Center for Disease Control and Prevention.
- Chadijah, S., dan Wirawanni, Y. 2011. Perbedaan Status Gizi, Ureum, dan Kreatinin pada Pasien Gagal Ginjal Kronik dengan Diabetes Melitus dan Non Diabetes Melitus di RSUD dr. Zaenoe Abidin Banda Aceh. *Skripsi*. Fakultas Ilmu Gizi. Universitas Diponegoro, Semarang (Tidak dipublikasikan).
- Chawla, V., Tom, G., Gerald, J.B., John, W.K., Allan, J.C., Mark, J.S., *et al.* 2010. Hyperlipidemia and Long-Term Outcome in Nondiabetic Chronic Kidney Disease. *Clinical Journal of American Society of Nephrology*. 5: 1582-1587
- Cuchel, M., and Daniel, J. R. 2006. Macrophage Reverse Cholesterol Transport: Key to the Regression of Atherosclerosis?. *Circulation*. 113: 2548-2555.
- Daryani. 2011. Faktor-faktor yang Mempengaruhi Keputusan Inisiasi Dialisis Pasien Ginjal Tahap Akhir di RSUP dr. Soeradji Tirtonegoro Klaten. *Tesis*. Program Magister Keperawatan. Fakultas Ilmu Keperawatan. Universitas Indonesia (Tidak dipublikasikan).
- Dewayani, Retna. 2007. Penyakit Jantung Koroner pada Chronic Kidney Disease. *Jurnal Kardiologi Indonesia*, 38: 387 – 395.
- Dikow, R., and Ritz, E. 2005. Hemodialysis and CAPD in Type 1 and Type 2 Diabetic Patients with End Stage Renal Failure. *The Kidney and Hypertension in Diabetes Mellitus*. 6:703-723.
- Enday, Sukandar. 2006. Tinjauan Umum Nefropati Diabetik. *Nefrologi Klinik*. 3:325-399.
- Epstein M., and Vaziri, N.D. 2012. Statins in the management of dyslipidemia associated with chronic kidney disease. *Nature Reviews Nephrology*. 8: 214-223.
- Evaristo-Neto, A.D., Foss-Freitas, M.C., and Foss, M.C. 2010. Prevalence of diabetes mellitus and impaired glucose tolerance in a rural community of Angola. *Diabetology and Metabolic Syndrome Journal*. 2: 63.
- Foley, R.N., Murray, A.M., Li, S., Herzog, C.A., McBean, A.M., Eggers, P.W., *et al.* 2005. Chronic kidney disease and the risk for cardiovascular disease, renal replacement, and death in the United States Medicare population, 1998 to 1999. *Clinical Journal of American Society of Nephrology*. 16: 489–495.

- Gopinath, B., Sri, S.P.M., Jayarama, N., and Prabhakara, K. 2013. Study of factors associated with poor glycemic control in Type-2 Diabetic patients. *Global Journal of Medicine and Public Health*. 2(2): 1-5.
- Hunsicker, L.G. 2004. The consequences and costs of chronic kidney disease before ESRD. *Clinical Journal of American Society of Nephrology*. 15: 1363-1364.
- Indonesian Renal Registry (IRR). 2011. *4th Report of Indonesian Renal Registry*. IRR, Persatuan Nefrologi Indonesia (PERNEFRI), Jakarta.
- International Diabetes Federation. 2013. *IDF Diabetes Atlas 6th Edition*. International Diabetes Federation Publishing.
- International Diabetes Federation. 2014. *IDF Diabetes Atlas*. International Diabetes Federation Publishing.
- Japanese Society for Dialysis Therapy (JSDT). 2010. *An overview of regular dialysis treatment in Japan as of Dec 31, 2009*. Japanese Society for Dialysis Therapy.
- Jha, P., Das, B.K.L., Shreshta, S., Majhi, S., Chandra, L., Sharma, S., *et al.* 2010. Glycemic Status, Lipid Profile and Proteinuria in Diabetic Nephropathy. *Journal of Nepal Medical Association*. 49(178): 143-146.
- Kalsi, D.S., Jyoti, C., and Anchal, S. 2015. Association of lipid profile test values, type-diabetes mellitus, and periodontitis. *Indian Journal of Dentistry*. 6(2): 81-84.
- Keane, W.F., Tomassini, J.E., and Neff, D.R. 2013. Lipid abnormalities in patients with chronic kidney disease: implications for the pathophysiology of atherosclerosis. *Journal of Atherosclerosis and Thrombosis*. 20: 123-133.
- Kellenbach, J.Z., Gutch, C., Stoner, M., and Corea. 2005. *Review of hemodialysis for nursing and dialysis personnel, 7th edition*. Elsevier Saunders, St. Louis Missouri.
- Kementerian Kesehatan RI. 2014. *Kenali Kolesterol dan Cegah Risikonya*. Pusat Promosi Kesehatan. Kementerian Kesehatan RI, Jakarta.
- Kimak, E., Halabis, M., and Baranowicz, G.I. 2010. Relationships between serum lipid, lipoprotein, triglyceride-rich lipoprotein, and high density lipoprotein particle concentrations in post-renal transplant patients. *Journal of Zhejiang Universitas Science B*. 11: 249-257.

- Landray, M.J, Wheeler, D.C., Lip G.Y., Newman, D.J., Blann, A.D., McGlynn, F.J., *et al.* 2004. Inflammation, endothelial dysfunction, and platelet activation in patients with chronic kidney disease: the chronic renal impairment in Birmingham (CRIB) study. *American Journal of Kidney Disease*. 43: 244–253.
- Levey, A.S. 2002. Nondiabetic kidney disease in clinical practice. *New England Journal of Medicine*. 1347(19): 1505-1511.
- Libby, P., Ridker, P.M., and Hansson, G.K. 2009. Inflammation in atherosclerosis: from pathophysiology to practice. *Journal of the American College of Cardiology*. 54: 2129–2138.
- Lindner, A., Charra, B., Sherrard, D.J., and Scribner, B.H. 1974. Accelerated atherosclerosis in prolonged maintenance hemodialysis. *New England Journal of Medicine*. 290: 697-701.
- Lubis, H.R. 2009. *Penyakit Ginjal Diabetes*. Dalam Buku Ajar Penyakit Dalam Jilid II Edisi IV. Penerbit FK UI, Jakarta.
- Maheswari, N., Muhammad, R.A., Muhammad, S.L, Darshana, Kumar, L., and Kamran, A. 2010. Patern of Lipid Profile in Patients on Mintenance Hemodialysis. *Saudi Journal of Kidney Disease and Transplantation*. 21(3): 565-570.
- Mark, D.B., Marks, A.D., and Smith, C.M. 2000. *Biokimia Kedokteran Dasar: Sebuah Pendekatan Klinis*. EGC, Jakarta. 478-532.
- Markaki, A., Gkouskou, K., Stylianou, K., Dermitzaki, E., Perakis, K., Margioris, A., *et al.* 2012. Relationship between adiposity, adipokines, inflammatory markers and lipid profile in hemodyalisis patients. *European Review for Medical and Pharmacological Sciences*. 18: 1496-1498.
- McCance, L.K., and Huether, S. E. 2006. *Pathophysiology*. Mosby inc., USA.
- Molitch, M. E. 2006. Management of Dyslipidemias in Patient with Diabetes and Chronic Kidney Disease. *Clinical Journal of American Sociesty of Nephrology*. 1: 1090-1099.
- Moradi, H., Vaziri, N.D., Kashyap, M.L., Said, H.M., and Kalantar, Z.K. 2013. Role of HDL dysfunction in end-stage renal disease: a double edged sword. *Journal of Renal Nutrition*. 23: 203-206
- Muneer, A.K., Ibrahim, A.N., and Mohd, Z.K. 2004. Clinical Profile of Chronic Renal Failure Patient at Referral to Nephrologist. *Saudi Journal of Kidney Disease and Transplantation*. 15(4): 468-472.

- National Cholesterol Education Program. 2002. *Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III)*. National Cholesterol Education Program. National Heart, Lung, and Blood Institute. National Institutes of Health.
- National Health Service-United Kingdom. 2013. *Chronic Kidney Disease*. National Health Service-United Kingdom.
- National Health Service-United Kingdom. 2015. *Chronic Kidney Disease*. National Health Service-United Kingdom.
- National Kidney Disease Education Program (NKDEP). 2014. *Making Sense of CKD: A Concise Guide for Managing Chronic Kidney Disease in the Primary Care Setting*. National Kidney Disease Education Program.
- National Kidney Foundation (NKF). 2003. *KDOQI Clinical Practice Guidelines for Chronic Kidney Disease: Evaluation, Classification, and Stratification*. National Kidney Foundation.
- National Kidney Foundation (NKF). 2009. *KDOQI Clinical Practice Guidelines for Chronic Kidney Disease: Evaluation, Classification, and Stratification*. National Kidney Foundation.
- Navab, M., Reddy, S.T., Van, L.B., Anantharamaiah, G.M., and Fogelman, A.M. 2009. The role of dysfunctional HDL in atherosclerosis. *The Journal of Lipid Research*. 50 : 145-149.
- Okafor, C.I., and Ofoegbu, E.N. 2011. Indication and outcome of admissions of diabetic patients into the medical wards in a Nigerian tertiary hospital. *Nigerian Medical Journal*. 52(2): 86-89.
- Onuigba, J.N.N., Unuigbo, E.I., Kalu, O.A., Oguejiofor, C.O., and Ouigbo, P.C. 2011. Prevalence of dyslipidemia among adult diabetic patients with overt diabetic nephropathy in Anambra state South-East Nigeria. *Nigerian Journal of Clinical Practice*. 14(2): 171-175.
- Palmer, S.C., Craig, J.C., Navaneethan, S.D., Tonelli, M., Pellegrini, F., Strippoli, G.F. 2012. Benefits and harms of statin therapy for persons with chronic kidney disease: a systematic review and meta-analysis. *Annals of Internal Medicine*. 157: 263-275.
- Pandya, V., Akhilesh R., and Kunal C. 2015. Lipid abnormalities in kidney disease and management strategies. *World Journal of Nephrology*. 4(1): 83-91.
- Park, C.W. 2014. Diabetic Kidney Disease. *Diabetes and Metabolism Journal*. 38: 252-260.

- Price, dan Wilson. 1995. *Fisiologi Proses-proses Penyakit*. Edisi 4. EGC, Jakarta.
- Prichard, S.S. 2003. Impact of Dyslipidemia in End-Stage Renal Disease. *Clinical Journal of American Sociesty of Nephrology*. 14: S315-S320.
- Purnamasari, D. 2009. *Diagnosis dan Klasifikasi Diabetes Melitus*. Dalam Buku Ajar Penyakit Dalam Jilid III Edisi IV. Penerbit FK UI, Jakarta.
- Rahman, M., Wei, Y., Sanjeev, A., Arnold, A., Amanda, H.A., Lawrence, J.A., et al. 2014. Relation of Serum Lipids and Lipoproteins with Progression of CKD: The CRIC Study. *Clinical Journal of American Sociesty of Nephrology*. 9: 1190-1198.
- Rasic, M.Z., Perunicic, P.G., Jovanovic, D., Simovic, N., Gluvic, Z., Ristic, M.D., et al. 2016. *Cholesterol: Factors Determining Blood Cholesterol Levels*. Elsevier Saunders, Philadelphia.
- Rhee, J.J, Victoria, Y.D., David, H.R., Cristina, M.A., and Wolfgang, C.W. 2015. Correlates of poor glycemic control among patients with diabetes initiating hemodialysis for end stage renal disease. *BioMed Central Nephrology Journal*. 16(204): 1-12.
- Saudi Center for Organ Transplantation (SCOT). 2001. Saudi Center for Organ Transplantation Data 2001. *Saudi Journal of Kidney Disease and Transplantation*. 3: 421-434
- Sarnak, M.J., Levey, A.S., Schoolwerth, A.C., Coresh, J., Culleton, B., Hamm, L.L., et al. 2003. Kidney disease as a risk factor for development of cardiovascular disease: a statement from the American Heart Association Councils on Kidney in Cardiovascular Disease, High Blood Pressure Research, Clinical Cardiology, and Epidemiology and Prevention. *Circulation Journal*. 108: 2154–2169.
- Shoji, T., Emoto, M., Kawagishi, T., Kimoto, E., Yamada, A., Tabata, T., et al. 2001. Atherogenic lipoprotein changes in diabetic nephropathy. *Journal of Atherosclerosis*. 156: 425-433.
- Shoji, T., Takaaki, A., Hiroshi, M., Genshi, E., Yoshimutsu, Y., Naoki, K., et al. 2012. Chronic Kidney Disease, Dyslipidemia, and Atherosclerosis. *Journal of Atherosclerosis and Thrombosis*. 19(4): 299-315.
- Simel, D.L. 2011. *Approach to the patient: history and physical examination*. In Goldman, L., and Schafer Al. *Goldman's Cecil Medicine*, 24th ed. Elsevier Saunders, Philadelphia.
- Sukandar, Enday. 2006. *Gagal Ginjal dan Panduan Terapi Dialisis*. Pusat Informasi Ilmiah (PII) Bagian Ilmu Penyakit Dalam RS Hasan Sadikin, Bandung.

- Sumiyoshi, K., Chieko, K., Kenichi, S., and Hirofumi, M. 2010. Influencing Factors for Dietary Behaviors of Patients with Diabetic Nephropathy. *Acta Medica Okayama*. 64(1): 39-47.
- Suwitra, K. 2009. *Penyakit Ginjal Kronik*. Dalam Buku Ajar Penyakit Dalam Jilid II Edisi IV. Penerbit FK UI, Jakarta.
- Thomas, R., Abbas, K., and John, R.S. 2008. Chronic kidney disease and its complications. *Journal of Primary Care*. 35(2): 329-vii.
- Tjokroprawiro, A. 2006. *Hidup Sehat dan Bahagia bersama Diabetes Melitus*. PT Gramedia Pustaka Utama, Jakarta.
- Tsimihodimos, V., Evangelia, D., and Kostas, C.S. 2008. Dyslipidemia in Chronic Kidney Disease: An Approach to Pathogenesis and Treatment. *Clinical Journal of American Society of Nephrology*. 28: 958-973.
- Ueno, T., Shigehiro, D., Ayumu, N., Yukio, Y., Toshiki, D., Toru, K., *et al.* 2015. The Serum Lipid Levels may be Underestimated in Patients on Hemodialysis. *Internal Medicine*. 54: 887-894.
- Upadhyay, A., Early, A., Lamont, J.L., Haynes, S., Wanner, C., and Balk, E.M. 2012. Lipid-lowering therapy in persons with chronic kidney disease: a systematic review and meta-analysis. *Annals of Internal Medicine*. 157: 251-262.
- Unita, L., dan Harun, R.L. 2005. Profil Lipid Penderita Penyakit Ginjal Kronis pada Predialisis dan Hemodialisis. *Majalah Kedokteran Nusantara*. 38(2): 162-168.
- United State Renal Data System (USRDS). 2000. Annual Data Report. *American Journal of Kidney Disease*. 36(2): 18-54.
- United State Renal Data System (USRDS). 2008. *Annual Data Report: Atlas of End-Stage Renal Disease in the United States*. National Institute of Diabetes and Digestive and Kidney Disease. National Institutes of Health.
- Vhrovac, B., Jaksik, B., Reiner, Z., and Vucelic, B. 2008. *Interna Medicina*. Zagreb: Naklada Ljevak. 1258-1259.
- Wild, S., Gojka, R., Anders, G., Richard, S., and Hilary, K. 2004. Global Prevalence of Diabetes: Estimates for the year 2000 and projections for 2030. *Diabetes Care*. 25(5): 1047-1053.
- Woroniecka, K.I., Ae, S.D.P., Davoud, M., David, B.T., James, M.P., and Katalin, S. 2011. Transcriptome Analysis of Human Diabetic Kidney Disease. *Diabetes Journal*. 60: 2354-2369.

Zaldivar, M.C., and Aldo, J.P. 2003. CKD Series: Cardiovascular Risk Reduction in Patients with Chronic Kidney Disease. *Hospital Physician*. 50: 29-35.

