

DAFTAR PUSTAKA

- 3DPI. 2014. The Free Beginner's Guide to 3D Printing. *3D Printing Industry*. 77. Available from: <http://3dprintingindustry.com/wp-content/uploads/2014/07/3D-Printing-Guide.pdf>.
- Achillas, C, Aidonis, D, Iakovou, E, Thymianidis, M & Tzetzis, D. 2015. A methodological framework for the inclusion of modern additive manufacturing into the production portfolio of a focused factory. *Journal of Manufacturing Systems*. 37:328–339. doi.org/10.1016/j.jmsy.2014.07.014.
- Adidas. 2025. *The Future Now: Adidas Reveals the CLIMACOOOL LACED*. Available from: <https://news.adidas.com/innovations/the-future-now--adidas-reveals-the-climacool-laced/s/f4cd96a9-a4e0-474c-a9cb-465b0dafa159> [Accessed 24 September 2025].
- Andriani, DP, Setyanto, NW & Kusuma, LTWN. 2017. Available from: <https://books.google.co.id/books?id=xMxVDwAAQBAJ>.
- Arifin, F, Zamheri, A, Herlambang, YD, Syahputra, AP, Apriansyah, I & Franando, F. 2021. Optimization of Process Parameters in 3D Printing Fdm By Using the Taguchi and Grey Relational Analysis Methods. *SINTEK JURNAL: Jurnal Ilmiah Teknik Mesin*. 15(1):1. doi.org/10.24853/sintek.15.1.1-10.
- Aryanti., N. dan AN. 2020. A. Perkembangan Teknik Optimasi. 77–95.
- Aslani, KE, Kitsakis, K, Kechagias, JD, Vaxevanidis, NM & Manolakos, DE. 2020. On the application of grey Taguchi method for benchmarking the dimensional accuracy of the PLA fused filament fabrication process. *SN Applied Sciences*. 2(6):1–11. doi.org/10.1007/s42452-020-2823-z.
- Aziza, N, Maarif, U & Latif, H. 2024. *PENGANTAR STATISTIK : Analisis Varian (ANOVA)*.
- Bolat, Ç & Ergene, B. 2022. An Investigation on Dimensional Accuracy of 3D Printed PLA, PET-G and ABS Samples with Different Layer Heights. *Çukurova Üniversitesi Mühendislik Fakültesi Dergisi*. 37(2):449–458. doi.org/10.21605/cukurovaumfd.1146401.
- Chua, CK, Wong, CH & Yeong, WY. 2017. Quality Management Framework in Additive Manufacturing. *Standards, Quality Control, and Measurement Sciences in 3D Printing and Additive Manufacturing*. 213–239.

doi.org/10.1016/b978-0-12-813489-4.00009-x.

Creality. 2022. CR-10S Pro V2 3D Printer. Available from:
<https://www.creality3dofficial.com/products/cr-10s-pro-v2-3d-printer>.

Creality. 2025. CR-10S Pro V2. Available from:
<https://www.creality.com/products/cr-10s-pro-v2-3d-printer> [Accessed 25 September 2025].

Darsin, M, Mahardika, NA, Jatisukamto, G, Ramadhan, ME, Fachri, BA & Hussin, MS. 2022. Effect of 3D Printing Parameters on Dimensional Accuracy Using eSteel Filaments. *Journal Of 3D Printing And Additive Manufacturing*. 1(1):1–7. doi.org/10.53996/2833-5430.jpam.1000102.

Deepthi, S, Rajesh, B, Vyshnavi, N & Moni, K. 2017. Automatic Key Term Extraction from Research Article using Hybrid Approach. *International Journal of Computer Applications*. 166(6):17–21. doi.org/10.5120/ijca2017914039.

eSUN. 2021. eSUN PLA+ Technical Data Sheet. (6):3–4. Available from:
https://www.esun3d.com/uploads/eSUN_PLA+-Filament_TDS_V4.0.pdf.

eSun Industrial Co. Ltd. 2021. Data Sheet PETG. (6):3–4. Available from:
www.esun3d.net.

Field, A. 2013. *Discovering Statistics Using IBM SPSS Statistics*. 4th ed. SAGE Publications.

Frunzaverde, D, Cojocaru, V, Ciubotariu, CR, Miclosina, CO, Ardeljan, DD, Ignat, EF & Marginean, G. 2022. The Influence of the Printing Temperature and the Filament Color on the Dimensional Accuracy, Tensile Strength, and Friction Performance of FFF-Printed PLA Specimens. *Polymers*. 14(10). doi.org/10.3390/polym14101978.

Frunzaverde, D, Cojocaru, V, Bacescu, N, Ciubotariu, CR, Miclosina, CO, Turiac, RR & Marginean, G. 2023. The Influence of the Layer Height and the Filament Color on the Dimensional Accuracy and the Tensile Strength of FDM-Printed PLA Specimens. *Polymers*. 15(10). doi.org/10.3390/polym15102377.

Galetto, M, Verna, E & Genta, G. 2021. Effect of process parameters on parts quality and process efficiency of fused deposition modeling. *Computers &*

doi.org/https://doi.org/10.1016/j.cie.2021.107238.

Gibson, I, Rosen, D & Stucker, B. 2015. *Additive Manufacturing Technologies*. V. 100.

Gunawan, R. 2020. Pengaruh Densitas Isi terhadap Ketelitian Dimensi pada Produk Mesin 3D Printing. *Mesin*. 11(1):15–19. doi.org/10.25105/ms.v11i1.7438.

Guthrie, J. 2024. *PETG vs PLA Filament: Properties, Printing & Examples*. Available from: <https://all3dp.com/2/petg-vs-pla-3d-printing-filaments-compared/>.

Haghighi, A & Li, L. 2018. Study of the relationship between dimensional performance and manufacturing cost in fused deposition modeling. *Rapid Prototyping Journal*. 24(2):395–408. doi.org/10.1108/RPJ-11-2016-0177.

Halimah, P & Ekawati, Y. 2020. Penerapan Metode Taguchi untuk Meningkatkan Kualitas Bata Ringan pada UD. XY Malang. *JIEMS (Journal of Industrial Engineering and Management Systems)*. 13(1):13–26. doi.org/10.30813/jiems.v13i1.1694.

Hasdiansah, H, Masdani, M, Feriadi, I & ... 2020. Optimasi Parameter Proses Terhadap Akurasi Dimensi Pla Food Grade Menggunakan Metode Taguchi. *Prosiding Seminar Nasional NCIET Vol.1 (2020) A175-A186*. 1:175–186. Available from: <http://conf.nciet.id/index.php/nciet/article/view/150%0Ahttp://conf.nciet.id/index.php/nciet/article/download/150/231>.

Jia, Z, Wang, Q & Liu, J. 2023. An Investigation of Printing Parameters of Independent Extrusion Type 3D Print Continuous Carbon Fiber-Reinforced PLA. *Applied Sciences (Switzerland)*. 13(7). doi.org/10.3390/app13074222.

Kuclourya, T, Monroy, R & Ahmad, R. 2023. Design of experiments to compare the reprocessing effect with Fused Deposition Modeling printing parameters on mechanical properties of Polylactic Acid specimens towards circular economy. *Progress in Rubber, Plastics and Recycling Technology*. 39(2):111–140. doi.org/10.1177/14777606221145702.

Kumar, K & Singh, H. 2024. Parametric Optimization of the 3D Printing Process for Dimensional Accuracy of Biopolymer Parts Using the Grey – Taguchi

- Method. *Iranian Journal of Science and Technology, Transactions of Mechanical Engineering*. 48(3):1101–1116. doi.org/10.1007/s40997-023-00696-0.
- Kumaresan, R, Samykano, M, Kadirgama, K, Pandey, AK & Rahman, MM. 2023. Effects of printing parameters on the mechanical characteristics and mathematical modeling of FDM-printed PETG. *The International Journal of Advanced Manufacturing Technology*. 128(7):3471–3489. doi.org/10.1007/s00170-023-12155-w.
- Kundu, M & Mandal, A. 2022. Additive Manufacturing Process (3D Printing): “A Critical Review of Techniques, Applications & Future Scope”. *International Journal of Engineering and Technical Research*. 11(10):171–193.
- Li, MC, Kuo, H & Yang, C. 2007. The Alpha Risk of Taguchi Method for LTB Type Quality Characteristic with L 8. 737–748. doi.org/10.1007/s11135-006-9023-9.
- McClements, D & Lichtig, A. 2025. *PLA vs. PLA+: Differences and Comparisons*. Available from: <https://www.xometry.com/resources/3d-printing/pla-vs-pla-plus/> [Accessed 16 March 2025].
- MET3DP. 2025. *Aerospace Fixtures With Stable Properties*. Available from: <https://met3dp.com/fixtures20251230/> [Accessed 6 January 2025].
- Mohamed, OA, Masood, SH & Bhowmik, JL. 2015. Optimization of fused deposition modeling process parameters: a review of current research and future prospects. *Advances in Manufacturing*. 3(1):42–53. doi.org/10.1007/s40436-014-0097-7.
- Mufarrih, A & Nadliroh, K. 2019. Aluminium, Aplikasi Metode Taguchi-Grey untuk Optimasi Multirespon pada Pembubutan Aluminium. *Seminar Nasional Multidisiplin*. 283–290.
- O’Connell, J. 2023. *The Types of FDM 3D Printers: Cartesian, CoreXY & More*. Available from: <https://all3dp.com/2/cartesian-3d-printer-delta-scara-belt-corexy-polar/> [Accessed 2 November 2025].
- Pamasaria, HA, Saputra, TH, Utama, AS & Budiyanoro, C. 2020. Optimasi Keakuratan Dimensi Produk Cetak 3D Printing berbahan Plastik PP Daur

- Ulang dengan Menggunakan Metode Taguchi. *JMPM (Jurnal Material dan Proses Manufaktur)*. 4(1):12–19. doi.org/10.18196/jmpm.4148.
- Patel, NS, Parihar, PL & Makwana, JS. 2021. Parametric optimization to improve the machining process by using Taguchi method: A review. *Materials Today: Proceedings*. 47(xxxx):2709–2714. doi.org/10.1016/j.matpr.2021.03.005.
- Pratama, J, Mayanda, N & Sugiyanto, D. 2022. Effect of Extruder Temperature on Dimensional Accuracy and Surface Roughness of Fused Deposition Modeled (FDMed) PLA and PLA/Wood Composite. *Rotasi*. 24(2):1–9. Available from: <https://ejournal.undip.ac.id/index.php/rotasi/article/view/44563>.
- Pratama, WH, -, H & -, H. 2021. Optimasi Parameter Proses 3D Printing Terhadap Kuat Tarik Material Filamen PLA + Menggunakan Metode Taguchi. *Sprocket Journal of Mechanical Engineering*. 3(1):39–45. doi.org/10.36655/sprocket.v3i1.568.
- Pristiansyah; Hardiansyah; Sugiyarto. 2019. Manutech : Jurnal Teknologi Manufaktur Optimasi Parameter Proses 3D Printing FDM Terhadap Akurasi Dimensi Menggunakan Filament Eflex. *Manutech: Jurnal Teknologi Manufaktur*. 11(01):0–7. Available from: <https://media.neliti.com/media/publications/289929-optimasi-parameter-proses-3d-printing-fd-bc4a4103.pdf>.
- Rahman, A. 2015. OPTIMASI PENJADWALAN PERKULIAHAN MENGGUNAKAN METODE HARMONY SEARCH.
- Ramakrishna, G, Tarun, P, Kumar, R, Ramakrishna, G & Devi, EN. 2025. Mechanical Characterization of Petg-3D Printed Material for Enhancement and Scrutiny. *Research Gate*. (February). doi.org/10.37896/YMER24.02/22.
- Saragih, FD, FA, AS & Witanto, Y. 2022. PENGARUH VARIASI INFILL DAN SPEED PRINTING TERHADAP SIFAT MEKANIK ADDITIVE MANUFACTURING The Variation Effect of Infill and Speed Printing on The Mechanical Properties of Additive Manufacturing. 6(2):2022.
- Sawyer, S. 2017. Analysis of Variance : The Fundamental Concepts. (April 2009).

doi.org/10.1179/jmt.2009.17.2.27E.

- Shanmugam, V, Babu, K, Kannan, G, Mensah, RA, Samantaray, SK & Das, O. 2024. The thermal properties of FDM printed polymeric materials: A review. *Polymer Degradation and Stability*. 228(June):110902. doi.org/10.1016/j.polymdegradstab.2024.110902.
- Sidi, P & Wahyudi, MT. 2013. Aplikasi Metoda Taguchi Untuk Mengetahui Optimasi Kebulatan Pada Proses Bubut Cnc. *Jurnal Rekayasa Mesin*. 4(2):101–108.
- Singh, TK, Birru, AK & Singh, KN. 2024. Optimizing the printing parameters for dimensional accuracy of distal femur bone by using Taguchi's method. *Journal of Engineering and Applied Science*. 71(1):1–18. doi.org/10.1186/s44147-023-00338-x.
- Solouki, A, Aliha, MRM, Makui, A, Choupani, N & Seiti, H. 2024. Analyzing the effects of printing parameters to minimize the dimensional deviation of polylactic acid parts by applying three different decision-making approaches. *Scientific reports*. 14(1):27674. doi.org/10.1038/s41598-024-78952-9.
- Sonya, R, Haerdy, M & Nurzannah, F. 2023. Potensi dan Kendala Penerapan Teknologi 3D printing dalam Penyediaan Hunian Layak dan Terjangkau di Indonesia. XI(3):15–22.
- Stapenhurst, T & Bendell, A. 1990. *Taguchi Methods*. V. 41. doi.org/10.2307/2583510.
- Stratasys. 2019. *Taking Manufacturing to a Higher Altitude*. Available from: <https://aerospace.stratasys.com/tooling/> [Accessed 6 January 2025].
- Tanoto, YY, Filbert, V, Febrian, R & Adriel, N. 2022. Optimasi Multirespon pada Proses 3D Printing Material ABS dengan Metode Taguchi-PCR Topsis. *Teknik*. 43(2):147–157. doi.org/10.14710/teknik.v43i2.43301.
- Taufik, I, Budiono, HS, Herianto, H & Andriyansyah, D. 2020. [Influence of Printing Speed to Roughness Products of Additive Manufacturing Using Polylactic Acid Filament]. *Journal of Mechanical Engineering*. 4(2):15–20. Available from: <https://jurnal.untidar.ac.id/index.php/mechanical/article/view/3412/1649>.

- Tunçel, O. 2023. Optimizing printing parameters for enhanced mechanical properties of 3D printed PLA octet lattice structures. *European Mechanical Science*. 7(4):278–284. doi.org/10.26701/ems.1382590.
- Tunçel, O, Kahya, Ç & Tüfekci, K. 2024. Optimization of Flexural Performance of PETG Samples Produced by Fused Filament Fabrication with Response Surface Method. *Polymers*. 16(14). doi.org/10.3390/polym16142020.
- Ulkir, O, Ertugrul, I, Ersoy, S & Yağımlı, B. 2024. The Effects of Printing Temperature on the Mechanical Properties of 3D-Printed Acrylonitrile Butadiene Styrene. *Applied Sciences (Switzerland)*. 14(8). doi.org/10.3390/app14083376.
- Wei, X, Zhang, S, Sun, L, Zhao, X, Sun, M, Yu, R & Zhou, X. 2025. Geometric Accuracy and Dimensional Precision in 3D Printing-Based Gear Manufacturing : A Study on Interchangeability and Forming Precision.
- Wibowo, SRD, Midyanti, DM & Hidayati, R. 2020. PENERAPAN METODE GREY RELATIONAL ANALYSIS PADA PENERIMAAN PENGAJAR YAYASAN PENDIDIKAN SEKOLAH BRUDER KOTA PONTIANAK. 08(01).
- Wicaksono, MB & Nugraha, FKA. 2022. Optimization of 3D Printing Parameters Using the Taguchi Method to Improve Dimensional Precision. *Jurnal Teknologi*. 12:62–67. doi.org/10.35134/jitekin.v12i2.76.
- Yulita, YB, Purwanti, EP & Purnomo, DA. 2020. Penerapan Metode Taguchi dan Grey Relational Analysis pada Optimasi Parameter Mesin EDM Sinking Terhadap Material AISI. (2654):219–223.