

DAFTAR PUSTAKA

- Akinyemi, R., Arnett, D.K., Tiwari, H.K., Ovbiagele, B., Sarfo, F., Srinivasasainagendra, V., Irvin, M.R., *et al.* (2017), “Interleukin-6 (IL-6) rs1800796 and cyclin dependent kinase inhibitor (CDKN2A/CDKN2B) rs2383207 are associated with ischemic stroke in indigenouAkinyemi, R., Arnett, D. K., Tiwari, H. K., Ovbiagele, B., Sarfo, F., Srinivasasainagendra, V., Irvin, M. R., Ad”, *Journal of the Neurological Sciences*, Vol. 379, pp. 229–235, doi: 10.1016/j.jns.2017.05.046.
- Al-Shdaifat, E.A. and Manaf, M.R.A. (2013), “The economic burden of hemodialysis in Jordan”, *Indian Journal of Medical Sciences*, Vol. 67 No. 5, pp. 103–116, doi: 10.4103/0019-5359.122734.
- Albani, D., Batelli, S., Polito, L., Prato, F., Pesaresi, M., Gajo, G.B., De Angeli, S., *et al.* (2009), “Interleukin-6 plasma level increases with age in an Italian elderly population (‘The Treviso Longeva’-Trelong-study) with a sex-specific contribution of rs1800795 polymorphism”, *Age*, Vol. 31 No. 2, pp. 155–162, doi: 10.1007/s11357-009-9092-5.
- Alves, F.C., Sun, J., Qureshi, A.R., Dai, L., Snaedal, S., Bárány, P., Heimbürger, O., *et al.* (2018), “The higher mortality associated with low serum albumin is dependent on systemic inflammation in end-stage kidney disease”, *PLoS ONE*, Vol. 13 No. 1, pp. 1–15, doi: 10.1371/journal.pone.0190410.
- Amaludin, M., Nurpratiwi, N., Arisandi, D., Alfikrie, F., Hidayat, U.R., Akbar, A. and Hatmalyakin, D. (2023), “Edukasi dan Skrining Penderita Penyakit Hipertensi dan Diabetes Melitus Sebagai Upaya Efikasi Diri dalam Pencegahan Gagal Ginjal Kronis di Desa Lemukutan Kecamatan Sungai Raya Kepulauan Kabupaten Bengkayang Provinsi Kalimantan Barat”, *Jurnal Kreativitas Pengabdian Kepada Masyarakat (PKM)*, Vol. 6 No. 7, pp. 2860–2868, doi: 10.33024/jkpm.v6i7.10090.
- Apriningsih, H., Suryawati, B., Reviono, Ardyanto, T.D., Pratiwi, D. and Nurinasari, H. (2023), “Association between IL-6 rs1800795 and IL-1 β rs16944 gene polymorphisms with clinical severity of COVID-19 patients in Surakarta, Central Java, Indonesia”, *Bali Medical Journal*, Vol. 12 No. 1, pp.

904–908, doi: 10.15562/bmj.v12i1.3919.

Arendshorst, W.J., Vendrov, A.E., Kumar, N., Ganesh, S.K. and Madamanchi, N.R. (2024), “Oxidative Stress in Kidney Injury and Hypertension”, pp. 1–47.

Bailey, R.A., Wang, Y., Zhu, V. and Rupnow, M.F. (2014), “Chronic kidney disease in US adults with type 2 diabetes: An updated national estimate of prevalence based on Kidney Disease: Improving Global Outcomes (KDIGO) staging”, *BMC Research Notes*, Vol. 7 No. 1, pp. 1–7, doi: 10.1186/1756-0500-7-415.

Barzegar, H., Moosazadeh, M., Jafari, H. and Esmaeili, R. (2016), “Evaluation of Dialysis Adequacy in Hemodialysis Patients: A Systematic Review”, Vol. 13 No. 04, pp. 2744–2749.

Begum, S. and Latunde-Dada, G.O. (2019), “Anemia of inflammation with an emphasis on chronic kidney disease”, *Nutrients*, Vol. 11 No. 10, doi: 10.3390/nu11102424.

Bikbov, B., Purcell, C., Levey, A.S., Smith, M., Abdoli, A., Abebe, M., Adebayo, O.M., *et al.* (2020), “Global, regional, and national burden of chronic kidney disease, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017”, *The Lancet*, Vol. 395 No. 10225, pp. 709–733, doi: 10.1016/S0140-6736(20)30045-3.

Bogdanović, Z., Marinović-Terzić, I., Kuret, S., Jerončić, A., Bradarić, N., Forempoher, G., Polašek, O., *et al.* (2016), “The impact of IL-6 and IL-28B gene polymorphisms on treatment outcome of chronic hepatitis C infection among intravenous drug users in Croatia”, *PeerJ*, Vol. 2016 No. 10, doi: 10.7717/peerj.2576.

Cañadas-Garre, M., Anderson, K., McGoldrick, J., Maxwell, A.P. and McKnight, A.J. (2018), *Genomic Approaches in the Search for Molecular Biomarkers in Chronic Kidney Disease*, *Journal of Translational Medicine*, Vol. 16, BioMed Central, doi: 10.1186/s12967-018-1664-7.

Carrero, J.J., Hecking, M., Chesnaye, N.C. and Jager, K.J. (2018), “Sex and Gender Disparities in the Epidemiology and Outcomes of Chronic Kidney Disease”, *Nature Reviews Nephrology*, Vol. 14 No. 3, pp. 151–164, doi: 10.1038/nrneph.2017.181.

- Chen, H., Luo, H., Zhou, J., Yu, M., Qing, T., Wang, Y., Shao, M., *et al.* (2025), “Polymorphisms in genes related to inflammation and endothelial function are associated with ischemic stroke and other vascular events in populations at high risk of stroke”, *Journal of Central Nervous System Disease*, Vol. 17, pp. 1–13, doi: 10.1177/11795735241312660.
- Chen, W., Yuan, H., Cao, W., Wang, T., Chen, W.W., Yu, H., Fu, Y., *et al.* (2019), “Blocking interleukin-6 trans-signaling protects against renal fibrosis by suppressing STAT3 activation”, *Theranostics*, Vol. 9 No. 14, pp. 3980–3991, doi: 10.7150/thno.32352.
- Chen, Y.C., Wu, M.Y., Yu, Z.L., Chou, W.H., Lai, Y.T., Kao, C.C., Faridah, I.N., *et al.* (2020), “Association of UBE3C variants with reduced kidney function in patients with diabetic kidney disease”, *Journal of Personalized Medicine*, Vol. 10 No. 4, pp. 1–12, doi: 10.3390/jpm10040210.
- Chen, Z. and Wang, Y. (2023), “Interleukin-6 levels can be used to estimate cardiovascular and all-cause mortality risk in dialysis patients: A meta-analysis and a systematic review”, *Immunity, Inflammation and Disease*, Vol. 11 No. 4, pp. 1–12, doi: 10.1002/iid3.818.
- Cheung, A.K., Chang, T.I., Cushman, W.C., Furth, S.L., Hou, F.F., Ix, J.H., Knoll, G.A., *et al.* (2021), “KDIGO 2021 Clinical Practice Guideline for the Management of Blood Pressure in Chronic Kidney Disease”, *Kidney International*, Vol. 99 No. 3, pp. S1–S87, doi: 10.1016/j.kint.2020.11.003.
- Chuang, P.Y. and He, J.C. (2010), “JAK/STAT signaling in renal diseases”, *Kidney International*, Elsevier Masson SAS, Vol. 78 No. 3, pp. 231–234, doi: 10.1038/ki.2010.158.
- Cohen, G. and Hörl, W.H. (2012), “Immune dysfunction in Uremia-An update”, *Toxins*, Vol. 4 No. 11, pp. 962–990, doi: 10.3390/toxins4110962.
- Cole, S.W., Arevalo, J.M.G., Takahashi, R., Sloan, E.K., Lutgendorf, S.K., Sood, A.K., Sheridan, J.F., *et al.* (2010), “Computational identification of gene-social environment interaction at the human IL6 locus”, *Proceedings of the National Academy of Sciences of the United States of America*, Vol. 107 No. 12, pp. 5681–5686, doi: 10.1073/pnas.0911515107.
- Duran-Salgado, M.B. (2014), “Diabetic nephropathy and inflammation”, *World*

- Journal of Diabetes*, Vol. 5 No. 3, p. 393, doi: 10.4239/wjd.v5.i3.393.
- Erdogan, M., Kulaksizoglu, M., Ganidagli, S. and Berdeli, A. (2017), “Genetic variations in interleukin 6 rs1800795 polymorphism and the association with susceptibility to Hashimoto’s thyroiditis”, *Meta Gene*, Elsevier B.V., Vol. 12, pp. 1–3, doi: 10.1016/j.mgene.2016.12.010.
- Fang, Y., Wang, B., Pang, B., Zhou, Z., Xing, Y., Pang, P., Zheng, D., *et al.* (2024), “Exploring the relations of NLR, hsCRP and MCP-1 with type 2 diabetic kidney disease: a cross-sectional study”, *Scientific Reports*, Nature Publishing Group UK, Vol. 14 No. 1, pp. 1–8, doi: 10.1038/s41598-024-53567-2.
- Fatimah, M.H. and Ismail, A. (2024), “Prevalence of Metabolic Disease among Adults in Indonesia: A Cross-Sectional Population-Based Survey”, *Journal of Health Economic and Policy Research (JHEPR)*, Vol. 2 No. 1, pp. 18–21, doi: 10.30595/jhepr.v2i1.96.
- Findings, P.P., Kepinska, M., Marek, G., Milnerowicz, H., Ołdakowska, M. and Sciskalska, M. (2022), “Superoxide Dismutase in the Blood of Patients with Acute”, *Genes*, Vol. 13 No. 290, pp. 1–14.
- Franceschi, C., Garagnani, P., Parini, P., Giuliani, C. and Santoro, A. (2018), “Inflammaging: a new immune–metabolic viewpoint for age-related diseases”, *Nature Reviews Endocrinology*, Springer US, Vol. 14 No. 10, pp. 576–590, doi: 10.1038/s41574-018-0059-4.
- Freedman, B.I., Moxey-Mims, M.M., Alexander, A.A., Astor, B.C., Birdwell, K.A., Bowden, D.W., Bowen, G., *et al.* (2020), “APOL1 Long-term Kidney Transplantation Outcomes Network (APOLLO): Design and Rationale”, *Kidney International Reports*, Elsevier Inc, Vol. 5 No. 3, pp. 278–288, doi: 10.1016/j.ekir.2019.11.022.
- Fulop, T., Larbi, A., Dupuis, G., Page, A. Le, Frost, E.H., Cohen, A.A., Witkowski, J.M., *et al.* (2018), “Immunosenescence and inflamm-aging as two sides of the same coin: Friends or Foes?”, *Frontiers in Immunology*, Vol. 8 No. JAN, doi: 10.3389/fimmu.2017.01960.
- Gan, G.G., Subramaniam, R., Lian, L.H. and Nadarajan, V.S. (2013), “Ethnic variation in interleukin-6 -174 (G/C) polymorphism in the Malaysian population”, *Balkan Journal of Medical Genetics*, Vol. 16 No. 2, pp. 53–58,

doi: 10.2478/bjmg-2013-0032.

- Garg, N., Kotru, M., Yadav, A., Sikka, M. and Kalra, O.P. (2015), “High sensitivity C-reactive protein does not correlate with IL-6 in patients with chronic kidney disease”, *BANTAO Journal*, Vol. 13 No. 2, pp. 100–101, doi: 10.1515/bj-2015-0023.
- Golics, C.J., Khurshid, M., Basra, A., Salek, M.S. and Finlay, A.Y. (2013), “The impact of patients’ chronic disease on family quality of life: An experience from 26 specialties”, *International Journal of General Medicine*, Vol. 6, pp. 787–798, doi: 10.2147/IJGM.S45156.
- Goriya, S. and Priya, N. (2024), “Association of hs-CRP with Serum Creatinine Levels in Chronic Kidney Diseases”, *Indian Journal of Clinical Medicine*, Vol. 14 No. 1, pp. 7–12, doi: 10.1177/26339447241287048.
- Goyal, A., Daneshpajouhnejad, P., Hashmi, M.F. and Bashir, K. (2025), “Acute Kidney Injury.”, Treasure Island (FL).
- Gupta, J., Dominic, E.A., Fink, J.C., Ojo, A.O., Barrows, I.R., Reilly, M.P., Townsend, R.R., *et al.* (2015), “Association between inflammation and cardiac geometry in chronic kidney disease: Findings from the CRIC study”, *PLoS ONE*, Vol. 10 No. 4, pp. 1–11, doi: 10.1371/journal.pone.0124772.
- Hafez, M.Z., Abd, W.A., Aziz, E., Abd, S.M. and Wahab, E. (2018), “Relation of Serum Albumin Level and C- reactive Protein to Hypotensive Episodes during Hemodialysis Sessions”, Vol. 71 No. April, pp. 2274–2279, doi: 10.12816/0045303.
- Hao, X.M., Liu, Y., Hailaiti, D., Gong, Y., Zhang, X.D., Yue, B.N., Liu, J.P., *et al.* (2024), “Mechanisms of inflammation modulation by different immune cells in hypertensive nephropathy”, *Frontiers in Immunology*, Vol. 15 No. March, pp. 1–13, doi: 10.3389/fimmu.2024.1333170.
- Hecking, M., Bieber, B.A., Ethier, J., Kautzky-Willer, A., Sunder-Plassmann, G., Säemann, M.D., Ramirez, S.P.B., *et al.* (2014), “Sex-Specific Differences in Hemodialysis Prevalence and Practices and the Male-to-Female Mortality Rate: The Dialysis Outcomes and Practice Patterns Study (DOPPS)”, *PLOS Medicine*, Public Library of Science, Vol. 11 No. 10, p. e1001750.
- Hsu, H.J., Yen, C.H., Wu, I.W., Hsu, K.H., Chen, C.K., Sun, C.Y., Chou, C.C., *et*

- al.* (2014), “The association of uremic toxins and inflammation in hemodialysis patients”, *PLoS ONE*, Vol. 9 No. 7, pp. 1–14, doi: 10.1371/journal.pone.0102691.
- Imtiaz, S. and Alam, A. (2023), “Epidemiology and Demography of Chronic Kidney Disease in Pakistan- A Review of Pakistani Literature”, *Pakistan Journal of Kidney Diseases*, Vol. 7 No. 1, pp. 2–7, doi: 10.53778/pjkd71209.
- Indonesia, K.K. (2020), “Kementerian Kesehatan Indonesia”, *Kota Kediri Dalam Angka*, pp. 1–68.
- Inker, L.A., Astor, B.C., Fox, C.H., Isakova, T., Lash, J.P., Peralta, C.A., Kurella Tamura, M., *et al.* (2014), “KDOQI US commentary on the 2012 KDIGO clinical practice guideline for the evaluation and management of CKD”, *American Journal of Kidney Diseases*, Elsevier Inc, Vol. 63 No. 5, pp. 713–735, doi: 10.1053/j.ajkd.2014.01.416.
- Iorember, F.M. (2018), “Malnutrition in chronic kidney disease”, *Frontiers in Pediatrics*, Vol. 6 No. June, doi: 10.3389/fped.2018.00161.
- Jager, K.J., Kovesdy, C., Langham, R., Rosenberg, M., Jha, V. and Zoccali, C. (2019), “A single number for advocacy and communication—worldwide more than 850 million individuals have kidney diseases”, *Kidney International*, Elsevier Inc, Vol. 96 No. 5, pp. 1048–1050, doi: 10.1016/j.kint.2019.07.012.
- Jha, V., Garcia-Garcia, G., Iseki, K., Li, Z., Naicker, S., Plattner, B., Saran, R., *et al.* (2013), “Chronic kidney disease: Global dimension and perspectives”, *The Lancet*, Elsevier Ltd, Vol. 382 No. 9888, pp. 260–272, doi: 10.1016/S0140-6736(13)60687-X.
- Ji, J., Guan, Q., Ma, Y., Ren, G., Sun, M., Huang, T., Lin, W., *et al.* (2025), “Global, Regional, and National Burden of Chronic Kidney Disease Attributable to Low Physical Activity From 1990 to 2021: An Analysis of the Global Burden of Disease Study 2021”, doi: 10.1101/2025.02.08.25321935.
- Jiménez-Sousa, M.A., Medrano, L.M., Liu, P., Fernández-Rodríguez, A., Almansa, R., Gomez-Sanchez, E., Ortega, A., *et al.* (2017), “IL-6 rs1800795 polymorphism is associated with septic shock-related death in patients who underwent major surgery: a preliminary retrospective study”, *Annals of Intensive Care*, Springer Paris, Vol. 7 No. 1, doi: 10.1186/s13613-017-0247-

8.

- Jin, T., Li, D., Yang, T., Liu, F., Kong, J. and Zhou, Y. (2019), “PTPN1 Promotes the Progression of Glioma by Activating the MAPK/ERK and PI3K/AKT Pathways and Is Associated With Poor Patient Survival”, *Oncology Reports*, doi: 10.3892/or.2019.7180.
- Journal, O., The, O.F., Society, I. and Nephrology, O.F. (2012), “Chapter 1: Diagnosis and evaluation of anemia in CKD”, *Kidney International Supplements*, Vol. 2 No. 4, pp. 288–291, doi: 10.1038/kisup.2012.33.
- Jung, H.Y., Jeon, Y., Kim, Y.S., Kang, S.W., Yang, C.W., Kim, N.H., Noh, H.W., *et al.* (2022), “Sex disparities in mortality among patients with kidney failure receiving dialysis”, *Scientific Reports*, Nature Publishing Group UK, pp. 1–9, doi: 10.1038/s41598-022-16163-w.
- Kalantar-Zadeh, K., Cano, N., Budde, K., Chazot, C., Kövesdy, C.P., Mak, R.H., Mehrotra, R., *et al.* (2011), “Diets and Enteral Supplements for Improving Outcomes in Chronic Kidney Disease”, *Nature Reviews Nephrology*, Vol. 7 No. 7, pp. 369–384, doi: 10.1038/nrneph.2011.60.
- Kanda, E., Lopes, M.B., Tsuruya, K., Hirakata, H., Iseki, K., Karaboyas, A., Bieber, B., *et al.* (2021), “The combination of malnutrition-inflammation and functional status limitations is associated with mortality in hemodialysis patients”, *Scientific Reports*, Nature Publishing Group UK, Vol. 11 No. 1, pp. 1–8, doi: 10.1038/s41598-020-80716-0.
- Kaysen, G.A. (2003), “Serum albumin concentration in dialysis patients: Why does it remain resistant to therapy?”, *Kidney International, Supplement*, Vol. 64 No. 87, pp. 92–98, doi: 10.1046/j.1523-1755.64.s87.14.x.
- Kaysen, G.A. (2009), “Biochemistry and biomarkers of inflamed patients: Why look, what to assess”, *Clinical Journal of the American Society of Nephrology*, Vol. 4 No. SUPPL. 1, pp. 56–63, doi: 10.2215/CJN.03090509.
- Kemenkes. (2011), “PEDOMAN INTERPRETASI DATA KLINIK”.
- Kemenkes. (2023), “PEDOMAN NASIONAL PELAYANAN KEDOKTERAN TATA LAKSANA PENYAKIT GINJAL KRONIK”, pp. 1–289.
- Kim, H.Y. and Lee, W. (2025), “Trained immunity induced by DAMPs and LAMPs in chronic inflammatory diseases”, *Experimental & Molecular Medicine*,

- Springer US, No. July, pp. 1–11, doi: 10.1038/s12276-025-01542-w.
- Klein, S.L. and Flanagan, K.L. (2016), “Sex differences in immune responses”, *Nature Reviews Immunology*, Nature Publishing Group, Vol. 16 No. 10, pp. 626–638, doi: 10.1038/nri.2016.90.
- Koch, M., Zhao, Y., Yee, I.M., Guimond, C., Kingwell, E., Rieckmann, P., Sadovnick, A.D., *et al.* (2010), “Disease Onset in Familial and Sporadic Primary Progressive Multiple Sclerosis”, *Multiple Sclerosis Journal*, Vol. 16 No. 6, pp. 694–700, doi: 10.1177/1352458510367661.
- Kovacs, D., Eszlari, N., Petschner, P., Pap, D., Vas, S., Kovacs, P., Gonda, X., *et al.* (2016), “Interleukin-6 promoter polymorphism interacts with pain and life stress influencing depression phenotypes”, *Journal of Neural Transmission*, Springer Vienna, Vol. 123 No. 5, pp. 541–548, doi: 10.1007/s00702-016-1506-9.
- Kubo, S., Kitamura, A., Imano, H., Cui, R., Yamagishi, K., Umesawa, M., Muraki, I., *et al.* (2016), “Serum albumin and high-sensitivity C-reactive protein are independent risk factors of chronic kidney disease in middle-aged Japanese individuals: The circulatory risk in communities study”, *Journal of Atherosclerosis and Thrombosis*, Vol. 23 No. 9, pp. 1089–1098, doi: 10.5551/jat.33530.
- Kuo and Ko-Lin, X.C.L. and. (2010), “Oxidative Stress in Chronic Kidney Disease: diet and Exercise”, <https://Clinicaltrials.gov/Show/Nct01150851>, Renal Replacement Therapy, Vol. 2, pp. 975–991.
- Laranjeira, W.H., Isamary, D., Torres, G., Guimarães, A., Malheiro, A. and Allan, G. (n.d.). “Detection of the JAK2V617F in Philadelphia-negative Myeloproliferative Neoplasms patients : Comparison of the PCR-RFLP and Nucleotide sequencing”, pp. 2–11.
- Layal, K. (2016), “Peran Nrf2 Dalam Patogenesis Stres Oksidatif dan Inflamasi pada Penyakit Ginjal Kronik”, *Syifa' MEDIKA: Jurnal Kedokteran Dan Kesehatan*, Vol. 7 No. 1, p. 16, doi: 10.32502/sm.v7i1.1390.
- Lee, W.-C., Lee, Y.-T., Li, L.-C., Ng, H.-Y., Kuo, W.-H., Lin, P.-T., Liao, Y.-C., *et al.* (2018), “The Number of Comorbidities Predicts Renal Outcomes in Patients with Stage 3–5 Chronic Kidney Disease.”, *Journal of Clinical*

- Medicine*, Switzerland, Vol. 7 No. 12, doi: 10.3390/jcm7120493.
- Leligowicz, A., Conroy, A.L., Hawkes, M., Zhong, K., Lebovic, G., Matthay, M.A. and Kain, K.C. (2017), “Validation of two multiplex platforms to quantify circulating markers of inflammation and endothelial injury in severe infection”, *PLoS ONE*, Vol. 12 No. 4, pp. 1–14, doi: 10.1371/journal.pone.0175130.
- Liu, L.L., Yang, J., Ye, Z.L., Tian, C., Huang, X.L., Zhang, H.Q. and Mo, X.H. (2022), “Effects of Long-Term Exposure to PM2.5 on Oxidative Stress Injury and Expression of Inflammatory Factors, NF-κB p65 and Cx43 in Bone Marrow of Mice”, *Frontiers in Environmental Science*, Vol. 10 No. June, pp. 1–9, doi: 10.3389/fenvs.2022.747286.
- Liu, Y., Wang, W., Zhang, J., Gao, S., Xu, T. and Yin, Y. (2023), “JAK/STAT signaling in diabetic kidney disease”, *Frontiers in Cell and Developmental Biology*, Vol. 11 No. August, pp. 1–15, doi: 10.3389/fcell.2023.1233259.
- Lohia, S., Latosińska, A., Zoidakis, J., Makridakis, M., Mischak, H., Glorieux, G., Vlahou, A., *et al.* (2023), “Glycosylation Analysis of Urinary Peptidome Highlights IGF2 Glycopeptides in Association With CKD”, *International Journal of Molecular Sciences*, Vol. 24 No. 6, p. 5402, doi: 10.3390/ijms24065402.
- Luna, J.M., Moon, Y.P., Liu, K.M., Spitalnik, S., Paik, M.C., Cheung, K., Sacco, R.L., *et al.* (2014), “High-sensitivity C-reactive protein and interleukin-6-dominant inflammation and ischemic stroke risk: The Northern Manhattan study”, *Stroke*, Vol. 45 No. 4, pp. 979–987, doi: 10.1161/STROKEAHA.113.002289.
- Mallamaci, F. and Tripepi, G. (2024), “Risk Factors of Chronic Kidney Disease Progression: Between Old and New Concepts”, *Journal of Clinical Medicine*, Vol. 13 No. 3, pp. 1–12, doi: 10.3390/jcm13030678.
- Mandal, S., Abebe, F. and Chaudhary, J. (2014), “-174G/C polymorphism in the interleukin-6 promoter is differently associated with prostate cancer incidence depending on race”, *Genetics and Molecular Research*, Vol. 13 No. 1, pp. 139–151, doi: 10.4238/2014.January.10.5.
- Maranduca, M., Clim, A., Pinzariu, A., Statescu, C., Sascau, R., Tanase, D., Serban,

- D., *et al.* (2023), “Role of arterial hypertension and angiotensin II in chronic kidney disease (Review)”, *Experimental and Therapeutic Medicine*, Vol. 25 No. 4, pp. 1–5, doi: 10.3892/etm.2023.11852.
- Marques-Vidal, P., Bochud, M., Bastardot, F., Lüscher, T., Ferrero, F., Gaspoz, J.M., Paccaud, F., *et al.* (2011), “Levels and determinants of inflammatory biomarkers in a swiss population-based sample (CoLaus study)”, *PLoS ONE*, Vol. 6 No. 6, doi: 10.1371/journal.pone.0021002.
- Mauvais-Jarvis, F., Bairey Merz, N., Barnes, P.J., Brinton, R.D., Carrero, J.J., DeMeo, D.L., De Vries, G.J., *et al.* (2020), “Sex and gender: modifiers of health, disease, and medicine”, *The Lancet*, Elsevier Ltd, Vol. 396 No. 10250, pp. 565–582, doi: 10.1016/S0140-6736(20)31561-0.
- Menon, V., Wang, X., Greene, T., Beck, G.J., Kusek, J.W., Marcovina, S.M., Levey, A.S., *et al.* (2003), “Relationship between C-reactive protein, albumin, and cardiovascular disease in patients with chronic kidney disease”, *American Journal of Kidney Diseases*, Vol. 42 No. 1 SUPPL. 2, pp. 44–52, doi: 10.1016/S0272-6386(03)00407-4.
- Mihai, S., Codrici, E., Popescu, I.D., Enciu, A.M., Albulescu, L., Necula, L.G., Mambet, C., *et al.* (2018), “Inflammation-related mechanisms in chronic kidney disease prediction, progression, and outcome”, *Journal of Immunology Research*, Vol. 2018, doi: 10.1155/2018/2180373.
- Miricescu, D., Balan, D., Tulin, A., Stiru, O., Vacaroiu, I., Mihai, D., Popa, C., *et al.* (2021), “Impact of adipose tissue in chronic kidney disease development (Review)”, *Experimental and Therapeutic Medicine*, Vol. 21 No. 5, pp. 1–8, doi: 10.3892/etm.2021.9969.
- Mukai, H., Villafuerte, H., Qureshi, A.R., Lindholm, B. and Stenvinkel, P. (2018), “Serum albumin, inflammation, and nutrition in end-stage renal disease: C-reactive protein is needed for optimal assessment.”, *Seminars in Dialysis*, United States, September, doi: 10.1111/sdi.12731.
- Muzasti, R.A., Hariman, H. and Daulay, E.R. (2020), “The influence of –174 G/C interleukin 6 promoter gene polymorphism to interleukin 6 concentration in the end stage renal disease patients with dialysis: A single-center experience in Indonesia”, *Open Access Macedonian Journal of Medical Sciences*, Vol. 8

- No. A, pp. 563–566, doi: 10.3889/oamjms.2020.4715.
- Ndlovu, K.C.Z., Chikobvu, P., Mofokeng, T., Gounden, V. and Assounga, A. (2019), “Serum albumin and mortality in patients with HIV and end-stage renal failure on peritoneal dialysis”, *PLoS ONE*, Vol. 14 No. 6, pp. 1–16, doi: 10.1371/journal.pone.0218156.
- Neugarten, J. and Golestaneh, L. (2019), “Influence of Sex on the Progression of Chronic Kidney Disease”, *Mayo Clinic Proceedings*, Vol. 94 No. 7, pp. 1339–1356, doi: 10.1016/j.mayocp.2018.12.024.
- Nurtandhee, M. (2023), “Estimasi Biaya Pelayanan Kesehatan sebagai Upaya Pencegahan Defisit Dana Jaminan Sosial untuk Penyakit Gagal Ginjal”, *Jurnal Jaminan Kesehatan Nasional*, Vol. 3 No. 2, pp. 84–101, doi: 10.53756/jjkn.v3i2.104.
- O'Reilly, S., Ciechomska, M., Cant, R. and Van Laar, J.M. (2014), “Interleukin-6 (IL-6) trans signaling drives a STAT3-dependent pathway that leads to hyperactive transforming growth factor- β (TGF- β) signaling promoting SMAD3 activation and fibrosis via gremlin protein”, *Journal of Biological Chemistry*, Vol. 289 No. 14, pp. 9952–9960, doi: 10.1074/jbc.M113.545822.
- Oh, I.H., Park, J.-S., Lee, C.H., Kang, C.M. and Kim, G.-H. (2015), “Prognostic Significance of 1-Year Serum Albumin Levels Within the Normal Range After Kidney Transplantation”, *Artificial Organs*, John Wiley & Sons, Ltd, Vol. 39 No. 11, pp. 965–972, doi: <https://doi.org/10.1111/aor.12473>.
- Pan, X., Lin, X., Huang, X., Xu, J., Ye, L., Zhang, T., Hu, S., *et al.* (2022), “The Burden of Diabetes-Related Chronic Kidney Disease in China From 1990 to 2019”, *Frontiers in Endocrinology*, Vol. 13, doi: 10.3389/fendo.2022.892860.
- Panichi, V., Rizza, G.M., Paoletti, S., Bigazzi, R., Aloisi, M., Barsotti, G., Rindi, P., *et al.* (2008), “Chronic inflammation and mortality in haemodialysis: Effect of different renal replacement therapies. Results from the RISCAVID study”, *Nephrology Dialysis Transplantation*, Vol. 23 No. 7, pp. 2337–2343, doi: 10.1093/ndt/gfm951.
- Pecoits-Filho, R., Abensur, H., Betônico, C.C.R., MacHado, A.D., Parente, E.B., Queiroz, M., Salles, J.E.N., *et al.* (2016), “Interactions between kidney disease and diabetes: Dangerous liaisons”, *Diabetology and Metabolic Syndrome*,

- BioMed Central, Vol. 8 No. 1, pp. 1–21, doi: 10.1186/s13098-016-0159-z.
- Pepys, M.B. and Hirschfield, G.M. (2003), “C-reactive protein: a critical update”, *Journal of Clinical Investigation*, Vol. 112 No. 2, pp. 299–299, doi: 10.1172/jci18921c1.
- Pieniazek, A., Bernasinska-slomczewska, J. and Gwozdzinski, L. (2021), “Uremic toxins and their relation with oxidative stress induced in patients with ckd”, *International Journal of Molecular Sciences*, Vol. 22 No. 12, doi: 10.3390/ijms22126196.
- Prasetyo, S.R. et al. (2017), “Interleukin-6-174 G/C genetic polymorphism in indonesian postmenopausal women”, *Journal of International Dental and Medical Research*, Vol. 10 No. Specialissue, pp. 707–710.
- Qiu, S., Sun, G., Zhang, Y., Li, X. and Wang, R. (2016), “Involvement of the NF- κ B signaling pathway in the renoprotective effects of isorhamnetin in a type 2 diabetic rat model”, *Biomedical Reports*, Vol. 4 No. 5, pp. 628–634, doi: 10.3892/br.2016.636.
- Rambod, M., Kovesdy, C.P., Bross, R., Kopple, J.D. and Kalantar-Zadeh, K. (2008), “Association of serum prealbumin and its changes over time with clinical outcomes and survival in patients receiving hemodialysis”, *American Journal of Clinical Nutrition*, American Society for Nutrition., Vol. 88 No. 6, pp. 1485–1494, doi: 10.3945/ajcn.2008.25906.
- Renita Sanyasi, R.D.L. and Ardi Pramudita, E. (2020), “Ischemic stroke in coronavirus disease 19 (COVID-19) positive patient: a case report”, *Journal of Thee Medical Sciences (Berkala Ilmu Kedokteran)*, Vol. 52 No. 03, pp. 166–172, doi: 10.19106/jmedscisi005203202015.
- Reznichenko, A., Nair, V., Eddy, S., Tomilo, M., Slidel, T., Ju, W., Conway, J., et al. (2021), “Molecular Stratification of Chronic Kidney Disease”, doi: 10.1101/2021.09.09.21263234.
- Riset Kesehatan Dasar (Riskesdas). (2018), “Laporan Riskesdas 2018 Nasional.pdf”, *Lembaga Penerbit Balitbangkes*.
- Rocha, S., Valente, M.J., Coimbra, S., Catarino, C., Rocha-Pereira, P., Oliveira, J.G., Madureira, J., et al. (2021), “Interleukin 6 (rs1800795) and pentraxin 3 (rs2305619) polymorphisms-association with inflammation and all-cause

- mortality in end-stage-renal disease patients on dialysis”, *Scientific Reports*, Nature Publishing Group UK, Vol. 11 No. 1, pp. 1–12, doi: 10.1038/s41598-021-94075-x.
- Sahib, A., Choudhury, C., Wani, I.A. and Wani, M.M. (2024), “Evaluation of Inflammatory Status in Chronic Kidney Disease Patients and a Comparison Between Hemodialysis and Peritoneal Dialysis Patients”, *Cureus*, Vol. 16 No. 9, doi: 10.7759/cureus.69443.
- San Millán, R.M., Martínez-Ballesteros, I., Rementeria, A., Garaizar, J. and Bikandi, J. (2013), “Online exercise for the design and simulation of PCR and PCR-RFLP experiments”, *BMC Research Notes*, Vol. 6 No. 1, pp. 2–5, doi: 10.1186/1756-0500-6-513.
- Sander, L.E., Sackett, S.D., Dierssen, U., Beraza, N., Linke, R.P., Müller, M., Blander, J.M., *et al.* (2010), “Hepatic acute-phase proteins control innate immune responses during infection by promoting myeloid-derived suppressor cell function”, *Journal of Experimental Medicine*, Vol. 207 No. 7, pp. 1453–1464, doi: 10.1084/jem.20091474.
- de Santis, I.P., Lindenau, J.D.-R., Ramos, R.B., Silva, T.R., Casanova, G., Oppermann, K. and Spritzer, P.M. (2020), “C-reactive protein gene rs1205 polymorphism is associated with low-grade chronic inflammation in postmenopausal women”, *Women’s Midlife Health*, Women’s Midlife Health, Vol. 6 No. 1, pp. 1–10, doi: 10.1186/s40695-020-00051-2.
- Al Saran, K., Elsayed, S., Molhem, A., Aldrees, A. and Alzara, H. (2011), “Nutritional assessment of patients on hemodialysis in a large dialysis center.”, *Saudi Journal of Kidney Diseases and Transplantation: An Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia*, Saudi Arabia, Vol. 22 No. 4, pp. 675–681.
- Setiawan, B. and Ernawati. (2024), “Peran Nutrasetikal dalam Mitigasi Inflamasi Kronis: Tinjauan Pustaka”, *Calvaria Medical Journal*, Vol. 2 No. 1, pp. 29–35, doi: 10.30742/cmj.v2i1.44.
- Shahbazi, F., Doosti-Irani, A., Soltanian, A. and Poorolajal, J. (2023), “National trends and projection of chronic kidney disease incidence according to etiology from 1990 to 2030 in Iran: a Bayesian age-period-cohort modeling

- study”, *Epidemiology and Health*, Vol. 45, pp. 1–10, doi: 10.4178/epih.e2023027.
- Shankar, A., Sun, L., Klein, B.E.K., Lee, K.E., Muntner, P., Nieto, F.J., Tsai, M.Y., *et al.* (2011), “Markers of inflammation predict the long-term risk of developing chronic kidney disease: a population-based cohort study.”, *Kidney International*, United States, Vol. 80 No. 11, pp. 1231–1238, doi: 10.1038/ki.2011.283.
- Shunan, F., Jiqing, Y. and Xue, D. (2018), “Effects of angiotensin-converting enzyme inhibitors and angiotensin receptor blockers on cardiovascular events in patients with diabetes and overt nephropathy: a meta-analysis of randomised controlled trials”, *JRAAS - Journal of the Renin-Angiotensin-Aldosterone System*, Vol. 19 No. 4, doi: 10.1177/1470320318803495.
- Sławińska, M., Zabłotna, M., Gleń, J., Lakomy, J., Nowicki, R.J. and Sobjanek, M. (2019), “STAT3 polymorphisms and IL-6 polymorphism are associated with the risk of basal cell carcinoma in patients from northern Poland”, *Archives of Dermatological Research*, Springer Berlin Heidelberg, Vol. 311 No. 9, pp. 697–704, doi: 10.1007/s00403-019-01952-7.
- Small, D.M., Coombes, J.S., Bennett, N., Johnson, D.W. and Gobe, G.C. (2012), “Oxidative stress , anti-oxidant therapies and chronic kidney disease
Correspondence : ABSTRACT : NATURAL DEFENCES :
ENDOGENOUS”, Vol. 17, pp. 311–321, doi: 10.1111/j.1440-1797.2012.01572.x.
- Souza, V.A. de, Oliveira, D. de, Barbosa, S.R., Corrêa, J.O. do A., Colugnati, F.A.B., Mansur, H.N., Fernandes, N.M. da S., *et al.* (2017), “Sarcopenia in Patients With Chronic Kidney Disease Not Yet on Dialysis: Analysis of the Prevalence and Associated Factors”, *Plos One*, Vol. 12 No. 4, p. e0176230, doi: 10.1371/journal.pone.0176230.
- Stats, F. (2023), “Chronic kidney disease in the united states, 2021”, *Advances in Surgical and Medical Specialties*, No. March 2020, pp. 167–182.
- Stevens, P.E., Ahmed, S.B., Carrero, J.J., Foster, B., Francis, A., Hall, R.K., Herrington, W.G., *et al.* (2024), “KDIGO 2024 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease”, *Kidney*

- International*, Vol. 105 No. 4, pp. S117–S314, doi: 10.1016/j.kint.2023.10.018.
- Su, H., Lei, C.T. and Zhang, C. (2017), “Interleukin-6 signaling pathway and its role in kidney disease: An update”, *Frontiers in Immunology*, Vol. 8 No. APR, pp. 1–10, doi: 10.3389/fimmu.2017.00405.
- Tanase, D.M., Gosav, E.M., Radu, S., Ouatu, A., Rezus, C., Ciocoiu, M., Costea, C.F., *et al.* (2019), “Arterial Hypertension and Interleukins: Potential Therapeutic Target or Future Diagnostic Marker?”, *International Journal of Hypertension*, Hindawi, Vol. 2019, doi: 10.1155/2019/3159283.
- Tang, H., Panemangalore, R., Yarde, M., Zhang, L. and Cvijic, M.E. (2016), “384-Well Multiplexed Luminex Cytokine Assays for Lead Optimization”, *Journal of Biomolecular Screening*, Society for Laboratory Automation and Screening, Vol. 21 No. 6, pp. 548–555, doi: 10.1177/1087057116644164.
- Terayama, Y., Kato, H., Gomez, E.A., Uezato, H., Calvopiña, M., Iwata, H. and Hashiguchi, Y. (2008), “Molecular typing of sand fly species (Diptera, Psychodidae, Phlebotominae) from areas endemic for Leishmaniasis in Ecuador by PCR-RFLP of 18S ribosomal RNA gene”, *Journal of Veterinary Medical Science*, Vol. 70 No. 9, pp. 907–913, doi: 10.1292/jvms.70.907.
- Thaha, M., Imroati, T.A., Wardana, A., Widodo, S., Pranawa, S. and Irwanadi, C. (2018), “Comparison of High-sensitivity C-reactive Protein Level between Chronic Kidney Disease Stages”, *Biomolecular and Health Science Journal*, Vol. 1 No. 1, p. 1, doi: 10.20473/bhsj.v1i1.8226.
- Tonomura, S., Uchiyama, K., Nakayama, T., Mitsuno, R., Kojima, D., Hama, E.Y., Nagasaka, T., *et al.* (2023), “Clinical significance of serum urea-to-creatinine ratio in patients undergoing peritoneal dialysis”, *Therapeutic Apheresis and Dialysis*, John Wiley & Sons, Ltd, Vol. 27 No. 6, pp. 1103–1112, doi: <https://doi.org/10.1111/1744-9987.14030>.
- Trevisani, F., Floris, M., Cinque, A., Bettiga, A. and Dell’Antonio, G. (2023), “Renal Histology in CKD Stages: Match or Mismatch with Glomerular Filtration Rate?”, *Nephron*, Vol. 147 No. 5, pp. 266–271, doi: 10.1159/000527499.
- Tye, S.C., Denig, P. and Heerspink, H.J.L. (2021), “Precision medicine approaches

- for diabetic kidney disease: Opportunities and challenges”, *Nephrology Dialysis Transplantation*, Vol. 36 No. Supplement_2, pp. II3–II9, doi: 10.1093/ndt/gfab045.
- Waikar, S.S., Rebholz, C.M., Zheng, Z., Hurwitz, S., Hsu, C. yuan, Feldman, H.I., Xie, D., *et al.* (2018), “Biological Variability of Estimated GFR and Albuminuria in CKD”, *American Journal of Kidney Diseases*, Vol. 72 No. 4, pp. 538–546, doi: 10.1053/j.ajkd.2018.04.023.
- Wang, X., Yan, Z. and Ye, Q. (2019), “Interleukin-6 gene polymorphisms and susceptibility to liver diseases: A meta-analysis”, *Medicine (United States)*, Vol. 98 No. 50, doi: 10.1097/MD.00000000000018408.
- Wang, Z., Wang, W., Wang, M., He, Q., Xu, J. and Zou, K. (2024), “Blood Urine Nitrogen Trajectories of Acute Pancreatitis Patients in Intensive Care Units Blood Urine Nitrogen Trajectories of Acute Pancreatitis Patients in Intensive Care Units”, Vol. 7031, doi: 10.2147/JIR.S460142.
- Wasan A. Wahab Alsiadi, Alaa Mohammed Albayati and Ban Talib Elhaboby. (2021), “Detection Levels of Cytokines (IL-6 and IL-18) and Microbial Parameters in Patients with Renal Failure in Diyala Province”, *Indian Journal of Forensic Medicine & Toxicology*, Vol. 15 No. 2, pp. 1470–1475, doi: 10.37506/ijfmt.v15i2.14546.
- Weichhart, T., Hengstschläger, M. and Linke, M. (2018), “Europe PMC Funders Group Regulation of innate immune cell function by mTOR”, Vol. 15 No. 10, pp. 599–614, doi: 10.1038/nri3901.Regulation.
- Woo, P. and Humphries, S.E. (2013), “IL-6 polymorphisms: A useful genetic tool for inflammation research?”, *Journal of Clinical Investigation*, Vol. 123 No. 4, pp. 1413–1414, doi: 10.1172/JCI67221.
- Xia, J., Med, R.S.-I.J.C.E. and 2019, undefined. (2019), “Association between interleukin-6 rs1800795 polymorphism and the decreased risk of type 2 diabetes mellitus: an updated meta-analysis”, *E-Century.Us*, Vol. 12 No. 1, pp. 86–97.
- Xie, Y., Bowe, B., Mokdad, A.H., Xian, H., Yan, Y., Li, T., Maddukuri, G., *et al.* (2018), “Analysis of the Global Burden of Disease study highlights the global, regional, and national trends of chronic kidney disease epidemiology from

- 1990 to 2016”, *Kidney International*, Elsevier Inc, Vol. 94 No. 3, pp. 567–581, doi: 10.1016/j.kint.2018.04.011.
- Xu, C., Fu, Z., Wu, W., Zhang, J., Liu, M. and Gao, L. (2023), “brain sciences Association between High-Sensitivity C-Reactive Protein and Blood Pressure Variability in Subacute Stage of Ischemic Stroke”.
- Yang, Y., Xiao, J., Tang, L., Wang, B., Sun, X., Xu, Z., Liu, L., *et al.* (2022), “Effects of IL-6 Polymorphisms on Individual Susceptibility to Allergic Diseases: A Systematic Review and Meta-Analysis”, *Frontiers in Genetics*, Vol. 13 No. March, doi: 10.3389/fgene.2022.822091.
- Yanti AKE, Mamile R, Hidayati PH, Dwimartyono F and Sanna AT. (2022), “Karakteristik Pasien Penyakit Ginjal Kronis di Rumah Sakit Ibnu Sina Makassar Tahun 2019-2021.”, *Karakteristik Pasien Penyakit Ginjal Kronis Di Rumah Sakit Ibnu Sina Makassar Tahun 2019-2021. Wal’afiat Hospital Journal*, Vol. 3(2) No. 02, pp. 126–138.
- Yilmaz, G., Ozdemir, E., Yildar, M., Karayagiz, H., Berber, I. and Cakir, U. (2022), “Graft and Patient Survival in Kidney Transplant Recipients Over the Age of Sixty-Five”, *Cureus*, Vol. 14 No. October 2010, pp. 1–5, doi: 10.7759/cureus.20913.
- Yu, Y., Feng, B., Yan, L., Bi, Z., Zhu, G. and Jiang, F. (2022), “Ruscogenin Protects Against Cisplatin-Induced Apoptosis, Inflammation, and Oxidative Stress of Renal Tubular Epithelial Cells”, *Tropical Journal of Pharmaceutical Research*, Vol. 20 No. 6, pp. 1159–1164, doi: 10.4314/tjpr.v20i6.9.
- de Zambotti, M. (2016), “adamsco Public Access”, Vol. 5 No. 6, pp. 1–8, doi: 10.1016/j.semnephrol.2012.12.018.Management.
- Zhang, J., Cui, N., Wang, H. and Han, W. (2021), “ScienceDirect Impact of mTOR signaling pathway on CD8 D T cell immunity through Eomesodermin in response to invasive candidiasis”, *Journal of Microbiology, Immunology and Infection*, Elsevier Taiwan LLC, Vol. 54 No. 3, pp. 370–378, doi: 10.1016/j.jmii.2021.03.021.
- Zhang, L., Xu, F. and Hou, L. (2024), “IL-6 and diabetic kidney disease”, *Frontiers in Immunology*, Vol. 15 No. December, pp. 1–15, doi: 10.3389/fimmu.2024.1465625.

- Zhang, W., Li, B., Guo, Y., Bai, Y., Wang, T., Fu, K. and Sun, G. (2015), "Rhamnetin attenuates cognitive deficit and inhibits hippocampal inflammatory response and oxidative stress in rats with traumatic brain injury", *Central European Journal of Immunology*, Vol. 40 No. 1, pp. 35–41, doi: 10.5114/ceji.2015.50831.
- Zheng, L., Kuo, C.C., Fadrowski, J., Agnew, J., Weaver, V.M. and Navas-Acien, A. (2014), "Arsenic and Chronic Kidney Disease: A Systematic Review", *Current Environmental Health Reports*, Vol. 1 No. 3, pp. 192–207, doi: 10.1007/s40572-014-0024-x.
- Zhou, L., Li, Y., Zhou, D., Tan, R.J. and Liu, Y. (2013), "Loss of Klotho Contributes to Kidney Injury by Derepression of Wnt/ β -Catenin Signaling", *Journal of the American Society of Nephrology*, Vol. 24 No. 5.
- Zhou, L., Mo, H., Miao, J., Zhou, D., Tan, R.J., Hou, F.F. and Liu, Y. (2015), "Klotho Ameliorates Kidney Injury and Fibrosis and Normalizes Blood Pressure by Targeting the Renin-Angiotensin System", *American Journal of Pathology*, Vol. 185 No. 12, pp. 3211–3223, doi: 10.1016/j.ajpath.2015.08.004.
- Zychma, M., Zukowska-Szczechowska, E., Ossowska-Szymkowicz, I., Trautsohl, W. and Grzeszczak, W. (2000), "G-Protein $\beta 3$ Subunit C825T Variant, Nephropathy and Hypertension in Patients with Type 2 (Non-Insulin-Dependent) Diabetes mellitus", *American Journal of Nephrology*, Vol. 20, pp. 305–310, doi: 10.1159/000013605.