

DAFTAR PUSTAKA

- Agarwal, R. 2021. Chronic Kidney Disease and Type 2 Diabetes Pathogenesis of Diabetic Nephropathy. <http://diabetesjournals.org/compedia/article-pdf/2021/1/2/673350/db202112.pdf>
- Amanah, F., & Suryani, T. 2024. Kadar Total Asam dan Sifat Organoleptik Kefir Kombinasi Ekstrak Buah Sukun dan Susu Skim dengan Variasi Jenis Gula dan Lama Fermentasi. *Bioedusains: Jurnal Pendidikan Biologi Dan Sains*, 7(1), 343–356. <https://doi.org/10.31539/bioedusains.v7i1.10136>
- American Diabetes Association (ADA). 2021. Classification and diagnosis of diabetes: Standards of medical care in diabetes. *Diabetes Care*, 44, S15–S33. <https://doi.org/10.2337/dc21-S002>
- Amriani, A., Fitrya, Novita, R. P., Caniago, D. 2021. Uji Aktivitas Antidiabetes Ekstrak Etanol Akar Kabau (*Archidendron bubalinum* (Jack) I.C. Nielsen) terhadap Tikus Putih Jantan yang Diinduksi Diet Tinggi Lemak dan Fruktosa. *Jurnal Penelitian Sains*, 23(2), 102–109.
- Apalowo, O. E., Adegoye, G. A., Mbogori, T., Kandiah, J., & Obuotor, T. M. 2024. Nutritional Characteristics, Health Impact, and Applications of Kefir. *Foods* 13(7). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/foods13071026>
- Arifin, W. N., & Zahiruddin, W. M. 2017. Sample size calculation in animal studies using resource equation approach. *Malaysian Journal of Medical Sciences*, 24(5), 101–105. <https://doi.org/10.21315/mjms2017.24.5.11>
- Asadi, F., & Dhanvantari, S. 2021. Pathways of Glucagon Secretion and Trafficking in the Pancreatic Alpha Cell: Novel Pathways, Proteins, and Targets for Hyperglucagonemia. *Frontiers in Endocrinology* 12. Frontiers Media S.A. <https://doi.org/10.3389/fendo.2021.726368>
- Bamanikar, S., Bamanikar, A., & Arora, A. 2016. Study of Serum urea and Creatinine in Diabetic and non-diabetic patients in in a tertiary teaching hospital. *The Journal of Medical Research*, 2(1), 12–15. www.medicinearticle.com
- Bargnoux, A.-S., Kuster, N., Cavalier, E., Piéroni, L., Souweine, J.-S., Delanaye, P., & Cristol, J.-P. 2018. Serum creatinine: advantages and pitfalls. *Journal of Laboratory and Precision Medicine*, 3, 71–71. <https://doi.org/10.21037/jlpm.2018.08.01>
- Bourrie, B. C. T., Richard, C., & Willing, B. P. 2020. Kefir in the Prevention and Treatment of Obesity and Metabolic Disorders. *Current Nutrition Reports* 9(3): 184–192. *Springer*. <https://doi.org/10.1007/s13668-020-00315-3>
- Brookes, E. M., & Power, D. A. 2022. Elevated serum urea-to-creatinine ratio is associated with adverse inpatient clinical outcomes in non-end stage chronic

- kidney disease. *Scientific Reports*, 12(1). <https://doi.org/10.1038/s41598-022-25254-7>
- Calatayud, M., Börner, R. A., Ghyselinck, J., Verstrepen, L., De Medts, J., Van den Abbeele, P., Boulangé, C. L., Priour, S., Marzorati, M., & Damak, S. 2021. Water kefir and derived pasteurized beverages modulate gut microbiota, intestinal permeability and cytokine production in vitro. *Nutrients*, 13(11). <https://doi.org/10.3390/nu13113897>
- Clegg, D. J., Benoit, S. C., Reed, J. A., Woods, S. C., Dunn-Meynell, A., & Levin, B. E. 2005. Reduced anorexic effects of insulin in obesity-prone rats fed a moderate-fat diet. *Am J Physiol Regul Integr Comp Physiol*, 288, 981–986. <https://doi.org/10.1152/ajpregu>
- Corathers, S. D., Peavie, S., & Salehi, M. 2013. Complications of Diabetes Therapy. In *Endocrinology and Metabolism Clinics of North America* 42(4): 947–970. <https://doi.org/10.1016/j.ecl.2013.06.005>
- DiaSys. 2019. *Urea - DiaSys diagnostic Systems GmbH*.
- Díaz-Urbina, D., Escartín-Pérez, R. E., López-Alonso, V. E., & Mancilla-Díaz, J. M. 2018. Effects of a high-fat diet on behavioral eating patterns. *Acta Colombiana de Psicología*, 21(1), 106–115. <https://doi.org/10.14718/acp.2018.21.1.5>
- Do Prado, F. G., Pagnoncelli, M. G. B., de Melo Pereira, G. V., Karp, S. G., & Soccol, C. R. 2022. Fermented Soy Products and Their Potential Health Benefits: A Review. *Microorganisms* 10(8). MDPI. <https://doi.org/10.3390/microorganisms10081606>
- Du, J., Zhang, W., Niu, J., & Wang, S. 2024. Association between blood urea nitrogen levels and the risk of diabetes mellitus in Chinese adults: secondary analysis based on a multicenter, retrospective cohort study. *Frontiers in Endocrinology*, 15. <https://doi.org/10.3389/fendo.2024.1282015>
- Elamin, N. M., FadLalla, I. M. T., Omer, S., & Ibrahim, A. M. 2018. Histopathological Alteration in STZ-Nicotinamide Diabetic Rats, a Complication of Diabetes or a Toxicity of STZ? *International Journal of Diabetes and Clinical Research*, 5(3). <https://doi.org/10.23937/2377-3634/1410091>
- Eleazu, C. O., Eleazu, K. C., Chukwuma, S., & Essien, U. N. 2013. *Review of the mechanism of cell death resulting from streptozotocin challenge in experimental animals, its practical use and potential risk to humans*. <http://www.jdmdonline.com/content/12/1/60>
- Farag, M. A., Jomaa, S. A., El-wahed, A. A., & El-seedi, H. R. 2020. The many faces of kefir fermented dairy products: Quality characteristics, flavour chemistry, nutritional value, health benefits, and safety. *Nutrients* 12(2). MDPI AG. <https://doi.org/10.3390/nu12020346>

- Firdaus, Rimbawan, Marliyati, A. S., Roosita, K. 2016. Streptozotocin, Sucrose-Induce Diabetic Male Rats Model for Research Approach of Gestational Diabetes Mellitus. *Jurnal MKMI* 12(1).
- Fitria, E. R., & Rozci, F. 2022. Application of Least Absolute Shrinkage and Selection Operator (LASSO) Methods and Linear Regression to Predict Poverty Levels in Indonesia. *Jurnal Ilmiah Sosio Agribis (JISA)* 22(2): 123-132.
- Fuadi, A. 2009. Pengaruh Ekstrak Etanol Daun Alpukat (*Persea americana* Mill) terhadap Gambaran Ureum Dan Kreatinin Pada Tikus Putih Jantan Yang Diinduksi Etilen Glikol. <https://api.semanticscholar.org/CorpusID:192953663>
- Gentry, B., Cazón, P., & O'Brien, K. 2023. A comprehensive review of the production, beneficial properties, and applications of kefir, the kefir grain exopolysaccharide. *International Dairy Journal*, 144(105691).
- Ghasemi, A., Khalifi, S., & Jedi, S. 2014. Streptozotocin-nicotinamide-induced rat model of type 2 diabetes (review). *Acta Physiologica Hungarica* 101(4): 408–420. Akademiai Kiado ZRt. <https://doi.org/10.1556/APhysiol.101.2014.4.2>
- Ghosh, A., Muley, A., Ainapure, A. S., Deshmane, A. R., & Mahajan, A. 2024. Exploring the Impact of Optimized Probiotic Supplementation Techniques on Diabetic Nephropathy: Mechanisms and Therapeutic Potential. *Cureus*. <https://doi.org/10.7759/cureus.55149>
- Goyal, R., Singhal, M., & Jialal, I. 2023. Type 2 Diabetes. In *StatPearls*. [Internet].
- Guarino, D., Nannipieri, M., Iervasi, G., zzzzsa Taddei, S., Bruno, R. M. 2017. The role of the autonomic nervous system in the pathophysiology of obesity. In *Frontiers in Physiology*. 8. Frontiers Media S.A. <https://doi.org/10.3389/fphys.2017.00665>
- Guarino, D., Nannipieri, M., Iervasi, G., Taddei, S., & Bruno, R. M. 2017. The role of the autonomic nervous system in the pathophysiology of obesity. In *Frontiers in Physiology* 8: SEP. Frontiers Media S.A. <https://doi.org/10.3389/fphys.2017.00665>
- Guyton, A. C., & Hall, J. E. 2020. *Textbook of Medical Physiology 14th ed.* Philadelphia: Elsevier, Chapter 28: Pemekatan dan Pengenceran Urine; Pengaturan Osmolaritas Cairan Ekstraselular dan Konsentrasi Natrium, 350–352.
- Hasan, K. M. M., Tamanna, N., & Haque, M. A. 2018. Biochemical and histopathological profiling of Wistar rat treated with Brassica napus as a supplementary feed. *Food Science and Human Wellness*, 7(1), 77–82. <https://doi.org/10.1016/j.fshw.2017.12.002>
- Heryanto, H. 2023. Penerapan Pemenuhan Kebutuhan Nutrisi Pada Pasien Tn. Y dengan Diabetes Melitus (DM) Tipe II di Lantai VI Paviliun Darmawan RSPAD Gatot Soebroto.

- Hounkpatin, H. O., Fraser, S. D. S., Johnson, M. J., Harris, S., Uniacke, M., & Roderick, P. J. 2019. The association of socioeconomic status with incidence and outcomes of acute kidney injury. *Clinical Kidney Journal*, 13(2), 245–252. <https://doi.org/10.1093/ckj/sfz113>
- Husna, F., Suyatna, F. D., Arozal, W., & Purwaningsih, E. H. 2019. Model Hewan Coba pada Penelitian Diabetes. *Pharmaceutical Sciences and Research*, 6(3). <https://doi.org/10.7454/psr.v6i3.4531>
- Ikbal, M. 2020. Prilaku Keluarga dalam Pemenuhan Kebutuhan Nutrisi pada Pasien Diabetes Militus di Kabupaten Bima. <http://jkp.poltekkes-mataram.ac.id/index.php/bnj/index>.
- Imelda, S. 2019. Faktor-Faktor Yang Mempengaruhi Terjadinya Diabetes Melitus di Puskesmas Harapan Raya Tahun 2018. *Scientia Journal* 8(1).
- International Diabetes Federation (IDF)*. 2025. *IDF Diabetes Atlas, 11th Edition*. Brussels, Belgium.
- Isty, G. M. N., Setyawardani, T., Sumarmono, J. 2023. Karakteristik Fisik dan Sensori Kefir Susu Sapi yang Diperkaya dengan Ekstrak Beras Hitam. *Jurnal Triton*. 14(2): 573–582. <https://doi.org/10.47687/jt.v14i2.447>
- Kahraman, M., Ertekin, Y. H., & Satman, İ. 2021. The Effects of Kefir on Kidney Tissues and Functions in Diabetic Rats. *Probiotics and Antimicrobial Proteins*, 13(2), 375–382. <https://doi.org/10.1007/s12602-020-09698-9>
- Karabacak, P., Alkaya Solmaz, F., Gultekin, F., Oncu, M., Yuksel, O., Ozgoçmen, M., & Ilhan, I. 2016. The effectiveness of keir in acute renal failure due to glycerol-induced rhabdomyolysis. *Journal of Clinical and Experimental Medicine*. 9(9), 17919-17925. <http://www.embase.com/search/results?subaction=viewrecord&from=export&id=L612342737>
- Karwiti, W., & Umizah, L. P. 2023. Gambaran Kadar Ureum pada Pasien Gagal Ginjal Kronik yang Menjalani Hemodialisa. *JMLS Journal of Medical Laboratory and Science*, 3(2) <https://doi.org/10.36086/medlabscience.v3i2>
- Kaur, N. 2017. Role of Nicotinamide in Streptozotocin Induced Diabetes in Animal Models. *Journal of Endocrinology and Thyroid Research*. 2(1). <https://doi.org/10.19080/jetr.2017.02.555577>
- Kemenkes. 2018. *Data Komposisi Pangan Indonesia*. Global Alliance for Improved Nutrition (GAIN).
- Kemenkes RI. 2020. *Infodatin Diabetes Melitus*.
- Kementerian Kesehatan (Kemenkes), & Kebijakan Pembangunan, B. 2023. *Laporan SKI 2023 Dalam Angka*. <https://www.badankebijakan.kemkes.go.id/ski-2023-dalam-angka/> [Accessed: 4 June 2025].

- King, A. J. 2012. The use of animal models in diabetes research Keywords type 1 diabetes; type 2 diabetes; animal models. *British Journal of Pharmacology*. 166: 877–894 [https://doi.org/10.1111/\(ISSN\)1476-5381/homepage/animal_models.htm](https://doi.org/10.1111/(ISSN)1476-5381/homepage/animal_models.htm)
- Kinteki, G. A., Rizqiaty, H., & Hintono, A. 2019. Pengaruh Lama Fermentasi Kefir Susu Kambing Terhadap Mutu Hedonik, Total Bakteri Asam Laktat (BAL), Total Khamir, dan pH. 1.
- Koppe, L., Nyam, E., Vivot, K., Fox, J. E. M., Dai, X. Q., Nguyen, B. N., Trudel, D., Attané, C., Moullé, V. S., MacDonald, P. E., Ghislain, J., & Poitout, V. 2016. Urea impairs β cell glycolysis and insulin secretion in chronic kidney disease. *Journal of Clinical Investigation*, 126(9), 3598–3612. <https://doi.org/10.1172/JCI86181>
- Koye, D. N., Melaku, Y. A., Gelaw, Y. A., Zeleke, B. M., Adane, A. A., Tegegn, H. G., Gebreyohannes, E. A., Erku, D. A., Tesfay, F. H., Gesesew, H. A., Mekonnen, A., Dadi, A. F., & Alene, K. A. 2022. Mapping national, regional and local prevalence of hypertension and diabetes in Ethiopia using geospatial analysis. *BMJ Open*, 12(12), e065318. <https://doi.org/10.1136/bmjopen-2022-065318>
- Kurniasiwi, P., Rio Rosa, H., Nastiti, & Maulana, M. R. 2024. Description of Blood Glucose Levels In Wistar Rats as an Introduction to The Therapy Test of Bandotan Leaf Extract. <http://journal.umpalangkaraya.ac.id/index.php/bjmlt566>
- Kusnadi, Y., & Saleh, Mgs. M. I. 2023. Buku Monograf Membahas Permasalahan: Abnormalitas Mikrobiota Usus Pada Diabetes Melitus Tipe 2. *Bening Media Publishing: Palembang*.
- Lima, J. E. B. F., Moreira, N. C. S., & Sakamoto-Hojo, E. T. 2022. Mechanisms underlying the pathophysiology of type 2 diabetes: From risk factors to oxidative stress, metabolic dysfunction, and hyperglycemia. *Mutation Research - Genetic Toxicology and Environmental Mutagenesis*, 874–875. <https://doi.org/10.1016/j.mrgentox.2021.503437>
- Loho, I. K. A., Rambert, G. I., & Wowor, M. F. 2016. Gambaran kadar ureum pada pasien penyakit ginjal kronik stadium 5 non dialisis. *Jurnal e-Biomedik (eBm)* 4(2).
- Molehin, O. R., Oloyede, O. I., & Adefegha, S. A. 2018. Streptozotocin-induced diabetes in rats: effects of White Butterfly (*Clerodendrum volubile*) leaves on blood glucose levels, lipid profile and antioxidant status. *Toxicology Mechanisms and Methods*, 28(8), 573–586. <https://doi.org/10.1080/15376516.2018.1479476>
- Mulyadewi, A. L., Ilmi, I. M. B., & Hardiansyah, A. 2024. Effects of Honey Goat Milk Kefir on Pancreatic Histopathology and Renal Function in Diabetic Rats: Efek Pemberian Kefir Susu Kambing Madu pada Gambaran Histopatologi Pankreas dan Fungsi Ginjal pada Tikus Diabetes. *Amerta Nutrition* 8, 412–421.

<https://doi.org/10.20473/amnt.v8i3SP.2024.412-421>

- Muntafiah, A., Nurliyani, & Sunarti. 2018. Goat-Soy milk kefir increase nitric oxide bioavailability by increasing endothelial nitric oxide synthase (eNOS) gene expression in diabetic rats. *Progress in Nutrition*, 20, 257–262. <https://doi.org/10.23751/pn.v20i2-S.5773>
- Muntafiah, A., Sunarti, & Nurliyani. 2015. Potensi Antihiperglikemia Kefir Berbasis Susu Kambing dan Kedelai Pada Tikus Model DM Tipe 2. *Mandala of Health* 8(3): 612-621.
- Mussyarafah. 2015. Pengaruh Kefir Kombinasi Susu Kambing dan Susu Kedelai Terhadap Kadar Advanced Glycation End Products (AGE) dan Ekspresi Gen Receptor AGE (RAGE) Ginjal pada Tikus Wistar Model Diabetes Melitus Tipe 2. Yogyakarta: Universitas Gadjah Mada.
- Narita, M., Purwijantiningsih, E. L. M., Pranata, S. F. 2016. Kualitas Kefir Sari Buah Stroberi (*Fragaria vesca*) dengan Variasi Penambahan Sukrosa. Yogyakarta: Universitas Atmajaya Yogyakarta.
- Nasution, F., Andilala, & Azwar Siregar, A. 2021. Faktor Risiko Kejadian Diabetes Mellitus (Risk Factors for The Event of Diabetes Mellitus). *Jurnal Ilmu Kesehatan*, 9(2).
- Nayik, G. A., Jagdale, Y. D., Gaikwad, S. A., Devkatte, A. N., Dar, A. H., & Ansari, M. J. 2022. Nutritional Profile, Processing and Potential Products: A Comparative Review of Goat Milk. *Dairy* 3(3): 622–647. MDPI. <https://doi.org/10.3390/dairy3030044>
- Nelson, D. L., & Cox, M. M. 2017. *Lehninger Principles of Biochemistry* 7th ed. New York. W.H. Freeman and Company.
- Ningsih, A. F. C. 2020. Gambaran Kadar Ureum, Kreatinin dengan Kadar Glukosa pada Penderita Diabetes Mellitus Tipe 2 di Wilayah Puskesmas Kalibaru Bekasi. *Stikes Mitra Keluarga*.
- Nurliyani, Harmayani, E., Sunarti. 2015. Antidiabetic Potential of Kefir Combination from Goat Milk and Soy Milk in Rats Induced with Streptozotocin-Nicotinamide. *Korean J Food Sci Anim Resour.* 35: 847-858.
- Omar-Hmeadi, M., Lund, P. E., Gandasi, N. R., Tengholm, A., & Barg, S. 2020. Paracrine control of α -cell glucagon exocytosis is compromised in human type-2 diabetes. *Nature Communications*, 11(1). <https://doi.org/10.1038/s41467-020-15717-8>
- Patel, S., Patel, S., Kotadiya, A., Patel, S., Shrimali, B., Joshi, N., Patel, T., Trivedi, H., Patel, J., Joharapurkar, A., & Jain, M. 2024. Age-related changes in hematological and biochemical profiles of Wistar rats. *Laboratory Animal Research*, 40(1). <https://doi.org/10.1186/s42826-024-00194-7>

- Patke, V. G., Kansara, G. S., & Author, C. 2018. A Comparative Analytical Quality Evaluation Study between Two Methods for Blood Urea Nitrogen Estimation. *IOSR Journal of Dental and Medical Sciences (IOSR-JDMS) e-ISSN*, 17(6), 48–56. <https://doi.org/10.9790/0853-1706074856>
- Perkumpulan Endokrinologi Indonesia (PERKENI). 2021. Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021. PB Perkeni, Jakarta.
- Priyadi, A., Permana, H., Muhtadi, A., Sumiwi, S. A., Sinuraya, R. K., & Suwantika, A. A. 2021. Cost-effectiveness analysis of type 2 diabetes mellitus (T2dm) treatment in patients with complications of kidney and peripheral vascular diseases in Indonesia. *Healthcare (Switzerland)*, 9(2). <https://doi.org/10.3390/healthcare9020211>
- Puglierio, S., Lima, D. Y., Rodrigues, A. M., Bogsan, C. S. B., Rogero, M. M., Punaro, G. R., Higa, E. M. S. 2021. Kefir reduces nitrosative stress and upregulates Nrf2 in the kidney of diabetic rats. *International Dairy Journal*. 114. <https://doi.org/10.1016/j.idairyj.2020.104909>
- Punaro, G. R., Maciel, F. R., Rodrigues, A. M., Rogero, M. M., Bogsan, C. S. B., Oliveira, M. N., Ihara, S. S. M., Araujo, S. R. R., Sanches, T. R. C., Andrade, L. C., Higa, E. M. S. 2014. Kefir administration reduced progression of renal injury in STZ-diabetic rats by lowering oxidative stress. *Nitric Oxide - Biology and Chemistry*, 37(1), 53–60. <https://doi.org/10.1016/j.niox.2013.12.012>
- Rias, Y. A., Sutikno, E. 2017. The Relationship Between Body Weight and Glucose in Diabetic Rats. *Jurnal Wiyata*, 4(1), 72–77.
- Roche, R.-B. 2019. *Urea/Ammonia UV-method: For the determination of urea and ammonia in foodstuffs and other materials and for the determination of nitrogen after Kjeldahl-digestion*. 10542946035.
- Rohmatulloh, V. R., Riskiyah, Pardjianto, B., & Kinasih, L. S. 2024. Hubungan Usia dan Jenis Kelamin Terhadap Angka Kejadian Diabetes Melitus Tipe 2 Berdasarkan 4 Kriteria Diagnosis di Poliklinik Penyakit Dalam RSUD Karsa Husada Kota Baru. 8(1).
- Rosa, D. D., Grześkowiak, L. M., Ferreira, C. L. L. F., Fonseca, A. C. M., Reis, S. A., Dias, M. M., Siqueira, N. P., Silva, L. L., Neves, C. A., Oliveira, L. L., MacHado, A. B. F., Peluzio, M. D. C. G. 2016. Kefir reduces insulin resistance and inflammatory cytokine expression in an animal model of metabolic syndrome. *Food and Function*, 7(8), 3390–3401. <https://doi.org/10.1039/c6fo00339g>
- Sallé, A., Guilloteau, G., Ryan, M., Bouhanick, B., & Ritz, P. 2004. Effect of insulin treatment on the body composition of Type 2 diabetic patients. *Diabetic Medicine*, 21(12), 1298–1303. <https://doi.org/10.1111/j.1464-5491.2004.01335.x>
- Sarwono, A. E., & Handayani, A. 2021. *Metode Kuantitatif*. Surakarta: Percetakan

Kurnia Solo.

- Schwartz, S. S., Epstein, S., Corkey, B. E., Grant, S. F. A., Gavin, J. R., & Aguilar, R. B. 2016. The time is right for a new classification system for diabetes: Rationale and implications of the β -cell-centric classification schema. *Diabetes Care* 39(2): 179–186. *American Diabetes Association Inc.* <https://doi.org/10.2337/dc15-1585>
- Septianingtyas, P. F., Kriswiastiny, R., Zulfian, Z., & Utami, D. 2022. Hubungan Kadar Gula Darah Sewaktu (GDS) Dengan Kadar Ureum Pada Pasien Diabetes Mellitus Tipe 2 Di Rumah Sakit Dr. H Bob Bazar Skm Lampung Selatan. *MAHESA: Malahayati Health Student Journal*, 2(4), 639–647. <https://doi.org/10.33024/mahesa.v2i4.4029>
- Setyawati, T., & Lintin, G. 2016. Efek Ekstrak Daun Sirsak (*Annona muricata*) Terhadap Penurunan Kadar Trigliserida Pada Model Tikus Diabetes Melitus. *Jurnal Kesehatan Tadulako* 2(2).
- Setyoningsih, W. 2021. Perbedaan Kadar Ureum pada Sampel Darah yang Didiamkan 30 Menit dan 120 Menit Sebelum Disentrifus. Politeknik Kesehatan Kementerian Kesehatan Yogyakarta. <https://eprints.poltekkesjogja.ac.id/5871/> [Accessed: 10 June 2025].
- Sevda, G., Khosrow, K., & Asghar, G. 2017. A practical guide for induction of type-2 diabetes in rat: Incorporating a high-fat diet and streptozotocin. *Biomedicine & Pharmacotherapy*, 95, 605–613.
- Sheleme, T., Mamo, G., Melaku, T., & Sahilu, T. 2020. Prevalence, patterns and predictors of chronic complications of diabetes mellitus at a large referral hospital in Ethiopia: A prospective observational study. *Diabetes, Metabolic Syndrome and Obesity*, 13, 4909–4918. <https://doi.org/10.2147/DMSO.S281992>
- Skovsø, S. 2014. Modeling type 2 diabetes in rats using high fat diet and streptozotocin. In *Journal of Diabetes Investigation* 5 (4): 349–358. Blackwell Publishing. <https://doi.org/10.1111/jdi.12235>
- Soleman, Y. S. 2023. Hubungan Pengetahuan Tentang Diabetes Melitus dengan Kepatuhan Minum Obat pada Pasien Diabetes Melitus Tipe II di Puskesmas Janti Malang. Sekolah Tinggi Ilmu Kesehatan Panti Waluya Malang.
- Subarjati, A., & Nuryanto. 2015. Hubungan Indeks Massa Tubuh Dengan Kadar Leptin dan Adinopektin. *Journal of Nutrition College*, 4(2), 428. <http://ejournal-s1.undip.ac.id/index.php/jnc>
- Suhartanti, D., & Septian, R. 2014. Comparison Of The Antibacterial Activity of Cow Milk Kefir and Goat Milk Kefir Against Bacteria *Bacillus cereus*. *Kesmas* 8(2).
- Syahlani, A., Anggun, N., Ma, Ms., Sari Mulia Banjarmasin, S., & Penulis, K. 2016. Hubungan Diabetes Melitus dengan Kadar Ureum Kreatinin di Poliklinik Geriatri RSUD Ulin Banjarmasin. *Hubungan Diabetes Mellitus*, 7(2).

- Szkudelski, T. 2001. The mechanism of alloxan and streptozotocin action in B cells of the rat pancreas. *Physiological Research*, 50, 536-546.
- Tiurma, J. R., Syahrizal. 2021. Obesitas Sentral dengan Kejadian Hiperglikemia pada Pegawai Satuan Kerja Perangkat Daerah. *Higeia Journal of Public Health Research and Development*. 5(3). <https://doi.org/10.15294/higeia/v5i3/39786>
- Tomar, O., Akarca, G., Çağlar, A., Beykaya, M., & Gök, V. 2020. The effects of kefir grain and starter culture on kefir produced from cow and buffalo milk during storage periods. *Food Science and Technology (Brazil)*, 40(1), 238–244. <https://doi.org/10.1590/fst.39418>
- Trachet, B., Fraga-Silva, R. A., Jacquet, P. A., Stergiopulos, N., & Segers, P. 2015. Incidence, severity, mortality, and confounding factors for dissecting AAA detection in angiotensin II-infused mice: A meta-analysis. *Cardiovascular Research*, 108(1), 159–170. <https://doi.org/10.1093/cvr/cvv215>
- Triana, A. N., Setyawardani, & Sumarmono, J. 2022. Pengaruh Jenis Susu pada pH, Total Asam dan Warna Kefir Tradisional The Effect of Milk Type on pH, Total Acid and Color of Traditional Kefir. *Journal of Animal Science and Technology* 4(1).
- Trihartati, V. M., Budiman, A., & Hartini, H. 2019. Gambaran Kadar Ureum dan Kreatinin Serum pada Pasien Diabetes Melitus Tipe-2 di Rumah Sakit Santa Maria Pekanbaru. *Jurnal Sains dan Teknologi Laboratorium Medik*. 4(2), 44–53.
- Tung, Y. T., Chen, H. L., Wu, H. S., Ho, M. H., Chong, K. Y., & Chen, C. M. 2018. Kefir Peptides Prevent Hyperlipidemia and Obesity in High-Fat-Diet-Induced Obese Rats via Lipid Metabolism Modulation. *Molecular Nutrition and Food Research*, 62(3). <https://doi.org/10.1002/mnfr.201700505>
- Verdiansah. 2016. Pemeriksaan Fungsi Ginjal. *CDK-237*, 43(2), 148–154.
- Wang, H. J., Jin, Y. X., Shen, W., Neng, J., Wu, T., Li, Y. J., & Fu, Z. W. 2007. Low dose streptozotocin (STZ) combined with high energy intake can effectively induce type 2 diabetes through altering the related gene expression. *Asia Pacific Journal of Clinical Nutrition*, 16(1) : 412–417
- Wati, D. P., Midoen, Y. H., & Ilyas, S. 2024. *Prinsip Dasar Tikus sebagai Model Penelitian*. <https://www.researchgate.net/publication/378012784>
- WHO. 2025. *Diabetes*. https://www.who.int/health-topics/diabetes#tab=tab_1 [Accessed: 8 June 2025].
- Witjes, V. M., Boleij, A., Halffman, W. 2020. Reducing versus embracing variation as strategies for reproducibility: The microbiome of laboratory mice. *Animals*. 10 (12): 1–15. MDPI AG. <https://doi.org/10.3390/ani10122415>
- Yorek, M. A. 2016. Alternatives to the Streptozotocin-Diabetic Rodent. *International Review of Neurobiology* 127: 89–112. Academic Press Inc.

<https://doi.org/10.1016/bs.irn.2016.03.002>

Yuniritha, E. 2021. *Buku Metabolisme Zat Gizi*. <https://www.researchgate.net/publication/356189471>

Zhong, J. B., Yao, Y. F., Zeng, G. Q., Zhang, Y., Ye, B. K., Dou, X. Y., & Cai, L. 2023. A closer association between blood urea nitrogen and the probability of diabetic retinopathy in patients with shorter type 2 diabetes duration. *Scientific Reports*, 13(1). <https://doi.org/10.1038/s41598-023-35653-z>

Zhou, Z., Sun, B., Yu, D., & Zhu, C. 2022. Gut Microbiota: An Important Player in Type 2 Diabetes Mellitus. *Frontiers in Cellular and Infection Microbiology* 12. Frontiers Media S.A. <https://doi.org/10.3389/fcimb.2022.834485>

