

DAFTAR PUSTAKA

- Abraham, E. M., Okwoli, E. C., & Onwuemesi, A. G. (2015). *Geothermal Energy Reconnaissance of Southeastern Nigeria from Analysis of Aeromagnetic Data*. Pure and Applied Geophysics, 172(9), 2635–2651.
- Agresti, A. (1996). *An Introduction to Categorical Data Analysis*. New York: John Wiley & Sons.
- Ahmad, F. A. (2021). Potensi Panas Bumi dan Kaitannya Dengan Pengembangan Energi di Indonesia. Geofisika, January 2021, 1–10.
- Amstrong, F. S. (2012). Struktur Geologi Sulawesi. Perpus Sains Kebumihan Institut Teknologi Bandung, Bandung.
- Anakwuba, E. K., & Chinwuko, A. I. (2015). *Evaluation of thermomagnetic properties and geothermal energy potential in parts of Bida Basin, Nigeria using spectral analysis*. Bulletin of the Mineral Research and Exploration.
- Bansal, A. R., Gabriel, G. I., & Dimri, V. P. (2011). *Curie point depth estimation from aeromagnetic data of eastern and southern India*. Journal of Geodynamics, 51(3), 149–157.
- Beiki, M. (2010). *Analytic signals of gravity gradient tensor and their application to estimate source location*. Geophysics, 75(6), I59–I74.
- Bhattacharyya, B. K., & Leu, L. K. (1975). *Analysis of magnetic anomalies over Yellowstone National Park: Mapping the Curie-point isotherm surface for geothermal reconnaissance*. Journal of Geophysical Research, 80, 461–465.
- Bhattacharyya, B. K., & Leu, L. K. (1977). *Spectral analysis of gravity and magnetic anomalies due to rectangular prismatic bodies*. Geophysics, 41, 41–50.
- Blakely, R. J. (1995). *Potential theory in gravity and magnetic applications*. Cambridge University Press.
- Blakely, R. J. (1996). *"Potential Theory in Gravity and Magnetic Applications," 2- nd Ed.*, Cambridge University Press, Cambridge
- Bouligand, C., Glen, J. M. G., & Blakely, R. J. (2009). *Mapping Curie temperature depth in the western United States with a fractal model for crustal magnetization*. Journal of Geophysical Research: Solid Earth, 114(B11).
- Broto, S. (2011). Aplikasi metode geomagnet dalam eksplorasi panasbumi. Teknik, 32(1), 79–87.

- Canu, S., & Smola, A. (2006). Kernel Methods and the Exponential Family. *Neurocomputing*, 69(7–9), 714–720. <https://doi.org/10.1016/j.neucom.2005.12.098>
- Connard, G., Couch, R., & Gemperle, M. (1983). *Analysis of aeromagnetic measurements from the Cascade Range and in central Oregon*. *Geophysics*, 48, 376–390.
- Cooper, G. R. J., & Cowan, D. R. (2006). *Enhancing potential field data using filters based on the local phase*. *Computers & Geosciences*, 32, 1585–1591.
- Cordell, L., & Grauch, V. J. S. (1985). *Mapping basement magnetization zones from aeromagnetic data in the San Juan Basin, New Mexico*. In W. J. Hinze (Ed.), *The Utility of Regional Gravity and Magnetic Anomaly Maps* (pp. 181–197). Society of Exploration Geophysicists.
- Dickson, M. H., & Fanelli, M. (2018). What is geothermal energy? *Renewable Energy Four-Volume Set*, (1–4), 302–328. <https://doi.org/10.4324/9781315793245-25>
- ESDM. (2015). *Sistem panas bumi non-vulkanik di Sulawesi*. Pusat Sumber Daya Geologi - Badan Geologi, Bandung.
- Espinosa-Cardena, J. M., Campos-Enriquez, J. O., & Diaz, C. M. (2016). *Curie point depth and heat flow in the Mexican Volcanic Belt and its implications for geothermal exploration*. *Journal of Volcanology and Geothermal Research*, 324, 1–12.
- Finn, C. A., & Ravat, D. (2004). *Magnetic depth estimates and their potential for constraining crustal composition and heat flow in Antarctica*. EOS, Trans. Am. Geophys. Union, 85(47), Abstract T11A-1236.
- Hall, R., & Wilson, M. E. J. (2000). *Neogene sutures in eastern Indonesia*. *Journal of Asian Earth Sciences*.
- Hall, R.. (1996). *Reconstructing Cenozoic SE Asia*. In: R. Hall and D. Blundell (Eds.) 1996. *Tectonic Evolution of Southeast Asia*, Geological Society of London Special Publication No. 106, 153–184
- Hamilton W B. (1988). *Plate tectonics and island arcs*. *Geol Soc Am Bull*, 100: 1503–1527.
- Hamilton, W. (1979). *Tectonics of the Indonesian region*. United States Government Printing Office, Washington.
- Hinze, W. J., Von Frese, R. R. B., & Saad, A. H. (2010). *Gravity and magnetic exploration: Principles, practices, and applications*. Cambridge University Press.
- Hochstein, M. P., Zhongke, Y., & Ehara, S. (1990). *The Fuzhou geothermal system (People's Republic of China): Modelling study of a low temperature fracture-zone system*. *Geothermics*, 19(1), 43–60.

International Geothermal Association. (2004).

Isa, M. (2018). Eksplorasi energi panas bumi. Darussalam, Banda Aceh: Syiah Kuala University Press.

Istiqomah. (2019). Pemodelan Bawah Permukaan Menggunakan Metode Energy Spectral Analysis-Multi Window Test (ESA-MWT) Data Gayaberat Area West Timor Bagian Barat, Nusa Tenggara Timur. Universitas Pertamina

Kahfi, R., & Arifan. (2008). Identifikasi struktur lapisan bawah permukaan daerah manifestasi emas dengan menggunakan metode geomagnetik di Papandayan, Garut, Jawa Barat. *Berkala Fisika*, 11(4), 127–135.

Karsmakers, P., Pelekmans, K., & Suykens, J. A. K. (2007). *Handling class imbalance in support vector machine classifiers: Investigating the accuracy-ambiguity tradeoff*. Katholieke Universiteit Leuven, ESAT-SCD-SISTA.

Kasidi, S., & Nur, A. (2013). *Estimation of Curie point depth, heat flow and geothermal gradient from spectral analysis of aeromagnetic data over Jalingo and environs, North-Eastern Nigeria*. *International Journal of Scientific and Engineering Research*, 4(6), 225–231

Kurniasih, M. (2022). Identifikasi Reservoir Panasbumi Berdasarkan Pemodelan Inversi Data Gayaberat.

Laske, G., Masters., G., Ma, Z. and Pasyanos, M., Update on CRUST1.0 - A 1-degree Global Model of Earth's Crust, *Geophys. Res. Abstracts*, 15, Abstract EGU2013-2658, 2013

Lin, W., Lv, J., & Zhu, Y. (2008). *Feature selection for high-dimensional classification using model-based approaches*. *Journal of the American Statistical Association*, 103(482), 691–708. <https://doi.org/10.1198/016214508000000337>

Manalu, M. (2019). Identifikasi struktur sesar bawah permukaan daerah panasbumi Barru Sulawesi Selatan berdasarkan analisis SVD dan pemodelan anomali gayaberat (Skripsi). Universitas Lampung.

Martos, Y. M., Catalán, M., Jordan, T. A., Vaughan, D. G., & Ferraccioli, F. (2017). *Heat flux distribution of Antarctica unveiled*. *Geophysical Research Letters*, 44(22), 11417–11426.

Misquita, N. A., Safani, J., & Rubaiyn, A. (2024). Identifikasi Konfigurasi Struktur Geologi Bawah Permukaan Berdasarkan Data Anomali Medan Gravitasi dengan Teknik Deteksi Tepi dan Dekonvolusi Euler di Daerah Panas Bumi Lainea. *Jurnal Rekayasa Geofisika Indonesia*, 6(01), 29–36. <https://doi.org/10.56099/jrgi.v6i01.61>

Muffler, L. J. P., & Cataldi, R. (1978). *Methods for regional assessment of geothermal resources*. *Geothermics*, 7, 53–89.

- Nondorf, T. (2016). *Geothermal gradient and heat flow in the Colombian Andes: Implications for geothermal energy exploration*. *Geothermal Energy*, 4(1), 1–15.
- Okubo, Y., & Matsunaga, T. (1994). *Curie point depth in northeast Japan and its correlation with regional thermal structure and seismicity*. *Journal of Geophysical Research*, 99, <https://doi.org/10.1029/94JB01336>.
- Patya, D. I., Rusdiana, D., Purwanto, C., & Ardi, N. D. (2019). Identifikasi Struktur Geologi Bawah Permukaan Berdasarkan Nilai Suseptibilitas Magnetik Batuan Di Laut Sulawesi. *Jurnal Meteorologi Klimatologi Dan Geofisika*, 5(1), 57–63. <https://doi.org/10.36754/jmkg.v5i1.68>
- Pollack, H. N., Hurter, S. J., & Johnson, J. R. (1993). *Heat flow from the Earth's interior: Analysis of the global data set*. *Reviews of Geophysics*, 31(3), 267–280.
- Prabu, S., Sriyanto, D., & Perdana, Y.H. (2018). Analisis penggunaan filter Butterworth dalam menentukan waktu tiba gelombang P. *Jurnal Sains dan Teknologi*, 7(2), 168–177.
- Puspita, A., Yullatifah, A., Ketebalan, E., Di, S., Jawa, P., Besar, B., Klimatologi, M., Ii, W., Selatan, T., Puspita, A., & Yullatifah, A. (2022). Gravitasi Estimation Of Sediment Thickness In West Java Island Using Power Spectrum Analysis Of Gravity Anomaly Data. 3(3), 1–8.
- Radja, V. T. (1970). Geothermal energy prospects in South Sulawesi, Indonesia. *Geothermics*, 2(PART 1), 136–149. [https://doi.org/10.1016/0375-6505\(70\)90016-7](https://doi.org/10.1016/0375-6505(70)90016-7)
- Ravat, D., Pignatelli, A., Nicolosi, I., & Chiappini, M. (2007). *A study of spectral methods of estimating the depth to the bottom of magnetic sources from near-surface magnetic anomaly data*. *Geophysical Journal International*, 169, 421–434.
- Ravat, D., Salem, A., & Abdelaziz, M. (2016). *Geotherms from the temperature-depth constrained solutions of 1-D heat-flow equation*.
- Rusman, M. N., Alawiyah, S., & Gunawan, I. (2023). *Study on the Significance of Reduction to the Equator (RTE), Reduction to the Pole (RTP), and Pseudogravity in Magnetic Data Interpretation*. *Jurnal Penelitian Pendidikan IPA*, 9(8), 6197–6205. <https://doi.org/10.29303/jppipa.v9i8.4705>
- Salem, A., Williams, S., Fairhead, J. D., Ravat, D., & Smith, R. (2007). *Tilt-depth method—a simple depth estimation method using first-order magnetic derivatives*. *The Leading Edge*, 26, 1502–1505.
- Saputra, G. E. (2024). Pendugaan struktur bawah permukaan sistem panas bumi pada Gunung Marapi, Sumatera Barat berdasarkan Data Gaya Berat Citra Satelit GGMplus, Universitas Jambi.

- Sari Juwita, R. (2018). Identifikasi Panas Bumi Di Gedongsongo Menggunakan Metode Magnetik. *Jurnal OFFSHORE*, 2(1), 34–42.
- Sigismondi, M., & Ramos, V. A. (2008). *El flujo de calor en la Cuenca Neuquina, Argentina*. *Petrotecnia*, 49(3), 36–42.
- Solano-acosta, J. D., & Soesoo, A. (2023). *Tektonofisika*. 846(April 2022).
- Suharno. (2013). *Eksplorasi Geothermal*. 1–23.
- Turcotte, D. L., & Schubert, G. (2014). *Geodynamics* (3rd ed.). Cambridge University Press.
- Umar, E. P., Harijoko, A., Setianto, A., & Suryanto, W. (2023). *Structural map of Sulawesi derives from gravity data and its implications for geothermal systems*. 04004, 1–8.
- Van Gorsel, J. T. (2022). *Geological investigations of Sulawesi (Celebes) before 1930*. *Berita Sedimentologi*, 48(1), 79–114. <https://doi.org/10.51835/bsed.2022.48.1.391>.
- Vargas, C. A., Cardona, A., & Mejía, D. (2015). *Global geothermal gradient estimation by Curie Point Depth based on a magnetic anomaly data inversion and from interpolation of global geothermal gradient data*.
- Wang C S. (2002). *Active subduction and collision in Southeast Asia (in Chinese)*.
- Whitehead, N., & Musselman, C. (2007). *Tutorial: Montaj Magmap Filtering (2D Frequency Domain Processing of Potential Field Data Extension for Oasis Montaj 6.4)*. Geosoft Inc., Canada.
- Zakariya, H., Margiono, R., Novitri, A., & Pevriadi, A. (2022). Identifikasi Anomali Gravitasi di Wilayah Sulawesi Tenggara Berdasarkan Data Gravitasi GGMplus. *PROGRESS : Jurnal Geofisika*, 1(1), 62–69. <https://jurnal.stmkg.ac.id/index.php/pjg>
- Zhang, J., Hao, T., Dong, M., Xu, Y., Wang, B., Ai, Y., & Fang, G. (2021). *Investigation of geothermal structure of the Sulawesi, using gravity and magnetic method*. *Science China Earth Sciences*, 64(2), 278–293. <https://doi.org/10.1007/s11430-020-9659-3>