

## DAFTAR PUSTAKA

- Ahmad, Juwita, Ratulangi & Malik, 2015, Penetapan kadar fenolik dan flavonoid total ekstrak metanol buah dan daun Patikala (*Etingera elatior* (Jack)), *Pharm Sci Res*, vol. 2, no. 1.
- Alfian, R. & Susanti, H. 2012, Penetapan kadar fenolik total ekstrak metanol kelopak bunga rosella merah (*Hibiscus Sabdariffa* Linn) dengan variasi tempat tumbuh secara spektrofotometri, *Jurnal Ilmiah Kefarmasian*, vol. 2, no. 1, pp.73-80.
- Apsari, P. D. & Susanti, H. 2011, Perbandingan kadar fenolik total ekstrak metanol kelopak merah dan ungu bunga rosella secara spektrofotometer, *Prosiding Seminar Nasional Home Care*, Fakultas Farmasi dan Kesmas UAD, Yogyakarta.
- Arnao, M.B. 2000, Some methodological problems in the determination of antioxidant activity using chromogen radicals : a practical case, *Trend in Food Science and Technology*, vol. 11, no. 11, pp. 419-21.
- Badarinath, A., Rao, K., Chetty, C.S., Ramkanth, S., Rajan, T. & Gnanaprakasa, 2010, Review on in-vitro antioxidant methods : comparisons, correlations and considerations, *International Journal of PharmTech Research*, pp. 1276-1285.
- Bandoniene, D., Murkovic, M., fannhauser, W., Venskutonis, P.R. & Gruzdienė, 2002, Detection and activity evaluation of radical scavenging compounds by using DPPH free radical and online HPLC-DPPH methods, *Eur Food Res Technol*, 214, pp. 143–147.
- Bramasto, R.G.A. 2011, *Hubungan faktor tempat tumbuh dengan produksi buah mindi (Melia azedarah Linn.) di hutan rakyat jawa barat*, Institut Pertanian Bogor, Bogor.
- Dai, J. & Mumper, R.J. 2010, Plant phenolics: extraction, analysis and their antioxidant and anticancer properties, *Molecules*, 15, pp. 7313–7352.
- Dai., M, Wulandari., R, & Utami, 2011, Uji aktivitas penangkap radikal DPPH analog kurkumin dan n-heterosiklik monoketon, *Pharmacon*, vo. 12, no 1, pp.20.
- Daneshfar, Hassan, S., Ghaziaskar & Nasrolah Homayoun, 2008, Solubility of gallic acid in methanol, ethanol, water, and ethyl acetate , *J. Chem. Eng*, 53.
- Dirjen POM, 1986, *Sediaan galenik*, Departeman Kesehatan RI, Jakarta.

- Dehpour, A.A., Ebrahimzadeh, M.A., Fazel, N.S. & Mohamad, N.S. 2009, Antioxidant activity of methanol extract of ferula assafoetida and its essential oil composition, *Grasas Aceites*, vol. 60, no. 4, pp. 405-412.
- Departemen Kesehatan Republik Indonesia, 1995, *Farmakope Indonesia Edisi IV*, Departemen Kesehatan Republik Indonesia, Jakarta.
- Departemen Kesehatan Republik Indonesia, 2000, *Parameter standart umum ekstrak tumbuhan obat tradisional*, Direktorat Jendral Pengawasan Obat dan Makanan, Jakarta.
- Departemen Kesehatan Republik Indonesia, 1985, *Cara pembuatan simplisia*, Departemen Kesehatan Republik Indonesia, Jakarta.
- Everette , J.D., Bryant , Q, M., Green, A.M., Abbey, Y.A., Wangila, G.W. & Walker, 2010, Thorough study of reactivity of various compound classes toward the folin-ciocalteu reagent, *Journal Agric Food Chem*, 58, pp. 8139-8144.
- Gandjar, I.G. & Rohman, A. 2007, *Kimia Farmasi Analisis*, Pustaka Pelajar, Yogyakarta.
- Gazi, M.R., Kanda, K., Yasuda, M. & Kato, F. 2004, Optimisation of cultural conditions and some properties of radical scavenging substances from sporobolomyces salmonicolor, *J. Biol. Sci*, 7, pp. 1365–1370.
- Gusrav, S., Deshkar, N., Gulkari, V., Duragkar, N & Patil, A., 2007, Free radical scavenging activity of *Polygala chinensis* Linn, *Pharmacology*, 2, pp. 245-253.
- Guenther, E. 1987, *Minyak atsiri*, Diterjemahkan oleh R.S Ketaren dan R. Mulyono, UI Press, Jakarta.
- Halim, A., Nurlansi & Nasrudin, 2019, Analisis total fenol fraksi etilasetat dan residu hasil partisi ekstrak etanol daun tumbuhan kaembu-embu (Blumea balsamifera), *Jurnal Pendidikan Kimia Universitas Halu Oleo*, vol. 4, no.1, pp. 16.
- Hanani, E., Mun'im A. & Sekarini, R. 2005, Identifikasi senyawa antioksidan dalam Spons *Callyspongia sp* dari Kepulauan Seribu, *Majalah Ilmu Kefarmasian*, vol. 2, no. 3, pp. 127-133.
- Harbone, J.B. 1987, *Metode fitokimia*, Penerbit ITB, Bandung.
- Harbone, J.B. 1996, *Metode fitokimia penuntun cara modern menganalisis tumbuhan 2<sup>nd</sup> edition*. Terjemahan K. Padmawinata dan I. Soediro, ITB, Bandung.
- Hawkins, D.W. & Rahn, D.W. 1997, *Pharmacoteraphy a phatophysiologic approach edisi III*, Appleton dan Lange, Stapor.

- Heath, H.B. & Reineccius, G. 1986, *Flavor chemistry and technology*, Avi Book. New York.
- Hembing, 1996, *Tanaman berkhasiat obat di indonesia*, Pustaka Kartini, Yogyakarta.
- Herawati, N. 2012, Total fenol dan aktivitas antioksidan dari Sonneratia alba Bark, *Jurnal Sainsmat*, vol. 1, no. 1.
- Huang, D.J., Chen, H.J., Lin, C.D. & Lin, Y, W. 2005, Antioxidant and antiproliverative activities of water spinach (*Ipomoea aquatic* Forsk) constituents, *Bull Acad Sin*, 46, pp. 99-106.
- Huliselan, Y. & Defny S. W. 2015, Aktivitas antioksidan ekstrak etanol, etilasetat, dan n-heksan dari daun sesewanua (*Clerodendron Squamatum* Vahl.), *Pharmacon Jurnal Ilmiah Farmasi*, vol. 4, no. 3, pp. 155-163.
- Hossain, S.M.D., Saed, A. & Karmakar, U. 2013, Assessment of phytochemical, analgesic and antioxidant profile of *Melia azedarach* L. [Leaves] (Family-Meliaceae), *Journal The Pharma Inovation*, vol 2, no. 7, pp. 1-5.
- Javanmardi, J., Stushnoff, C., Locke, E. & ivanco, J.M. 2003, Antioxidant activity and total phenolic content of Iranian ocimum accessions, *Journal of Food Chemistr*, 83, pp. 547-550.
- Jiang, Z., Kempinski, C. & Chappell, J. 2016, Extraction and analysis of terpenes/terpenoid s, *Current Protocols in Plant Biology*, pp. 345-358.
- Kaban, N.A., Daniel & Saleh, C. 2016, Uji fitokimia, toksisitas dan aktivitas antioksidan fraksi n-heksan dan etil asetat terhadap ekstrak jahe merah (*Zingiber officinale* var. *amarum*.), *Jurnal Kimia Mulawarman*, vol. 14, no. 1, pp.25-28.
- Kahkonen, M.P., Hopia, A.I. & Heinonen, 2001, Berry phenolics and their antioxidant activity, *J Agri Food Chem*, 49, pp. 9348- 9351
- Kartasaputra, 1994, *Taksonomi tumbuhan obat-obatan*, Gadjah Mada, University Press, Yogyakarta.
- Khadijah, Jayali, AM, Umar, S, & Sasmita, I, 2017, Penentuan fenolik dan aktivitas antioksidan ekstrak etanolik daun samama (*Anthrocephalus macrophyllus*) asal ternate, maluku utara, *Jurnal Kimia Mulawarman*, vol. 15, no. 1, pp. 11-18.
- Khan, M.F., Rawat, A.K., Pawar, B., Gautam, S., Srivastava, A.K. & Negi, D.S. 2014, Bioactivity chemical analysis of *Melia azedarach* L. displaying antidiabetic activity, *Fitoterapia*, 98, pp. 98–103.
- Khatoon, A., Jethi, A., Nayak, K.S., Sahoo, S., Mohapatra, & Satapathy, B.K. 2014, Evaluation of in vitro antibacterial and antioxidant activities of *Melia azedarach* L. bark , *Journal of Pharmacy and Biological Sciences*, vol. 9, no. 6, pp. 14-17.

- Kedare, S.B. & R. P. Singh, 2011, Genesis and development of DPPH method of antioxidant assay, *J Food Sci Technol*, vol. 48, no. 4, pp. 412–422.
- Kim, O.S. 2005, Radical scavenging capacity and antioxidant activity of the vitamin fraction In rice bran, *J Food Sci*, 3, pp. 208213.
- Koleva, I.I., Van Beek, T.A., Linssen, J.P.H., de Groot, A. & Evstatieva, L.N. 2001, Screening of plant extracts for antioxidant activity: a comparative study on three testing methods, *Phytochem Analysis*, 13, 8–17.
- Koushik, D., Amandip, K., Sonu, A. & Tanuj, K.A. 2018, Preliminary phytochemical analyses of hydromethanolic leaf extract of *Melia azedarach* L, *Journal of Medicinal Plants Studies*, vol. 6, no. 3, pp. 04-08.
- Kucuk, M., Kolayli, S., Karaog, S., Ulusoy, E., Baltaci, C. & Candan, F. 2007, Biological activities and chemical composition of three honeys of different types from anatolia, *Food Chemistry*, vol. 100, no. 2, pp. 526-534
- Kumazawa, S., Kubota, S., Yamamoto, H., Okamura, N., Sugiyamab, Y., Kobayashia, H., Nakanishi, M. & Ohta, T. 2013, Antiangiogenic activity of flavonoids from *Melia azedarach*, *Nat. Prod. Commun.*, 8, pp. 1719–1720.
- Mailuhu, M., Runtuwene, R. & Koleangan, H. 2017, Skrining fitokimia dan aktivitas antioksidan ekstrak metanol kulit batang soyogik *Saurauia bracteosa* DC, *Chem. Prog.*, vol. 10, no. 1.
- Manoi, F. 2006, Pengaruh cara pengeringan terhadap mutu simplicia sambiloto, *Bull.Littro*, vol. 17, no. 1, pp. 1-5.
- Marjoni, M.R & Zulfisa, 2017, Antioxidant activity of methanol extract/fractions of senggani leaves (*Melastoma candidum* D.Don), *Pharm Anal Acta*. 8, pp. 557.
- Marxen, K., Vanselow, K.H., Sebastian Lippemeier, Ralf Hintze, Andreas Ruser & Ulf-Peter, H. 2007, Determination of DPPH radical oxidation caused by methanolic extracts of some microalgal species by linear regression analysis of spectrophotometric measurements, *Sensors*, 7, pp. 2080-2095.
- Molyneux, P. 2004, The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity, *J. Sci. Technol*, vol. 26, no. 2, pp. 212-219.
- Mongkolsilp, S., Pongbupakit, I., Sae-lee, N. & Sitthithaworn, W. 2004, Radical Scavenging activity and total phenolic content of medical plants used in primary health care, *Jurnal of Pharmacy and Science*, vol. 9, no. 1, pp. 32-35.
- M'rabet, Rokbenia, N., Cluzetb, S., Boullaa, A., Richardb, T., Krisab, S., Marzoukic, L., Casabiancad, H., Hosnia, K. 2017, Profiling of phenolic compounds and antioxidant activity of *Melia azedarach* L. leaves and fruits at two stages of maturity, *Industrial Crops & Products*, 107, pp. 232-243.

- Najihudin, Chaerunisa & Subarnas, 2017, Aktivitas antioksidan ekstrak dan fraksi kulit batang trengguli (*Cassia fistula* L) dengan metode DPPH, *IJPST*, vol. 2, no. 4.
- Ningsih, D.R., Zusfahair & Kartika. D. 2016, Identifikasi Senyawa metabolit sekunder serta uji aktivitas ekstrak daun sirsak sebagai antibakteri, *Molekul*, vol. 11, no. 1, pp. 101 – 111.
- Nur, A.M. & Astawan, M. 2011, Kapasitas antioksidan bawang dayak (*Eleutherine palmifolia*) dalam bentuk segar, simplisia dan keripik, pada pelarut nonpolar, semipolar dan polar, *Skripsi*, Departemen Ilmu dan Teknologi Pangan Institut Pertanian Bogor, Bogor.
- Nurmi,A, 2008, *Antioksidant studies on selected lamiaceae herbs in vitro and in humans*, Yliopistopaino, University Print, Helsinki, Finland, 33
- Pamungkas, D.J., Anam, K & Kusrini, D. 2016, Penentuan total kadar fenol dari daun kersen segar, kering dan rontok (*Muntingia calabura* L.) serta uji aktivitas antioksidan dengan metode DPPH, *Jurnal Kimia Sains dan Aplikasi*, vol. 19, no. 1.
- Pane, E.R. 2013, Uji aktivitas senyawa antioksidan dari ekstrak metanol kulit pisang raja (*Musa paradisiaca* Sapientum), *Valensi*, vol. 3, no. 2, pp. 76-81.
- Pavlov, A., Kovatcheva, P., Georgiev, V., Koleva, I. & Ilieva, M. 2002, Biosynthesis and radical scavenging activity of betalains during the cultivation of red beet (*Beta vulgaris*) hairy root cultures. *Z. Naturforsch.*, 57c, 640–644.
- Pinnell, S.R., 2003, Cutaneous photodamage, oxidative stress, and topical antioxidant protection, *J Am Acad Dermatol*, vol 48, pp. 1-19.
- Prakash, A. 2001, Antioxidant activity, *Med Lab Anal Prog*, vol. 19, no. 2, pp. 1–6.
- Prior, R.L., Wu, X. & Schaich, K. 2005, Standardized methods for the determination of antioxidant capacity and phenolic in foods and dietary supplements, *Journal of Agricultural and Food Chemistry*, 53, 4290-4302.
- Puspitasari, E. & Ningsih, Y.I. 2016, Kapasitas antioksidan ekstrak buah salak (*Salacca zalacca* (Gaertn) Voss) varian gula pasir menggunakan metode penangkal radikal DPPH, *Pharmacy*, vol. 3, no. 1.
- Rastuti, U. & Purwati, 2012, Uji aktivitas antioksidan ekstrak daun kalba (*Albizia falcataria*) dengan metode DPPH dan identifikasi senyawa metabolit sekundernya, *Molekul*, vol. 7, no. 1.
- Rohman, Riyanto, S. & Hidayati N.R. 2007, Aktivitas antioksidan, kandungan total fenolik dan flavonoid total daun mengkudu (*Morinda citrifolia* L), *Agritech*, vol. 27, no. 4.

- Ruben San Miguel-Chávez, 2017, Phenolic antioxidant capacity: a review of the state of the Art, *Biological Activity*, <http://dx.doi.org/10.5772/66897>.
- Salim, E., Hasnirwan & Sartika, S. Uji aktivitas antioksidan, toksisitas dan kandungan fenolik total dari daun puring merah (*Codiaeum variegatum* (L.) Rumph), *Jurnal Kimia Unand*, vol. 7, no. 2.
- Shandiutami, D.M. & Indriyani, W. 2012, Uji aktivitas antioksidan, kandungan fenolik total, kandungan flavonoid total bahan merah, *Jurnal Ilmu Kefarmasian Indonesia*, vol. 10, no.1, pp. 13-19.
- Sani, R.N., Fithri C.N., Ria D.A. & Jaya, M.M. 2014, Analisis rendemen dan skrining fitokimia ekstrak etanol mikroalga laut *Tetraselmis chuii*, *Jurnal Pangan dan Agroindustri*, no. 2, vol. 2, pp. 121-126.
- Sapri, Febrianti, P, Faizal, M. 2013, Uji aktivitas antioksidan ekstrak metanol tumbuhan singgah perempuan (*Loranthus* sp) dengan metode DPPH, *Prosiding Seminar Nasional Kimia*, ISBN : 978-602-19421-0-9.
- Sastromidjojo, 1962, *Obat asli indonesia*, Dian Rakyat , Jakarta.
- Sayuti, K. & Yenrina, R. 2015, *Antioksidan Sintetik dan Alami*, Andalas University Press, Padang.
- Savitri, I., Suhendra, L., Wartini, N. 2017, Pengaruh jenis pelarut pada metode maserasi terhadap karakteristik ekstrak *Sargassum polycystum*, *Rekayasa dan Manajemen Agroindustri*, vol. 5, no.3, pp. 93-101.
- Shalmashi, A. & Ali Eliassi, 2008, Solubility of L-(+)-ascorbic acid in water, ethanol, methanol, propan-2-ol, acetone, acetonitrile, ethyl acetate, and tetrahydrofuran from (293 to 323) K, *J. Chem. Eng. Data*, 53, pp. 1332–13341332.
- Senja, R. Y., Issusilaningtyas, E., Nugroho, A. K. & Setyowati, E.P. 2015, The comparison of extraction method and solvent variation on yield and antioxidant activity of *Brassica oleracea* Var. Capitata f. Rubra extract, *Traditional Medicine Journal*, vo. 19, no.1, pp. 43-48.
- Septiana, A. & Asnani, A. 2013, Aktivitas antioksidan ekstrak rumput laut (*Sargassum duplicatum*), *Jurnal Teknologi Pertanian*, vol. 14. no. 2, pp. 79-86.
- Setyati, A., Zainuddin, M. & Pramesti, R. 2017, Aktivitas antioksidan senyawa nonpolar dan polar dari ekstrak makroalga *Acanthophora muscoides* dari pantai krakal yogyakarta, *Jurnal Enggano*, vol. 2, no. 1, pp. 68-77.
- Silvia, Arreneuz, S. & Wibow. A. 2015, Aktivitas antimikroba ekstrak daun soma (*Pleiarium alternifolium* Melch) terhadap jamur *Malassezia furfur* dan bakteri *Staphylococcus aureus*, *JKK*, vol.4, no.3, pp. 84-89.
- Suharman, M.M. 1995, *Analisa instrumental*, Airlangga University Press, Surabaya.

- Susanty & Bachmid, F. 2016, Perbandingan metode ekstraksi maserasi dan refluks terhadap kadar fenolik dari ekstrak tongkol jagung (*Zea mays L.*), *Konversi*, vol. 5, no. 2.
- Susilowati & Suharyanto, 2017, Potensi antioksidan dan kadar fenolik total fraksi air dan fraksi etil asetat daun kelor (*Moringa oleifera* Lamk.), *Jurnal Permata Indonesia*, vol. 8, no. 2, pp. 26-38.
- Supriyanto, Rifa'I & Yunianta, 2018, Aktivitas antioksidan fraksi metanol daun mimba (*Azadirachta Indica* Juss), *Seminar Nasional Inovasi dan Aplikasi Teknologi di Industri*, ISSN 2085-4218.
- Syafii, W., Sari, K. & Maemunah, S. 2014, Uji bioaktivitas zat ekstraktif pohon mindi (*Melia azedarach* Linn) dengan metode brine shrimp lethality test (bioactivity test of mindi extractives (*Melia azedarach* Linn) using brine shrimp lethality test), *Jurnal Ilmu dan Teknologi Kayu Tropis*, vol. 12, no.1.
- Tamat, S.R. T. Wikanta, L.S. & Maulina, 2007, Aktivitas antioksidan dan toksisitas senyawa bioaktif dari ekstrak rumput laut hijau *ulva reticulata* forsskal, *Jurnal Ilmu Kefarmasian Indonesia*, vol. 5, no. 1, pp. 31-36.
- Thompson, E.B. 1985, *Drug bioscreening america*, Graceway Publishing Company, Inc.
- Trifani, 2012, *Ekstraksi pelarut cair-cair*, diakses 5 Februari 2019, <http://awjee>.
- Ueno, Y., Kizaki, M., Nakagiri, R., Kamiya, T., Sumi, H. & Osawa, T. 2002, Dietary glutathione protects rats from diabetic nephropathy and neuropathy. *J Nutr*, 132, pp. 897-900.
- United States Department of Agriculture, 2012, *Plant profil for Melia azedarach Linn. (Chinaberrytree)*, Natural Recources Conservation Service, diakses pada tanggal 1 September 2019, <http://plants.usda.gov/java>.
- Palekahelu, C.Y. 2018, Aktivitas antioksidan dan antibakteri dari ekstrak etanol dan metanol daun Kapehu (*Guioa diplopetala*), Artikel Ilmiah, diakses 28 Oktober 2019, <https://www.researchgate.net/publication/32741508>.
- Viranda, P.M. 2009, *Pengujian kandungan Senyawa yang terdapat dalam Tomat*, Jurnal P, Universitas Indonesia.
- Vermerris, W. & Nicholson, R. 2006, Families of phenolic compounds and means of classification, *Springer*, pp. 1–34.
- Wahyuni, R., Guswandi & Rivai, H. Pengaruh cara pengeringan dengan oven, kering angina dan cahaya matahari langsung terhadap mutu simplisia herba sambiloto, *Jurnal Farmasi Higea*, vol. 6, no. 2, pp. 126-128.
- Wardhani & Sulistyani, 2012, Uji aktivitas antibakteri ekstrak etil asetat daun binahong (*Anredera scandens* (L.) Moq.) terhadap *Shigella flexneri* beserta

- profil kromatografi lapis tipis, *Jurnal Ilmiah Kefarmasian*, vol. 2, no. 1, pp. 1-16.
- Widyawati, P. S., Tarsius, D.W.B., Fenny A.K. & Evelyn L.W. 2014, Difference of solvent polarity to phytochemical content and antioxidant activity of *Pluchea indica* Less Leaves extracts, *International Journal of Pharmacognosy and Phytochemical Research*, vol. 6, no. 4, pp. 850-855.
- Widyasanti, A., Rohdiana, D. & Ekatama, N. 2016, Aktivitas antioksidan ekstrak teh putih (*Camellia sinensis*) Dengan metode DPPH, *FORTECH*, vol. 1, no. 1.
- Winarsi, H. 2007, *Antioksidan alami dan radikal bebas*, Kanisisus, Yogyakarta.
- Wungkana, I., Suryanto1, E. & Momuat, L. 2013, Aktivitas antioksidan dan tabir surya fraksi fenolik dari limbah tongkol jagung (*Zea mays* L.), *Jurnal Ilmiah Farmasi*, vol. 2, no. 04
- Zaidan, S. & Djamil, R. 2013, Isolasi dan identifikasi golongan senyawa flavonoid dalam fasem-butanol dari ekstrak metanol daun mindi, *Seminar Nasional Tumbuhan Obat Indonesia Ke XLIV Pokjanas TOI*, STFI, Palembang.