

## REFERENCES

- Alghazheer, R., Mahboba N., dan Nazlin K. H., 2016, *Anticancer and Antioxidant Activities of Some Alga from Western Libyan Coast*. <http://www.preprints.org>
- Anggadiredja, J.T., Achmad, Z., Heri, P., dan Sri, I. 2011. Rumput Laut. Jakarta: Penebar Swadaya. Hal. 6,20, 63,77-80.
- Apak, R., Gorinstein, S., Böhm, V., Schaich, K.M., Özyürek, M., & Güçlü, K. 2013. Methods of measurement and evaluation of natural antioxidant capacity/activity (IUPAC Technical Report). *Pure Appl. Chem.* 85(5), 957–998.
- Badarinath, A. K. 2010. A Review on In-vitro Antioxidant Methods: Comparisons, Correlations and Considerations. *International Journal of PharmTech Research* CODEN (USA):IJP Vol.2 (2), 276-1285.
- Batubara, I., Julita, I., Darusman, L.K., Muddathir, A.M., Mitsunaga, T. 2015. *Flower Bract of Temulawak (Curcuma xanthorriza) for Skin Care : Anti-Acne and Whitening Agents*. *Procedia Chemistry*, 14 : 216 – 224 pp.
- Calmorin, L. and Calmorin, M. 2007. *Research Methods and Thesis Writing*. Ed. 2nd ed. Rex Bookstore, Inc., p.37.
- Castro, P & Huber, M.E. 2013. *Marine Biology*, McGraw-Hill, New York, 102–113.
- Chang, T.S. 2009. An updated review of tyrosinase inhibitors. *International Journal of Molecular Sciences* 10: 2440-2475
- Chang, V.S. and Teo, S.S. 2016. Evaluation of heavy metal, antioxidant and anti-tyrosinase activities of red seaweed (*Eucheuma cottonii*). *International Food Research Journal* 23(6): 2370-2373.
- Cornish, M.L. and Garbary, D.J. 2010. Antioxidants from macroalgae: Potential applications in human health and nutrition. *Algae*. Pg. 155–171.
- Friedman, M. 1996. Food browning and its prevention: *An overview*. *J. Agric. Food Chem.* 44: 631-653.
- Ganesan P, Chandini SK, Bhaskar N. 2008. Antioxidant properties of methanol extract and its solvent fractions obtained from selected Indian red seaweeds. *Bioresource Technology*. 99: 2717–2723
- Gorman, L., Kraemer, G. P., Yarish, C., Boo, S. M., & Kim, J. K. 2017. *The effects of temperature on the growth rate and nitrogen content of Invasive Gracilaria vermiculophylla and native Gracilaria tikvahiae from Long Island Sound, USA*. *ALGAE*, 32(1), 57–66

- Hamon, VLM & Criton, M. 2009. Phenylethylamide and phenylmethylethylamide derivatives as -new tyrosinase inhibitors. *Biol. Pharmaceut. Bull.* 32: 301-303.
- Holdt, S.L., and Kraan, S. 2011. *J. Appl. Phycol.*, 23(3), 543–597.
- Hoppe, H.A., & Lervig, T., 1982. *Marine Algae in Pharmaceutical Science*, vol. 2. Walter de Gruyter, Berlin.
- Indah Rosulva. 2008. *Pembuatan Agar Bakto dari Rumpun Laut Gelidium sp. dengan Khitosan sebagai Absorben*. Thesis. Fakultas Perikanan dan Ilmu Kelautan IPB.
- Jun, M.H.Y., Fong, J., Wan, X., Yang, C.S., Ho., C.T. 2003. Comparison of Antioxidant Activities of Isoflavones From Kudzu Root (*Pueraria lobata* O). *Journal Food Science Institute of Technology*, 47 : 3954-3962 pp.
- Kamkaen, N., Mulsri, N. & Treesak, C. 2007. Screening of some tropical vegetable for antityrosinase activity. *Journal of Thai Pharmaceutical and Health Science* 2(1): 15-19.
- Kelman, D., Posner, E.K., McDermid, K.J., Tabandera, N.K., Wright, P.R., & Wright, A.D. 2012. Antioxidant activity of Hawaiian marine algae. *Mar. Drugs*, 10, 403–416.
- Kim KY, Choi KS, Kurihara H & Kim SM, 2008,  $\beta$ -Glucuronidase inhibitory activity of bromophenols purified from *Grateloupia elliptica*. *Food Sci. Biotechnol.* 17: 1110-1114.
- Kim, YJ & Uyama, H. 2005. Tyrosinase inhibitors from natural and synthetic sources: structure, inhibition mechanism and perspective for the future. *Cell. Mol. Life Sci.* 62: 1707-1723.
- Kohen, Ron & Nyska, Abraham. 2002. [\*Toxicol Pathol.\*](#) 30(6):620-50
- Kumar KS, Ganesan K, & Rao PVS. 2008. Antioxidant potential of solvent extracts of *Kappaphycus alvarezii*. *Food Chem.* 107: 289-295.
- Kumar, R. 2011. *Research Methodology, A Step-by-step Guide for Beginner*. 3rd Edition. SAGE Publications, London. Pg. 11.
- Kundu, Pushpendu, Bast, Felix, and Rani Pooja. 2017. Taxonomical Synonymy of Red Seaweed *Gracilaria foliifera* (Forsskal) Borgesen, 1932 with *Gracilaria corticata* J. Agardh, 1852 based on Multi- Local Phylogeny. *International Journal of Plant and Environment*. Vol. 3, No. 2. 34-35.
- Malecke, M. 2002. Antioxidant properties of the unsaponifiable matter isolated from tomato seeds, oat grains and wheat germ oil. *Food Chemistry*, 79: 327-330.

- Mallick, N & Mohn, F.H. 2000. Reactive oxygen species: Response of algal cells. *J. Plant. Physiol.* 157, 183– 193.
- Manach, C, Scalbert, A, Morand, C, Rémésy & C, Jiménez, L. 2004. Polyphenols: Food sources and bioavailability. *Am. J. Clin. Nutr.* 79, 727–747.
- Marbun, Viesta Ester Riani. 2012. *Aktivitas Anti Bakteri Ekstrak Laurencia sp Terhadap Escherichia coli IFO 3301 dan Staphylococcus aureus IFO 13276 Menggunakan Variasi Metode Maserasi dan Pengekstrak*. S1 thesis, UAJY.
- McHugh DJ. 2003. *A Guide To The Seaweed Industry*. [www.fao.org/seaweed](http://www.fao.org/seaweed). accessed on 28 July 2019.
- Monsen, ER., L Van Horn. 2008. *Research: Successful Approaches*. Chicago: American Dietetic Association
- Nagi A. Al-Haj, Numas I. Mashan, Mariana N. Shamsudin, Habsah Mohamad, Charles S, Vairappan & Zamberi Sekawi. 2009. *Research Journal of Biological Sciences*. 4(4): Pg. 519-524, ISSN: 1815-8846.
- Narayanaswamy, N., Rohini, S., Duraisamy, A. and Balakrishnan, K.P. 2011. Antityrosinase and antioxidant activities of various parts of *Mimusops elengi*: A comparative study. *International Journal of Research in Cosmetic Science* 1(1): 17-22.
- Nur, Syamsu, Rumiati, and Endang Lukitaningsih. 2017. Screening of Antioxidants, Anti-aging, and Tyrosinase Inhibitory Activities of Ethanolic and Ethyl Acetate Extracts of Fruit Flesh and Fruit Peel Langsat (*Lansium domesticum* Corr) In-Vitro. *Traditional Medicine Journal*, vol. 22(1).
- Ohta T, Sasaki S, Oohori T, Yoshikawa S. & Kurihara H. 2002.  $\alpha$ -Glucosidase inhibitory activity of a 70% methanol extract from Ezoishige (*Pelvetia babingtonii* de Toni) and its effect on the elevation of blood glucose level in rats. *Biosci. Biotechnol. Biochem.* 66: 1552-1554.
- Özer, Ö., Mutlu, B. & Kivçak, B. 2007. Antityrosinase activity of some plant extracts and formulations containing ellagic acid. *Journal of Pharmaceutical Biology* 45(6): 519-524.
- Parvez, S, Kang, M, Chung H.S. & Bae H. 2007. Naturally occurring tyrosinase inhibitors: Mechanism and applications in skin health, cosmetics and agriculture industries. *Phytother. Res.* 21: 805-816.
- Petit, L. & Pierard, G.E. 2003. Skin-lightening products revisited. *International Journal of Cosmetic Science* 25: 169–181.

- Rajauria G, Foley B, Abu-Ghannam N. 2016. Identification and characterization of phenolic antioxidant compounds from brown irish seaweed himanthalia elongata using LC-DAD-ESI-MS/MS. *Journal Innovative Food Science and Emerging Technologies*. 37: 261-268.
- Rochas, C., & Lahaye, M. 1989. Average molecular weight and molecular weight distribution of agarose and agarose-type polysaccharides. *Carbohydrate Polymers*, 10(4), 289–298
- Rosni, S. Mohd., Fisal, A., Azwan, A., Chye, F. Y. and Matanjun, P. Crude proteins, total soluble proteins, total phenolic contents and SDS-PAGE profile of fifteen varieties of seaweed from Semporna, Sabah, Malaysia. *International Food Research Journal* 22(4): 1483-1493.
- Rueness, J., & Fredriksen, S. 1989. Field and culture studies of *Gelidium latifolium* (Grev.) Born. & Thur. (Rhodophyta) from Norway. *Sarsia*, 74(3), 177–185. doi:10.1080/00364827.1989.10413426
- [Safer AM](#) and [al-Nughamish AJ](#). 1999. Hepatotoxicity induced by the anti-oxidant food additive, butylated hydroxytoluene (BHT), in rats: an electron microscopical study. *Histol Histopathol*. 14(2):391-406. doi: 10.14670/HH-14.391.
- Sandsdalen E, Haug T, Stensvåg K, and Styrvold OB. 2003. The antibacterial effect of a polyhydroxylated fucophlorethol from the marine brown alga, *Fucus vesiculosus*. *World J. Microbiol. Biotechnol*. 19: 777-782.
- Sari, Bina Lohita, Nurulia Susanti, Sutanto. 2015. Skrining Fitokimia dan Aktivitas Antioksidan Fraksi Etanol Alga Merah *Eucaema spinosum*. *Pharm Sci Res* Vol. 2 No. 2. ISSN 2407-2354.
- Setiawati, Tia & Sari, Maitala. 2017. Analisis Kandungan Vitamin C Makroalga serta Potensinya bagi Masyarakat di Kawasan Pantai Timur Cagar Alam Pananjung Pangandaran. *June Ed. Vol. X* No. 2 ISSN 1979-8911.
- Srivastava, R., and Kulshreshtha, D.K., 1989. Bioactive polysaccharide from plants. *Phytochemistry* 28, 2877–2883.
- Suvetha Karupanan & Mazher Sultana. 2017. An Overview on *Gracilaria Folliifera*. *Indo American Journal of Pharmaceutical Research*. Vol. 7(01).
- Velioglu, Y.S., G. Mazza, L. Gao. and B.D. Oomah. 1998. Antioxidant activity and total phenolics in selected fruits, vegetables and grain products. *Journal of Agricultural and Food Chemistry* 46: 4113–4117.
- Vijayabaskar,P., Shiyamala,V. 2012. Antioxidant properties of seaweed polyphenol from *Turbinaria ornata* (Turner) J. Agardh, 1848. *Asian Pac J Trop Med*, S90–S98.

- Wasilah, 2017. *Substitusi Bubur Rumput Laut (Eucheuma cottonii) dan Berbagai Jenis Tepung Singkong untuk Peningkatan Kualitas Nugget Ayam*. Thesis. University of Muhammadiyah Malang.
- Whitaker, JR. 1995. *Polyphenol oxidase*. In: DWS Wong, Editor. Food Enzymes, structure and mechanism. New York: Chapman & Hall. pp. 271-307.
- Wu, X, J. & Hansen, C. (2008). Antioxidant capacity, phenolic content, polysaccharide content of *Lentinus edodes* grown in Whey permeate based submerged culture. *J. Food Sci.* 73, 434–438.
- Xu N, Fan X, Yan X, Li X, Niu R. & Tseng CK. 2003. Antibacterial bromophenols from marine red alga *Rhodomela confervoides*. *Phytochemistry*, 62: 1221-1224.
- Yang EC, Boo SM, Bhattacharya D, [Saunders GW](#), Knoll AH, [Fredericq S](#), Graf L, and Yoon HS. 2016. Divergence time estimates and evolution of major lineages in the florideophyte red algae. *Scientific Reports (Nature)* 6: 21361. DOI: 10.1038/srep21361.
- Yanuarti R, Nurjanah, Anwar E, Hidayat T. 2017. Profil fenolik dan aktivitas antioksidan dari ekstrak rumput laut *Turbinaria conoides* dan *Eucheuma cottonii*. *Jurnal Pengolahan Hasil Perikanan Indonesia*. 20(2): 230-237.
- Yoon NY, Eom TK, Kim MM. & Kim SK. 2009. Inhibitory effect of phlorotannins isolated from *Ecklonia cava* on mushroom tyrosinase activity and melanin formation in mouse B16F10 melanoma cells. *J. Agric. Food Chem.* 57: 4124-4129.
- Zakaria, Nurul Aili, Darah Ibrahim, Shaida Fariza Sulaiman, & Nor Afifah Supardy. 2011. Assessment of antioxidant activity, total phenolic content and invitro toxicity of Malaysian red seaweed, *Acanthophora spicifera*. *Journal of Chemical and Pharmaceutical Research*, 3(3):182-191.
- Zamani NP, Gazali M, Batubara I. 2015. The study of tyrosinase and antioxidant activity of *Xylocarpus Granatum* koenig seed kernel extract toward evidence based indigenous knowledge form togean archipelago, Indonesia. *Marine Scientific Reasearch and Development*. 5(3): 1-5.
- Zern, T.L & Fernandez, M.L. 2005. Cardioprotective effects of dietary polyphenols. *J. Nutr.* , 135, 2291–2294.