

DAFTAR PUSTAKA

- Adenan, N.S., F. Md. Yusoff & M. Shariff., 2013. Effect of Salinity and Temperature on the Growth of Diatoms and Green Algae. *Journal of Fisheries and Aquatic Science*, 8(2), pp.397-404.
- Abid, O., Sellami-Kammoun, A., Ayadi, H., Drira, Z., Bouain, A. & Aleya, L., 2008. Biochemical Adaptation of phytoplankton to salinity and nutrient gradients in a coastal solar saltern, Tunisia. *Estuarine, Coastal and Shelf Science*, 80, pp.391-400.
- Agustini, N. W. S. 2014. Kandungan Pigmen Astaxanthin dari Mikroalga *Botryococcus braunii* pada Berbagai Penambahan Nitrogen dan Phosphor. Seminar Nasional XI Pendidikan Biologi FKIP UNS, 7 Juni 2014. Solo. pp.156-164.
- Agustini, N. W. S., Kusmiati, & D.Handayani, 2017. Antibacterial Activity and Fatty Acid Compounds Identification from Microalgae *Lyngbya* sp. *Biopropal Industri*, 8(2), pp.99-107.
- Arifin, Z., 2010. *Pengaruh Salinitas dan Konsentrasi CO₂ terhadap Pertumbuhan dan Kadar Lipid Mikroalga *Nannochloropsis* sp.*, Bogor: Bioteknologi.
- Arinardi, O. H., Trimaningsih & Sudirdjo, 1994. *Pengantar tentang Plankton serta Kisaran Kelimpahan dan Plankton Predominan di Sekitar Pulau Jawa dan Bali.*, Jakarta: Oseanologi-LIPI.
- Becker, E. W., 1994. *Mikroalga Bioteknologi dan Mikrobiologi*. New York: Cambridge University Press.
- Bertrand, E. M., Saito, M. A., Rose, J. M., Riesselman, C. R., Lohan, M. C., Noble, A. E., Lee, P. A. & DiTullio, G. R., 2007. Vitamin B12 and iron colimitation of phytoplankton growth in the Ross Sea. *Limnology and Oceanography* 52, pp.93-1079.
- Bligh, E. & Dyer, W., 1959. A rapid method of total lipid extraction and purification, *Can. J. Biochem. Physiol*, 37, pp.911-917.
- Brown, M. R., Jeffrey, S. W., Volkman, J. K. & Dunstan, G. A., 1997. Nutritional properties of microalgae for mariculture. *Aquaculture* 151, pp.315-31.
- Cahyaningsih, S., Muchtar, A. N. M., Purnomo, S.J., Pujiati, Kusumaningrum, I., Haryono, A. Slamet., Y; ulaeni, F., Ramadhan, F. & Bagus., 2006. *Petunjuk Teknis Produksi Pakan Alami*. Situbondo: Departemen Kelautan dan Perikanan Direktorat Jenderal Perikanan Budidaya Balai Budidaya Air Payau Situbondo.
- Choi, M Kim, N., Terasaki, J. & Ryoo, R., 2009. The synthesis of hierarchicallyporous BEA zeolit via pseudomorfik crystalization. *Chem. Com*, 1, pp.2845-2847.
- Chien, Y. H., 1992. Water Quality Requirement and Management for Marine Shrimp Cultur. Review. *Water Quality Management*, 1, pp.144-151.

- Colby, D., 1988. *Biokimia. Alih Bahasa: Adji Dharma*, Jakarta: EGC.
- Cooksey, K. E. & Chansang, H., 1976. Isolation and physiological studies on three isolates of *Amphora* (Bacillariophyceae). *Journal of Phycology*, 12, pp.455-60.
- Converti, A., Casazza, A.A., Ortiz, E.Y., Perego, P., Del Borghi, M., 2009. Effect of temperature and nitrogen concentration on the growth and lipid content of *Nannochloropsis oculata* and *Chlorella vulgaris* for biodiesel production. *Chemical Engineering and Processing: Process Intensification*, 48(6), pp.1146-1151.
- Crawford, R. M., 1979. Filament formation in the diatom genera *Melosira* C.A. Agardh and *Paralia* Heiberg. *Nova Hedwigia*, 64, pp.121-133
- Cupp, E. E., 1943. *Marine Plankton Diatoms of the West Coast of North America*. University of California Press. Berkeley, California. pp.238.
- Daefi, T., Tugiyono, Rusyani, E. & Murwarni, S., 2017. Pertumbuhan dan Kandungan Gizi *Nannochlorosis* sp. yang Diisolasi dari Lampung Mangrove Center dengan Pemberian Dosis Urea Berbeda pada Kultur Skala Laboratorium. *Jurnal Biologi Eksperimen dan Keanekaragaman Hayati*, 4 (1), pp.39-46.
- Dahmen, I., Chtourou, H., Rezgui, F., Sayadi, S., Dhouib, A., 2016. Salinity stress increases lipid, secondary metabolites and enzyme activity in *Amphora subtropica* and *Dunaliella* sp. for biodiesel production. *Bioresour. Technol.* 218, pp.816–825
- Darley, W.M., 1982. *Algal Biology: A Physiological Approach*. Department of Botany. The University of Georgia.
- Dayananda, Sarada, Komar, & Ravishan, V., 2007. Isolation and characterization of hydrocarbon producing green alga *Botryococcus braunii* from Indian freshwater bodies. *Electronic Journal of Biotechnology*, 1(10), pp.80-91.
- Edward, Evans, 2010. *Academic Librarianship*. New York: *Neal-Schuman Publishers, Inc.*
- Endar, Herawati, & Vivi, 2012. Pengaruh Penggunaan Dua Jenis Media Kultur Teknis yang Berbeda terhadap Pola Pertumbuhan, Kandungan Protein dan Asam Lemak Omega 3 EPA (*Chaetoceros gracilis*). *Journal of Aquaculture Management and Technology*, 1, pp.221-235.
- Fabregas, J., Herrero, C., Abalde, J. & B.Cabezas, 1985. Growth Chlorophyll and Protein of the Marine Microalga *Isochrysis galbana* in Bath Culture with Different Salinities and High Nutrient Concentrations. *Aquaculture*, 50, pp.43-56.
- Fachrullah, M. R., 2011. Laju pertumbuhan mikroalga penghasil Biofuel jenis *Chlorella* sp. dan *Nannochloropsis* sp. yang dikultivasi menggunakan air limbah hasil penambangan timah di Pulau Bangka. Skripsi, Fakultas Perikanan dan Ilmu Kelautan. Institusi Pertanian Bogor, Bogor.

- Fadilla, Z. 2010. Pengaruh konsentrasi limbah cair tahu terhadap pertumbuhan mikroalga *Scenedesmus* sp. Skripsi. Fakultas Sains dan teknologi. Universitas Islam Negeri Syarif Hidayatullah, Jakarta.
- Fan, J., Cui, Y., Wan, M., Wang, W., Li, Y., 2014. Lipid accumulation and biosynthesis genes response of the oleaginous *Chlorella pyrenoidosa* under three nutrition stressors. *Biotechnol. Biofuels* 7, pp.17.
- Febtisuhasri, A., 2016. Kepadatan Sel dan Kadar Lipid Mikroalga *Chlorella* sp. pada Kultur Media Alternatif Kotoran Ternak. *Skripsi*. Universitas Sebelas Maret, Surakarta.
- Fields, M.W., A.Hise, E.J. Lohman, T. Bell, R.D. Gardner, L. Corredor, K. Moll, B.M. Peyton, G.W. Characklis, R. Gerlach, 2014. Sources and Resources: Importance of Nutrients, Resource Allocation, and Ecology in Microalgal Cultivation for Lipid Accumulation, *Appl. Microbiol. Biotechnol*, 98:4805– 4816.
- Gao, Y., Gregor, C., Liang, Y., Tang, D., & Tweed, C., 2009. Algae Biodiesel. *A Feasibility Report on Bpro29000*, 43, pp.44-65.
- Grimma, E.M., F.G. Camacho, F.A.Sanchez perez & J.L. Gracia Sanchez. 1992. Biochemical productivity of *isochrysis galbana* parke and *Tetraselmis* sp. as a function of incident light intensity. *Process Biochemistry*.29 pp.119-126.
- Guiry, MD., 2018. *AlgaeBase* .Publikasi elektronik di seluruh dunia, National University of Ireland, Galway. <http://www.algaebase.org>; dicari pada 04 Desember 2018. Algae Base. World-wide electronic publication. National University of Ireland. Galway. <http://www.algaebase.org>
- Guillard, R. & Ryther, J., 1962. Studi tentang Diatom Kelautan Planktonik I. *Cyclotella nana* Hustedt dan *Detonula confervacea* (Cleve) Gran. *Jurnal Mikrobiologi Kanada*, 8, pp.229-239.
- Guschina, I. A. & Harwood, J. L., 2006. Lipids and lipid metabolism in eukaryotic algae. *Progress in Lipid Research* 45, pp.160-86.
- Hansen, 2000. *Laboratory Procedures "Haemocytometer"*, florida: University of florida.
- Hansen, 2003. *Haemocytometer*; <http://www.animal.ufl.edu/hansen/protocols/hemocytometer.htm>. Tanggal akses: 5 Oktober 2018.
- Ho, S.-H., Chen, C.-Y., Chang, J.-S., 2012. Effect of light intensity and nitrogen starvation on CO₂ fixation and lipid/carbohydrate production of an indigenous microalga *Scenedesmus obliquus* CNW-N. *Bioresour. Technol.* 113, pp.244– 252.
- Hu, Q., Sommerfeld, M., Jarvis, E., Ghirardi, M., Posewitz, M., Seibert, M. & Darzins, A. 2008. Microalgal triacylglycerols as feedstocks for biofuel production: perspectives and advances. *The Plant Journal* 54, pp.39-621.

- Huang, W.W., B.Z. Dong, Z.P. Cai dan S.S. Duan. 2011. Growth Effect on Mixed Culture of *Dunaliella salina* and *Phaeodactylum truncatum* Under Different Inoculation Densities and Nitrogen Concentrations. *Afr. J. Biotechnol.*, 10:13164-13174
- Isnansetyo, A. & Kurniastuty, 1995. *Teknik Kultur Phytoplankton dan Zooplankton;Pakan Alami untuk Pembenihan Organisme Laut*, Yogyakarta: Kanisius.
- Kabinawa, 2008. Biodiesel energi terbarukan dari mikroalga. *Warta Pertamina*, 9, pp.31-35.
- Kawaroe, M., 2010. *Mikroalga Potensi dan Pemanfaatannya Untuk Produksi Bio Bahan Bakar*. Bogor: IPB (Bogor Agricultural University).
- Kennish, M.J., 1990. *Ecology of Estuaries; Volume II Biological Aspect*. CRC Press. Boca Raton, Ann Arbor, Boston, 155-269 pp.
- Kim, B.-H., Ramanan, R., Kang, Z., Cho, D.-H., Oh, H.-M., Kim, H.-S., 2016. *Chlorella sorokiniana* HS1, a novel freshwater green algal strain, grows and hyperaccumulates lipid droplets in seawater salinity. *Biomass Bioenergy* 85, pp.300-305.
- Kusumaningtyas, P., Nurbaiti, S., Suantika, G., Amran, M.B., Nurachman, Z., 2017. Enhanced oil productivity by the tropical marine diatom *thalassiosira* sp. cultivated in outdoor photobioreactors. *Springer*, 181, pp.1-14.
- Laigh, I. & Helm, M. M., 1981. Factor Affecting The Semicontinues Production of. *Aquaculture*, 22, pp.137-148.
- Martinez-Roldan AJ, Perales-Vela HV, Canizares-Villanueva RO, Torzillo G., 2014. Physiological response of *Nannochloropsis* sp. to saline stress in laboratory batch cultures. *J Appl Phycol* 26, pp.115-121.
- Masithah, Siti F., 2011. Perancangan Bioreaktor Untuk Budidaya Mikroalga. SKRIPSI. *Universitas Brawijaya*. Malang.
- Matsubara, T., Nagasoe, S., Yamasaki, Y., Shikata, T., Shimasaki, Y., Oshima, Y. & Honjo, T., 2007. Effects of temperature, salinity, and irradiance on the growth of the dinoflagellate *Akashiwo sanguinea*. *Journal of Experimental Marine Biology and Ecology*, 30, pp. 226-342.
- Milledge JJ, Heaven S., 2013. A review of the harvesting of micro-algae for biofuel production. *Rev Environ Sci Biotechnol.*12, pp.165-178.
- Mohan, S.V., Devi, M.P., 2014. Salinity stress induced lipid synthesis to harness biodiesel during dual mode cultivation of mixotrophic microalgae. *Bioresour. Technol.* 165, pp.288-294.
- Musa, B., I. Raya, S. Dali. 2013. *Pengaruh penambahan ion Cu²⁺ terhadap laju pertumbuhan fitoplankton Chlorella vulgaris*. Penelitian. Fakultas MIPA. Universitas Hasanuddin, Makassar.

- Musdalifah, Rustam, Y. & Amini, S., 2013. Kultivasi dan Ekstraksi Minyak dari Mikroalga *Botryococcus braunii* dan *Nannochloropsis* sp. *Bioma*, 11 (1), pp.1-14.
- Nigam, S., Monika, P., & Sharma, R., 2011. Effect of Nitrogen on Growth and Lipid Content of *Chlorella pyrenoidosa*. *American Journal of Biochemistry and Biotechnology*, 7, pp.126-131.
- Nurhayati, tri., Mochamad Bagus Hermanto, dan Musthofa Lutfi, 2013. Penggunaan Fotobioreaktor Sistem Batch Tersirkulasi terhadap Tingkat Pertumbuhan Mikroalga *Chlorella vulgaris*, *Chlorella* sp. dan *Nannochloropsis oculata*. *Jurnal keteknik pertanian dan biosistem*, 3, pp.249-257.
- Nybakken, J., 1992. *Biologi Laut Suatu Pendekatan Ekologis*. PT.Gramedia. Jakarta. 480 hlm.
- Oktaviani, D., Adisyahputra, & Amelia, N., 2017. *Pengaruh Kadar Nitrat Terhadap Pertumbuhan dan Kadar Lipid Mikroalga Melosira sp. sebagai Tahap Awal Produksi Biofuel*. 1 penyunt. Jakarta: Jurnal Risenologi Kpm UNJ.
- Oswald, W., 1988. Large scale algal culture systems (engineering aspects). in: M.A. Borowitzka & L.J. Borowitzka (Eds.) *Microalgal Bioteknologi*. Cambridge University Press, 1, pp.357-394.
- Panggabean, M. L. G. & Sutomo, 2012. Pertumbuhan Biomasa, Klorofil-A, Asam Lemak Mikroalga *Melosira* sp. *Puslit Oseanografi & Puslit Limnologi LIPI*, 38, pp. 105-113.
- Panggabean, M. L. G. & Sutomo, 2000. *Morfologi dan Reproduksi Melosira sp.* Pros. Sem. Nas. Biologi XVI, Bandung: Kampus ITB.
- Petil, V., Tran, K. & Giselrod, 2008. Towards sustainable production of biodiesels from microalgae. *Int. J. Mol. Sci*, 9, pp.1158-1195.
- Pisal, S.D., and S, Lele, 2005. Carotenoid from Mikroalga *Dunaliella salina*. *Indian Journal of Biotechnology*. (4), pp.476-483.
- Putra, I. K. R., D. Anggreni, I. W. Arnata. 2014. Pengaruh jenis media terhadap konsentrasi biomassa dan klorofil mikroalga *Tetraselmis chunii*. Fakultas Teknologi Pertanian. Universitas Udayana, Bali.
- Rao, R., 2006. *Effect of Salinity on Growth of Green Microalgae Botryococcus braunii and its Constituents*. India, Central Food Technological Research Institute.
- Rao, A.R., Dayananda, C., Sarada, R., Shamala, T.R., & Ravishankar, G.A., 2007. Effect of Salinity on Growth of Green mikroalga *Botryococcus Braunii* and Its Constituents. *Bioresource Technology*. (98), pp. 560–564.
- Renaud, S. & Parry, D., 1994. Microalgae for use in tropical aquaculture II: Effect of salinity on growth, gross chemical composition and fatty acid composition of three species of marine microalgae. *Journal of Applied Phycology*, 6, pp.56-347.

- Rodolfi L, Chini Zittelli G, Bassi N, Padovani G, Biondi N, Bonini G., 2009. Microalgae for oil: strain selection, induction of lipid synthesis and outdoor mass cultivation in a low-cost photobioreactor. *Biotechnol Bioeng.* 12. pp.100-102
- Round, FE, Crawford, RM dan Mann, DG., 1990. The Diatoms. Biologi dan Morfologi Genera. *Cambridge University Press, Cambridge, 747 hal.*
- Rubio, C.F., F. Garcia, J.M. Fernandez, Y. Chisti and Molina, E., 2003. A Mechanistic Model of Photosynthesis in Microalgae. *Biohecnol Bioeng,* 81, pp.59-73.
- Rudiyanti, S., 2011. Pertumbuhan *Skeletonema costatum* pada berbagai tingkat salinitas media. *Jurnal Saintek Perikanan,* 6(2), pp. 69-79.
- Salim, moh agus. 2015. Kadar Lipida *Scenedesmus* sp. Pada Kondisi Miksotrof Dan Penambahan Sumber Karbon Dari Hidrolisat Pati Singkong. edisi 1X, 2, pp.1979-8911.
- Santhosh, S., Dhandapani, R. & Hemalatha, N., 2016. Bioactive compounds from Microalgae and its different applications-a review. *Advances in Applied Science Research,* 7(4), pp.153-158.
- Schenk, M.P., R.T. Skye, S. Evan, C.M. Ute, H.M. Jan, P. Clemens, K. Olaf and H. Ben., 2008. Second Generation Biofuels: High-Efficiency Mikroalgae for Biodiesel Production. *Bioenergy Research,* 1 (1), pp.20- 43.
- Sen B, Alp MT, and Kocer MAT., 2005. Studies on Growth of Marine Microalgae in Batch Culture: II. *Isochrysis galbana* (haptophyta). *Asian Journal of Plant Sciences.* 4(6), pp.639-641.
- Sheehan, T. D. J., Benemann, J. & Roessler, P., 1998. A look back at the U.S. Department of energy's aquatic species program-biodiesel from algae. *NREL/TP-* pp.580-24190.
- Singh, R.S., Pandey, A., Gnansounou, E., 2016. *Biofuels: Production and Future Perspectives.* CRC Press.
- Sobari, R., Susanto A. B., Susilaningsi, D. & Delicia, Y. R., 2013. Kandungan Lipid Beberapa Jenis Sianobakteria Laut Sebagai Bahan Sumber Penghasil Biodiesel, *Marine Research,* 2 (1), pp.112-119.
- Spoehr, H. A. & Milner, H. W., 1949. The chemical composition of *Chlorella*: Effect of environmental conditions. *Plant Physiology* 24, pp.120-49.
- Suantika, G. & Hendrawandi, D., 2008. Efektivitas Teknik Kultur Menggunakan Sistem Kultur Statis, Semi-Kontinyu dan Kontinyu terhadap Produk dan Kultur *Spirulina* sp. *Jurnal Matematika dan Sains,* (2), pp.14.
- Subekti, D. A., P. Sukardi, T. Winanto. 2010. Pengaruh berbagai komposisi tingkat konsentrasi media pupuk urea terhadap kandungan glukosa *Nannochloropsis* sp. sebagai alternatif bahan baku bioetanol. Jurusan Perikanan dan Kelautan Fakultas Sains dan Teknik. Universitas Jenderal Soedirman, Purwokerto.

- Steel, R. & Torrie, J., 1993. *Prinsip dan Prosedur Statistika Terjemahan Bambang Sumantri*. Jakarta, Gramedia.
- Stoermer, E.F. & Julius, M.L., 2003. Centric diatoms. In: Wehr, JD, Sheath, RG. (eds). *Freshwater algae of North America: ecology and classification*. San Diego, Academic Press, pp.559-594.
- Takagi, M., Karseno & Yoshida, T. 2006. Effect of salt concentration on intracellular accumulation of lipids and triacylglyceride in marine microalgae *Dunaliella* cells. *Journal of Bioscience and Bioengineering*, 101, pp.223-26.
- Talebi, A.F., Tabatabaei, M., Mohtashami, S.K., Tohidfar, M., Moradi, F., 2013. Comparative salt stress study on intracellular ion concentration in marine and salt-adapted freshwater strains of microalgae. *Not. Sci. Biol.* 5, pp.309-315.
- Widianingsih, H. R., Endrawati, E. & Hilal, M., 2011. Kajian Kadar Total Lipid dan Pertumbuhan *Nitzschia* sp. yang Dikultur dengan Salinitas Berbeda. *Undip E-Journal*, 1, pp.4030-8655.
- Widianingsih, Ridho, A., Hartati, R. & Harmoko, 2008. Kandungan Nutrien *Spirulina platensis* yang dikultur pada Media yang Berbeda. *Jurnal Ilmu Kelautan*, 13, pp.167-170.
- Yilancioglu, K., Cokol, M., Pastirmaci, I., Erman, B., Cetiner, S., 2014. Oxidative stress is a mediator for increased lipid accumulation in a newly isolated *Dunaliella salina* strain. *PLoS ONE*, 9, pp.91-957.