

DAFTAR PUSTAKA

- Al-Lela, O. Q. B., Hassan, Y., & Aziz, N. A, 2010. Pharmacokinetics study of phenytoin in Malaysian pediatric patients at Penang Hospital, *Int J Pharm Pharm Sci*, 2, 4.
- Andrianti, P. T., Gunawan, P. I., & Hoesin, F, 2016, Profil Epilepsi Anak dan Keberhasilan Pengobatannya di RSUD Dr. Soetomo Tahun 2013, *Sari Pediatri*, 18(1), 34-39.
- Appleton, R. E., & Cross, J. H, 2005, Drug treatment of paediatric epilepsy, *Epilepsy*, 313.
- Bauer, A.Larry, 2008, *Applied Clinical Pharmacokinetics*, 2th Ed, New York: The Graw-Hill Companies.
- Bandagi, R., Daswani, B., & Ghongane, B. (2016). Therapeutic Drug Monitoring of Carbamazepine and Phenytoin: Monotherapy versus Combination Therapy.
- Brodie, M. J., & Sills, G. J, 2011, Combining antiepileptic drugs-rational polytherapy, *Seizure*, 20(5), 369-375.
- Camfield, P., & Camfield, C, 2015, Incidence, prevalence and aetiology of seizures and epilepsy in children, *Epileptic Disorders*, vol. 17, no. 2, pp. 117-123.
- Clark, A. M., Finkel, R., Rey, A. J., Whalen, K, 2012, Lippincott's Illustrated Reviews : *Pharmacology*, Edisi 5, 15 : 183, Lippincott Williams & Wilkins, Philadelphia.
- Cruz, M. M., Ruiz, M. E., Romero, A. A. C., & Robles-Piedras, A. L, 2017, Appropriateness of Antiepileptic Drug-Level Monitoring at A Childrens' Hospital in Mexico, *Biomedical and Pharmacology Journal*, 10(1), 329-335.
- DiPiro J.T., Wells B.G., Schwinghammer T.L. and DiPiro C. V., 2015, *Pharmacotherapy Handbook*, Ninth Edit., McGraw-Hill Education Companies, Inggris.
- Epilepsy Society, 2018, Epilepsy in Childhood, diakses pada 03 Februari 2020, <https://www.epilepsysociety.org.uk/epilepsy-childhood>
- Eroglu, E., Harmanci, N., Yildirim, E., & Sirmagül, B, 2020, Therapeutic Drug Monitoring Of Antiepileptic Drugs In Turkey: Five Years' Experiences, *Osmangazi Tip Dergisi*, Doi: 10.20515/otd.767494.
- Fisher, R. S., Cross, J. H., French, J. A., Higurashi, N., Hirsch, E., Jansen, F. E., ... & Scheffer, I. E, 2017, Operational classification of seizure types by the

International League Against Epilepsy: Position Paper of the ILAE Commission for Classification and Terminology, *Epilepsia*, 58(4), 522-530.

Food and Drug Administration, 2014, Pediatric Exclusivity Study Age Group, diakses 15 September 2020, <https://www.fda.gov/drugs/data-standards-manual-monographs/pediatric-exclusivity-study-age-group>.

Goodman & Gilman, 2012, *Dasar Farmakologi Terapi*, Edisi 10, Editor Joel G. Hardman & Lee E. Limbird, Konsultan Editor Alfred Goodman Gilman, Diterjemahkan oleh Tim Alih Bahasa Sekolah Farmasi ITB, Penerbit Buku Kedokteran EGC, Jakarta.

Gunn R, Stapley HB, 2017, *Epilepsy 2017. A Practical Guide to Epilepsy: International League Against Epilepsy*.

Gupta, M., & Tripp, J, 2019, Phenytoin, In *StatPearls [Internet]*, StatPearls Publishing.

Hakim, Lukman, 2012, *Farmakokinetika klinik*, Seri Farmasi Klinik, Bursa Ilmu, Yogyakarta.

Harsono, 2011, *Buku Ajar Neurologi Klinis*, Gajah Mada University Press, Yogyakarta.

Ikawati, Z, 2011, *Farmakoterapi Penyakit Sistem Syaraf Pusat*, Cetakan Ketiga, 85-102, Bursa Ilmu, Yogyakarta.

Jacob, S., dan Nair, A. B, 2016, An updated overview on therapeutic drug monitoring of recent antiepileptic drugs, *Drugs in R&D*, 16(4), 303-316.

Khairani, A. F., Sejahtera, D. P., & Fauzal, I. A, 2019, Strategi pengobatan epilepsi: monoterapi dan politerapi. *Berkala NeuroSains*, 18(3), 115-119.

Krasowski, M. D., & Penrod, L. E, 2012, Clinical decision support of therapeutic drug monitoring of phenytoin: measured versus adjusted phenytoin plasma concentrations, *BMC medical informatics and decision making*, 12(1), 7.

Katzung, B.G., Susan, B.M., Anthony J.T., 2012, *Basic & Clinical Pharmacology* 12th Edition, McGraw Hill Lange.

Khairin, K., Zeffira, L., & Malik, R, 2020, Karakteristik Penderita Epilepsi di Bangsal Anak RSUP Dr. M. Djamil Padang Tahun 2018. *Health and Medical Journal*, 2(2), 16-26.

Kusumastuti, K., Gunadharma, S., Kustiowati, E., 2014, *Pedoman Tatalaksana Epilepsi*, Perhimpunan Dokter Spesialis Saraf Indonesia, Jakarta.

Lacy, C.F., Amstrong, L. L., Goldman, M.P., Lane L.L. 2006, *Drug Information Handbook*, 14th ed, Lexa Comp, USA.

- Lee, J. W., & Dworetzky, B, 2010, Rational polytherapy with antiepileptic drugs, *Pharmaceuticals*, 3(8), 2362-2379.
- Lingga, H. N., & Hakim, L, 2013, *Evaluasi Dosis Asam Valproat yang digunakan pada Pasien Epilepsi Anak di RSUD Sleman Yogyakarta* (Doctoral dissertation, [Yogyakarta]: Universitas Gadjah Mada).
- Mangunatmadja, I., Mulyani, D. I., Pardede, S. O., Tridjadja, B., & Wulandari, H. F, 2019, Faktor Risiko Epilepsi Intrakabel pada Anak dengan Epilepsi Umum, *Journal Of The Indonesian Medical Association*, vol. 69, no. 2, pp. 59-65.
- Mehndiratta, S, 2016, Phenytoin-induced encephalopathy in a child, *Indian journal of pharmacology*, 48(4), 460.
- Muttaqin Z, 2012, Epilepsy Surgery in Indonesia: Achieving a Better Result with Limited Resources, *Bali Med J*, 1(2):57–63.
- O'Hara, K, 2016, Paediatric pharmacokinetics and drug doses, *Australian prescriber*, 39(6), 208.
- Pati, S., & Alexopoulos, A. V, 2010, Pharmacoresistant epilepsy: from pathogenesis to current and emerging therapies, *Cleve Clin J Med*, 77(7), 457-567.
- Perucca, P., Scheffer, I. E., & Kiley, M, 2018, The management of epilepsy in children and adults, *Medical Journal of Australia*, 208(5), 226-233.
- Perucca, E, 2006, Clinically relevant drug interactions with antiepileptic drugs, *British journal of clinical pharmacology*, 61(3), 246-255.
- Patsalos PN, Berry DJ, Bourgeois BF, Cloyd JC, Glauser TA, Johannessen SI, Leppik IE, Tomson T and Perucca E, 2008, Antiepileptic drugs--best practice guidelines for therapeutic drug monitoring: A position paper by the subcommission on therapeutic drug monitoring, ILAE Commission on Therapeutic Strategies. *Epilepsia.*, 49: 1239-1276.
- Patsalos, P. N., Spencer, E. P., & Berry, D. J, 2018, Therapeutic drug monitoring of antiepileptic drugs in epilepsy: a 2018 update, *Therapeutic drug monitoring*, 40(5), 526-548.
- Rahmatullah, W.S., Hakim, L., Pramantara, I.D.P., 2013, Perkiraan Kadar Fenitoin dalam Darah dan hasil Terapi Pada Pasien Epilepsi, *Jurnal Manajemen dan Pelayanan Farmasi*, Vol 3, 2: 132-136.
- Sarhan, E. M., Walker, M. C., & Selai, C, 2016, Evidence for efficacy of combination of antiepileptic drugs in treatment of epilepsy, *Journal of Neurology Research*, 5(6), 267-276.

- Shaikh, A. S., Li, Y., Cao, L., & Guo, R., 2018, Analysis of phenytoin drug concentration for evaluation of clinical response, uncontrolled seizures and toxicity, *Pakistan journal of pharmaceutical sciences*, 31(4 (Special)), 1697-1700.
- Singh, R., Chakravarty, K., Baishya, J., Goyal, M. K., & Kharbanda, P., 2020, Management of Refractory Epilepsy, *International Journal of Epilepsy*.
- Shaik, R., Akhil, A., Rani, S., Hiremath, R., & Usha, H. N., 2015, Study of anti-epileptic therapy in pediatric patients in a secondary care hospital, *World J of Pharmacy & Pharma Sci*, 4(11), 2052-62.
- Shorvon, S., Perucca, E., Engel, J., 2016, *The Treatment of Epilepsy*, 4th Ed, John Wiley and Sons.
- Spruill, W.J., Wade, W.E., Dipiro, J. T., Blouin, R.A., Pruemmer, J.M., 2016, *Konsep Farmakokinetika Klinis Edisi 6*, Penerbit Buku Kedokteran: EGC
- Sugiyono. 2014, *Statistika untuk Penelitian*, Alfabeta Cv, Bandung.
- Suwarba, I. G. N. M. (2016). Insidens dan karakteristik klinis epilepsi pada anak. *Sari Pediatri*, 13(2), 123-8.
- Tedyanto, E. H., Chandra, L., & Adam, O. M., 2020, Gambaran Penggunaan Obat Anti Epilepsi (OAE) pada Penderita Epilepsi Berdasarkan Tipe Kejang di Poli Saraf Rumkital DR. Ramelan Surabaya, *Jurnal Ilmiah Kedokteran Wijaya Kusuma*, 9(1), 77-84.
- Tjandrajani, A., Widjaja, J. A., Dewanti, A., & Burhany, A. A., 2016, Karakteristik Kasus Epilepsi di Rumah Sakit Anak dan Bunda Harapan Kita pada Tahun 2008-2010, *Sari Pediatri*, 14(3), 143-6.
- Thaker SJ, Gandhe PP, Godbole CJ, Bendkhale SR, Mali NB, Thatte UM and Gogtay NJ, 2017, A prospective study to assess the association between genotype, phenotype and Prakriti in individuals on phenytoin monotherapy, *J. Ayurveda Integr. Med.*, 8: 37-41.
- Tobler, A., Hösli, R., Mühlebach, S., & Huber, A., 2016, Free phenytoin assessment in patients: measured versus calculated blood serum levels, *International journal of clinical pharmacy*, 38(2), 303-309.
- Verrotti, A., Tambucci, R., Di Francesco, L., Pavone, P., Iapadre, G., Altobelli, E., ... & Belcastro, V., 2020, The role of polytherapy in the management of epilepsy: suggestions for rational antiepileptic drug selection, *Expert Review of Neurotherapeutics*, (just-accepted).
- Wang, Y., & Li, Z. (2016). Utilization of antiepileptic drugs on monotherapy and polytherapy for children at Shanghai in China. *Int J Pharmacol*, 12(5).

- Wahyono, Djoko, 2016, *Farmakokinetika Klinik Konsep Dasar dan Terapan dalam Farmasi Klinik*, hal 3-21, Gadjah Mada University Press, Yogyakarta.
- Wibowo, A. R., & Saputra, D. R, 2016, Prevalens dan profil klinis pada anak palsy serebral spastik dengan epilepsi, *Sari Pediatri*, vol. 14, no. 1, pp. 1-7.
- Wijaya, J. S., Saing, J. H., & Destariani, C. P, 2020, Politerapi Anti Epilepsi pada Penderita Epilepsi Anak, *Cermin Dunia Kedokteran*, vol. 47, no. 3, pp. 191-194.
- Wijayatri, R., & Ikawati, Z, 2012, Perbandingan Monoterapi dengan Politerapi dalam Pengendalian Kejang dan Terjadinya Efek Samping Obat pada Epilepsi Jenis Idiopathic Generalised Tonic Clonic di Poli Saraf Rsup Dr Sardjito Yogyakarta (Doctoral dissertation, [Yogyakarta]: Universitas Gadjah Mada).
- Winter, M. E, 2012, *Farmakokinetika Klinik Dasar*, (Edisi 5), Penerjemah : Maria Caecilia Nanny Setiawati, Mutiarawati, Sesilia Andriani Keban. Jakarta : Penerbit Buku Kedokteran EGC.
- Wirrell, E. C., Grossardt, B. R., Wong-Kisiel, L. C., & Nickels, K. C, 2011, Incidence and classification of new-onset epilepsy and epilepsy syndromes in children in Olmsted County, Minnesota from 1980 to 2004: a population-based study. *Epilepsy research*, 95(1-2), 110-118.
- WHO, 2019, *Epilepsy*, Fact Sheet <https://www.who.int/news-room/fact-sheets/detail/epilepsy> diakses pada tanggal 5 Januari 2020