

DAFTAR PUSTAKA

- Adham M, Kurniawan A.N, Muhtadi, A.I, Roezin A, Hermani B, Gondhowiardjo S, *et al.* 2012. Nasopharyngeal Carcinoma in Indonesia : Epidemiology, Incidence, Sign and Symptoms at Presentation. *Chin J Cancer*. 31(4):185-196
- Akuntanto, I.A. 2014. *Hubungan Rasio Netrofil terhadap Limfosit dengan Stadium Klinis pada Karsinoma Nasofaring*. Yogyakarta : Karya Tulis, Universitas Gadjah Mada.
- Amene C, Maura C, Sudheer A, Bharat G, dan Anil, N. 2013. Johann Christian Rosenmüller (1771-1820) : A Historical Perspective on the Man behind the Fossa. *J Neurol Surg B* 2013;74:187–193
- American Cancer Association. 2015. Dapat diakses di <https://www.google.com/search?client=opera&q=carcinoma+nasopharynx+pf&sourceid=opera&ie=UTF-8&oe=UTF-8>
- American Joint Committee in Cancer. 2015. Dapat diakses di <http://www.cancer.org/cancer/nasopharyngealcancer/detailedguide/nasopharyngealcancer-staging>
- Ariwibowo, H. 2013. Faktor Risiko Karsinoma Nasofaring. *CDK-204/ vol. 40 no. 5* : 348-351
- Baratawidjaya KN, & Rengganis I. 2010. *Texbook Immunologi Dasar*. Surabaya : Fakultas Kedokteran Universitas Indonesia, Edisi ke- 9. Hal 124-126,460-463.
- Bhatti I, Peacock O, Lloyd G, Larvin M, Hall R.I. 2010. Preoperative Hematologic Markers As Independent Predictors Of Prognosis In Resected Pancreatic Ductal Adenocarcinoma: Neutrophil-lymphocyte Versus Platelet Lymphocyte Ratio. *Am J Surg*. 200:197–203.
- Brennan, B. 2006. Nasopharyngeal Carcinoma. *Orphanet Journal of Rare Diseases*.
- Chan, J. K. C., Pilch, B. Z., Kuo, T. T., Wenig, B. M., & Lee, A. W. M. 2005. Tumours of the nasopharynx. *World Health Organization Classification of Tumours - Pathology & Genetics Head and Neck Tumours*, 81–106.

- Cheuk, D.K. , Billups, C.A., Martin, M.G., 2010. Prognostic Factors and Long Term Outcomes of Childhood Nasopharyngeal Carcinoma, Wiley Online Library, p.197.
- Cho, W.C. 2007. Nasopharyngeal carcinoma: molecular biomarker discovery and progress. *Mol Cancer*.6:1.
- Cho, H., Hur, H.W., Kim, S.W., *et al.* 2009. Pre-treatment neutrophil to lymphocyte ratio is elevated in epithelial ovarian cancer and predicts survival after treatment. *Cancer Immunol Immunother.* 58:15–23.
- Clarke, S.J., Chua, W., Moore, M., Kao, S., Phan, V., Tan, C., *et al.* 2011. Use of inflammatory markers to guide cancer treatment. *Clinical Pharmacology and Therapeutics.* 90(3):475-8.
- Clark, D. P. 2005. *Molecular Biology* : Elsevier Academic Press
- Colotta, F., Allavena, P., Sica, A., Garlanda, C., Mantovani, A. 2009. Cancer related inflammation, the seventh hallmark of cancer: links to genetic instability. *Carcinogenesis.* 30:1073–81.
- Corry, June., Fisher, Richard., Rischin, Danny., J.Peters, Lester. 2006. Relapse patterns in WHO 2/3 nasopharyngeal cancer: Is there a difference between ethnic Asian vs. non-Asian patients. *Int J Radiant Oncol Biol Phys* 64(1): 63 71
- Cottrill CP dan Nutting CM. 2003. Tumours of The Nasopharynx. Di dalam Evans PHR, Montgomery PQ, Gullane PJ (ed). *Principles and practice of Head and Neck Oncology*.UK : Martin-Dunitz:473-81
- Coussens LM dan Werb Z. 2002. Inflammation and cancer. *Nature.* 420: 860-7.
- Danese S, Fiocchi C. 2011. Review article. Medical progress Ulcerative colitis. *N Engl J Med* 365:1713-25.
- Dahlan, S. 2013. *Statistik untuk Kedokteran dan Kesehatan Edisi 5.* Jakarta: Salemba Medika
- De Palma, M., dan Coussens, L.M. 2008. Immune cells and inflammatory mediators as regulators of tumor angiogenesis. In: Figg WD, Folkman J, editors. *Angiogenesis: an integrative approach from science to medicine.* New York: *Springer.* 225–38.

- Dhaneshor Sharma, T & Thaodem, Tomcha Singh & Laishram, Rajesh Singh & Durlav Chandra Sharma, L & Sunita, AK & Tiameren Imchen, L. (2011). Nasopharyngeal Carcinoma- A Clinico-pathological Study in a Regional Cancer Centre of North-eastern India. *Asian Pacific journal of cancer prevention* : APJCP. 12. 1583-7.
- Estania, Poppy Andreeanne., Sulisty, Hidayat., Wahyono, Daniel Joko. 2017. Ekspresi Relatif mRNA BRLF1 Epstein-Barr Virus dari Biopsi Jaringan Tumor dalam Blok Parafin sebagai Petanda Biologi Patogenesis Karsinoma Nasofaring. *Biosfera Vol 34* : 59-66
- Farhat. 2009. Vascular Endothelial Growth Factor pada Karsinoma Nasofaring. *Majalah Kedokteran Nusantara*; 42: 59-65.
- Ferlay, J Siea. Cancer incidence and mortality worldwide: sources, methods and major patterns in Globocan (2012). *Int. J. Cancer*. 2015; 136.
- Finn, O.J. 2012. Immuno-oncology: understanding the function and dysfunction of the immune system in cancer. *Annals of Oncology*. 23(8).
- Firdaus, M., et Jon P. 2011. *Kemoterapi Neoadjuvan pada Karsinoma Nasofaring. Bagian Telinga Hidung Tenggorok Bedah Kepala Leher*. Padang : Fakultas Kedokteran Universitas Andalas RSUP Dr. M. Djamil
- Globocan. 2012. *Estimated Cancer Incidence, Mortality, Prevalence and Disability adjusted life years (DALYs) Worldwide in 2008*. IARC Cancer Base No. 11.
- Gregory, A.D & Houghton, M. 2011. *Tumor-associated neutrophils: new targets for cancer therapy*. - *PubMed - NCBI*. Available at: Dapat di akses di <https://www.ncbi.nlm.nih.gov/pubmed/21427354>
- Guthrie., G.J.K., Charles, K.A., Roxburgh, C.s.d., Horgan, P.G., McMillan, D.C., Clarke, S.J. 2013. The systemic inflammation based neutrophil lymphocyte ratio: Experience in patients with cancer. *Critical Review in Oncology/Hematology*. 88: 218-230.
- Hanahan, D., Weinberg, R.A. 2011. Hallmarks of cancer: the next generation. *Cell*. 144(5):646–74.
- Hendrawan, A. 2013. Faktor Risiko KNF. *CDK- 204*, 40(5), 348-351.

- International Medical University. 2015. The Insidious Cancer of Chinese Male : Nasopharynx Carcinoma (NPC). Dapat diakses di <http://imunews.imu.edu.my/health/insidious-cancerchinese-malenasopharyngeal-carcinoma-npc/>
- Jensen, H.K., Donskov, F., Marcussen, N., Nordmark, M., Lundbeck, F., von der Maase, H. 2009. Presence of intratumoral neutrophils is an independent prognostic factor in localized renal cell carcinoma. *J Clin Oncol.* 27:4709-17.
- Kementerian Kesehatan Republik Indonesia. 2015. *Panduan Nasional Penanganan Kanker Nasofaring*. Jakarta : Komite Nasional Penanggulangan Kanker
- Khademi, B., Mahmoodi, J., Omidvari, S., Mohammadianpanah, M. 2006. Treatment results of nasopharyngeal carcinoma: a 15-year single institutional experience. *J Egypt Natl Canc Inst.* 18 (2): 147-55
- Kreno SB, 2010. *Texbook Ilmu Imunologi*. Edisi Kelima. Badan Penerbit Fakultas Kedokteran Universitas Indonesia. Hal 256- 267
- Kumar V., Cotran R.S., Robbins S.L. 2007. *Buku Ajar Patologi*. Edisi 7. Jakarta: EGC. Hal 186 94, 200-11, 788-801.
- Liu H, *et al.* 2008. The granulocyte/lymphocyte ratio as an independent predictor of tumour growth, metastasis and progression: its clinical applications. *Molecular Medicine Reports*; 1: 699–704
- Lin, J.C., Wang, W.Y., Chen, K.Y., *et al.* 2004. Quantification of plasma Epstein–Barr virus DNA in patients with advanced nasopharyngeal carcinoma. *N Engl J Med.* 350:2461–2470.
- Lin WW and Karin M, 2007. A Cytokine-Mediated Link Between Innate Immunity, Inflamasi, and Cancer. Department of Pharmacolgy, College of Medicine, National Taiwan Universty, Taipei, Republic of China: 1175-1183
- Lu Jiade, J., Cooper Jay, S., M Lee Anne. 2010. The epidemiology of Nasopharyngeal Carcinoma In: *Nasopharyngeal Cancer*. Berlin: Springer, p 1-9.
- Mantovani, A., Allavena, P., Sica, A., Balkwill, F. 2008. Cancer-related inflammation. *Nature.* 454:436–44.

- Maqbook, M., 2007. Tumours Of Nasopharynx. *In:Textbook Of Ear,Nose An Throat Disease*. Edition 9, Srinagar: Jay Pee Brothers, 250-253
- McDermott, A.L., Dutt, S.N., Watkinson, J.C. 2003. The Etiology of Nasopharyngeal Carcinoma. *Clinical Otolaryngology*. 26th Edition. Hal 89-92
- McMillan, D.C. 2012. Systemic inflammation, nutritional status and survival in patients with cancer. *Curr Opin Clin Nutr Metab Care*. 12:223–6
- Mendelsohn J, Holley PM, Israel MA, Gray JW, Thompson CB, 2008. The molecular basis cancer. 3ed Elsevier Saunders, Philadelphia. Apoptosis, Autophagy and Necrosis. Pp: 205- 220.
- Murta, B.M.T. dan Murta, E.F.C. 2008. Systemic Leukocyte Alterations in Cancer and their Relation to Prognosis. *The Open Cancer Journal*. 2:53-58.
- Nie, Y., Xiang L., Shaohua Q., Erwei S., Hua Z., *et al.* 2013. Long non-coding RNA HOTAIR is an independent prognostic marker for nasopharyngeal carcinoma progression and survival. *Japanese Cancer Association*. Vol 4. No 104.
- Paulino, Arnold C, *et al.* 2016. Naopharyngeal Carcinoma. Dapat diakses di <http://emedicine.medscape.com/article/988165overview?pa=j91CejW3kUiKY%2BQKu1TkfUz9GJxOivJsAeEtGOnjvVyAy4h87PU9Og2pSopQaJxqviqH9NWT9Fw27Pnk3B6KODm2MpyHuPkYf%2Bs0%3D>
- Roxburgh, C.S.D., Horgan, P.G., McMillan, D.C., 2013. Does interleukin-6 link explain the link between tumour necrosis, local and systemic inflammatory responses and outcome in patients with colorectal cancer?. *Cancer Treatment Reviews* ; 39:89–96
- Rumah Sakit Prof. Dr. Margono Soetardjo. 2015. *Profil Perusahaan*. Purwokerto
- Sastroasmoro, S & Sofyan I. 2011. *Dasar-dasar Metodologi Penelitian Klinis Edisi 4*. Jakarta: Sagung Seto

- Schmidt, H., Suci, S., Punt, C.J., *et al.* 2007. Pretreatment levels of peripheral neutrophils and leukocytes as independent predictors of overall survival in patients with American Joint Committee on Cancer Stage IV Melanoma: results of the EORTC 18951 Biochemotherapy Trial. *J Clin Oncol.* 25:1562–1569.
- Shimada H *et al.* 2010. High preoperative neutrophil-lymphocyte ratio predicts poor survival in patients with gastric cancer. *Gastric cancer*; 13: 170–6.
- Shubo, Chen., *et al.* 2017. Neutrophil-to-Lymphocyte Ratio Is a Potential Prognostic Biomarker in Patients with Ovarian Cancer: A Meta-Analysis. Hindawi. *BioMed Research International*. Volume 2017, ID 7943467
- Soepardi, E.A., Iskandar, N., Bashiruddin, J., Restuti, R.D (ed). 2012. *Buku Ajar Ilmu Kesehatan, Telinga Hidung, Tenggorok, Kepala dan Leher*. Edisi Ke Jakarta: Badan Penerbit FKUI.
- Suen C. Kenneth, 2005. Fine-Needle Aspiration Biopsy of Thyroid, *CMAJ*: 167.
- Susworo dan Makes D. 2005. *Karsinoma nasofaring aspek radiodiagnostik dan radioterapi*. Jakarta : FK UI. Hal. 69-82.
- Tabuchi, K., Masahiro N., Bungo N., Kentaro H., et Akira H. 2011. Early Detection of Nasopharyngeal Carcinoma. *International Journal of Otolaryngology*
- Tao, Q dan Chan, A. 2007. Nasopharyngeal Carcinoma : Molecular Pathogenesis and Therapeutic Development. Vol. 9; Issue 12
- Theoret C., 2009. Tissue Engineering in Wound Repair: The three “R”s Repair, Replace, Regenerate, *Veterinary Surgery*. Vol 38: 905-913
- Uli Nurjanah, P., Hendrati, Maria., Dharmawan, Anton Budi., Gumilas, Nur Signa Aini. 2016. Deteksi Gen *Latent Membrane Protein-1 Epstein-Barr Virus* sebagai biomarka diagnosis pada karsinoma nasofaring. *Biosfera Vol.33* : 76 84
- Waliyanti, Ema. 2015. *Perilaku penderita kanker nasofaring dalam mencari pengobatan di Yogyakarta*. Yogyakarta : Karya Tulis, Universitas Gadjah Mada

Walsh, S.R, Cook, E.J., Goulder, F., Justin, T.A, Keeling, N.J. 2005. Neutrophil lymphocyte ratio as a prognostic factor in colorectal cancer. *J Surg Oncol.* 91(3):181–184.

Wang, H.Y., Sun, B.Y., Zhu, Z.H, *et al.* 2011. Eight-signature classifier for prediction of nasopharyngeal carcinoma survival. *J Clin Oncol*;29(34):4516e4525.

Yang C., HuanYan., W, Yanrong, W., GuangHai., D. 2017. Significance of baseline and change in neutrophil-to-lymphocyte ratio in predicting prognosis: a retrospective analysis in advanced pancreatic ductal adenocarcinoma. *Nature scientific report: 7: 753 DOI:10.1038/s41598-017-00859-5*

Zahorec R. Ratio of neutrophil to lymphocyte count- rapid and simple parameter of systemic inflammation and stress in critically ill. *Bratisl Lek Listy* 2001;102:5- 14

