

DAFTAR PUSTAKA

- Adeyemo, W.L., Ladeinde, A.L., Ogunlewe, M.O., 2006, Clinical evaluation of post extraction site wound healing, *J. Contemp. Dent. Pract.*, 3 (7), 40-49.
- Adnan, J., 2016, Formulasi gel ekstrak daun beluntas (*PluceaindicaLess*) dengan Na-CMC sebagai basis gel, *J. of Pharm. Sci. and Herb. Tech.*, 1(1), 41-44.
- Ambiyani, W., 2013, Pemberian salep ekstrak daun mengkudu (*Morinda citrifolia l.*) meningkatkan proses regenerasi jaringan luka pada tikus putih galur wistar (*Rattus norvegicus*) jantan, *Karya Tulis Ilmiah Strata Dua*, Universitas Udayana, Bali.
- Andersson, U., Tracey, K.J., 2011, HMGB1 is a therapeutic target for sterile inflammation and infection, *Annu. Rev. Immunol.*, 29, 139-162.
- Aparasu, R. R., 2011, *Research Methods for Pharmaceutical Practice and Policy*, Pharmaceutical Press, India.
- Apriani, R., 2015, Pengaruh aplikasi gel ekstrak membran kulit telur ayam 10% terhadap fase inflamasi proses penyembuhan luka gingiva *Rattus norvegicus* (Ditinjau dari jumlah sel makrofag), *Skripsi*, Fakultas Kedokteran Gigi Universitas Gadjah Mada, Yogyakarta.
- Aprilliani, P. R., 2015, pengaruh aplikasi gel ekstrak membran kulit telur ayam 10% terhadap angiogenesis penyembuhan luka gingiva *Rattus norvegicus*, *Skripsi*, Fakultas Kedokteran Gigi Universitas Gadjah Mada, Yogyakarta.
- Balaji, S.M., 2007, *Textbook of Oral and Maxillofacial Surgery*, Elsevier, New Delhi, 211-212.
- Broughton, I.G., Janis, J.E., Attinger, C.E., 2006, Wound healing: an overview, *Plast Reconstr. Surg.*, 117, 1-32
- Capdevilla, S., Giral, M., Ruiz de la Torre, J.L., Russel, R.J., Kramer, K., 2007, Acclimatization od rats after ground transportation to an new animal facility, *Lab. Animals*, 41 (2), 255-261.
- Chavakis, E., Hain, A., Vinci, M. Carmona, G., Bianchi, M.E., Vajkoczy, P. Zeiher, A.M., Chavakis, T., Dimmeler, S., 2007, High mobility group box 1 activates integrin dependent homing endothelial progenitor cells, *Circ. Res.*, 100, 204-212.

- Cordeiro, C.M., Hincke, M.T., 2011, Recent patents on eggshell: shell and membrane applications, *Recent Pat. Food NutrAgric.*, 3, 1-8.
- Cossu, G., Bianco, P., 2003, *Mesoangioblast* vascular progenitors for extravascular mesodermal tissues, *Curr. Opin. Genet. Dev.*, 13, 537-542.
- Damaiyanti, W.D., 2015, Ekspresi *high mobility group box-1* pada ulkus traumatikus tikus wistar dengan terapi ekstrak teripang emas, *Jur. PDGI*, 64(2).
- Datarkar, A. H., 2007, *Exodontia Practice*, Jaypee, New Delhi.
- Davis, D.A.S., Parish, C.R., 2013, Heparan sulfated a ubiquitous glycosaminoglycans with multiple roles in immunity, *Front. In Immunol.*, 4(470), 1-7.
- Dinas Kesehatan Provinsi Jawa Tengah, 2012, *Buku Profil Kesehatan Provinsi Jawa Tengah Tahun 2012*.
- Dumitriu, I.E., Baruah, P., Valentinis, B., Voll, R.E., Herrmann, M., Nawroth, P.P., Arnold, B., Bianchi, M.E., Manfredi, A.A., Rovere-Querini, P., 2005, Release of high mobility group box 1 by dendritic cell controls T cell activation via the receptor for advanced glycation end products, *J. Immunol.*, 174, 7506-7515.
- Fantin, A., Vieira, J.M., Gestri, G., Denti, L., Schwarcz, Q., Prykhodzhiy, S., Peri, F., Wilson, S.W., Ruhrberg, C., 2012, Tissue macrophages act as cellular chaperones for vascular anastomosis downstream of VEGF-mediated endothelial tip cell induction, *Blood*, 116, 829-840.
- Ferreira, M.C., Tuma, P., Carvalho, V.F., Kamamoto, F., 2006, Complex wounds, *Clinics*, 61, 571-578.
- Field, A., Longman, L., Tyldesly, W., 2004, *Tyldesley's Oral Medicine 5th Ed*, Oxford University Press, New York.
- Firdaus, F.G., 2016, Pengaruh pemberian arginin terhadap kadar NO dalam penyembuhan luka pasca ekstraksi gigi tikus model diabetes, *Skripsi*, Jurusan Kedokteran Gigi Fakultas Kedokteran Universitas Jenderal Soedirman, Purwokerto.
- Fragiskos, F.D., 2007, *Oral Surgery*, Springer, Berlin, 74-76.
- Gurtner, G.C., 2007, *Grabb and Smith's Plastic Surgery 6th ed.*, Lippincott Williams & Wilkins, Philadelphia, 15-19.

- Hanafiah, K.A., 2008, *Rancangan Percobaan Teori dan Aplikasi*, Raja Grafindo, Jakarta.
- Howe, G.L., 1999, *Pencabutan Gigi Geligi Ed. 2.*, EGC, Jakarta.
- Huang, W., Tang, Y., Li, L., 2010, HMGB1, a potent proinflammatory cytokine in sepsis, *Cytokine*, 51, 119-126.
- Huttunen, H.J., Fages, C. Rauvala, H., 1999, Receptor for advanced glycation end products (RAGE) mediated neurite outgrowth and activation of NF- κ B require the cytoplasmic domain of the receptor but different downstream signaling pathways, *J. Biol. Chem.*, 274, 19919-19924.
- Kementerian Kesehatan RI, 2013, *Riset Kesehatan Dasar (RISKESDAS) 2013*, Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI, Jakarta.
- Lawrence, W.T., 2002, *Wound Healing Biology and Its Application to Wound Management*, Dalam *The Physiologic Basis of Surgery 3rd Ed.*, Lippincott Williams & Wilkins, Philadelphia.
- Leite-Silva, V.R., de Almeida, M. M., Fradin, A., Grice, J. E., Roberts, M. S., 2012, Delivery of drugs applied topically to the skin, *Expert Rev. Dermatol.*, 7(1), 383-397.
- Lingen, M.W., 2001, Role of leukocytes and endothelial cell in the development of angiogenesis in inflammation and wound healing, *Arch Pathol. Lab. Med.*, 125, 67-71.
- Liu, Z., Sun, X., Cai, C., He, W., Zhang, F., Linhardt, R.J., 2016, Characteristic of Glycosaminoglycans in Chicken Eggshells and the Influence of Disaccharide Composition on Eggshell Properties, *Poult Sci.*, 95 (12), 2879-2888.
- Liu, Z., Zhang, F., Li, L., Li, G., He, W., Lindhardt, R. J., 2014, Compositional Analysis and Structure Elucidation of Glycosaminoglycans in Chicken Eggs, *Glycoconj J.*, 31(8), 593-602.
- MacKay, D., Miller, A.L., 2003, Nutritional support for wound healing, *Alternat. Med. Rev.*, 8(4), 359-377.
- Manfredi, A.A., Capobianco, A., Esposito, A., De-Cobelli, F., Canu, T., Monno, A., Raucci, A., Sanvito, F., Doglioni, C., Nawroth, P.P., Bierhaus, A., Bianchi, M.E., Rovere-Querini, P., Del-Maschio, A., 2008, Maturing dendritic cells depend on RAGE for in vivo homing to lymph nodes, *J. Immunol.*, 180, 2270-2275.

- Mathur, A., Bains, V.K., Gupta, V., Jhingran, R. Singh, G.P., 2005, Evaluation of intrabony defects treated with platelet rich fibrin or autogenous bone graft: a comparative analysis, *Europ. J. of Dentistr.*, 9 (1), 100-108.
- McGowan, D.A., 1999, *An Atlas of Minor Oral Surgery*, Martin Dunitz, London.
- Mitola, S., Belleri, M., Urbinati, C., 2006, Cutting edge: extracellular high mobility group box-1 protein is a proangiogenic cytokine, *J. Immunol.*, 176, 12-15.
- Miyake, K., 2004, Endotoxin recognition molecules, toll like receptor 4 MD-2, *Semin. Immunol.*, 16 (1), 11-16.
- Morison, M.J., 2004, *Manajemen Luka*, EGC, Jakarta.
- Morris, P.J., Malt, R.A., 1990, *Oxford Textbook of Surgery*, Oxford University Press, New York.
- Mubarokah, A.A., 2014, Pengaruh Aplikasi Gel Ekstrak Membran Kulit Telur Ayam 10% terhadap Kepadatan Serabut Kolagen pada Proses Penyembuhan Luka Gingiva (Kajian pada *Rattus norvegicus*), *Skripsi*, Fakultas Kedokteran Gigi Universitas Gadjah Mada, Yogyakarta.
- Myers, W.T., Leong, M., Philips, L.G., 2007, Optimizing the patient for surgical wound outcomes, *Plast. Reconstr. Surg.*, 117, 607-620.
- Nadatani, Y., Watanabe, T., Tanigawa, T., Ohkawa, F., Takeda, S., Higashimori, A., Sogawa, M., Yamagami, H., Shiba, M., Watanabe, K., Tominaga, K., Fujiwara, Y., Takeuchi, K., Arakawa, T., 2013, High mobility group box-1 inhibits gastrics ulcer healing through toll like receptor 4 and receptor advanced glycation end products, *PLos One*, 8(11), 1-13.
- Nasution, E.Z., Bulan, R., 1997, Kemungkinan Pemanfaatan Daun Petai Cina, Ampas Daging Kelapa Sawot, Tongkol Jagung, dan Kulit Telur Sebagai Tambahan Ransum Ayam, *Skripsi*, Jurusan Biologi Fakultas Matematika Ilmu Pengetahuan Alam Universitas Sumatera Utara, Medan.
- Novitasari, A.I.M., Indraswary, R., Pratiwi, R., 2017, Pengaruh aplikasi gel ekstrak membran kulit telur bebek 10% terhadap kepadatan serabut kolagen pada proses penyembuhan luka gingiva, *Odonto Den. J.*, 4(1), 13-20.
- Nucera, S. Bziato, D., De Palma, M., 2011, The interplay between macrophages and angiogenesis in development, tissue injury, and regeneration, *Int. J. Dev. Biol.*, 55, 495.

- Nugraha, R.A., 2015, Pengaruh Bubuk Kulit Telur Ayam Peternak (*Gallus gallus domesticus*) Terhadap Penyembuhan Luka Insisi Mencit *Swiss Webster* Jantan, *Tesis*, Fakultas Kedokteran Universitas Maranatha, Bandung.
- Ombrellino, M., Wang, H., Ajemiann, M. S., 1999, Increased serum concentrations of high-mobility-group box-1 protein in haemorrhagic shock, *Lancet*, 1446-1447.
- Palumbo, R. Sampaolesi, M., DeMarchis, F., 2004, Extracellular HMGB-1 a signal of tissue damages induced *mesoangioblast* migration and proliferation, *J. Cell. Bio.*, 164, 441-449.
- Pamungkas, G.J., 2014, Pengaruh Aplikasi Gel Ekstrak Membran Kulit Telur Ayam 10% terhadap Ketebalan Epitel pada Proses Penyembuhan Luka Gingiva (Kajian pada *Rattus norvegicus*), *Skripsi*, Fakultas Kedokteran Gigi Universitas Gadjah Mada, Yogyakarta.
- Pedersen, G.W., 2013, *Buku Ajar Praktis Bedah Mulut*, EGC, Jakarta.
- Pedlar, J., Frame, J.W., 2007, *Oral and Maxillofacial Surgery*, Churchill Livingstone, London.
- Perdanakusuma, D.S., 2007, *Anatomi Fisiologi Kulit dan Penyembuhan Luka*, Departemen Bedah Plastik Fakultas Kedokteran, Universitas Airlangga, Surabaya, 6-9.
- Prasetyono, T.O.H., 2009, General concept of wound healing, revisited, *Med. J. of Indo.*, 18, 208-216.
- Punchard, N.A., Whelan, C.J., Adcock, I., 2004, The Journal of Inflammation, *Jour. of Neuroinflam.*, 1(1), 1-4.
- Putra, G.C., 2012, Efektivitas pemberian ekstrak biji semangka terhadap ekspresi *Inducible Nitric Oxide Synthase* (iNOS), *Skripsi*, Fakultas Kedokteran Gigi, Universitas Airlangga, Surabaya.
- Ramadhan, M., Yuliati, Juliastuti, W.S., 2014, Pemberian ekstrak teripang emas (*Stichopus hermannii*) terhadap jumlah makrofag pada proses penyembuhan ulkus traumatikus *Rattus norvegicus* strain wistar, *Or. Biol. J.*, 6(2), 1-5.
- Rauvala, H. Rouhiainen, A., 2010, Physiological and pathophysiological outcomes of interactions of HMGB1 with cell surface receptors, *Biochim. Biophys. Acta*, 1799, 164-170.

- Ridwan, E., 2013, Etika pemanfaatan hewan percobaan dalam penelitian kesehatan, *J. Indo. Med. Assoc.*, 10 (1), 1-13.
- Rismana, E., Rosidah, I., Prasetyawan, Y., Bunga, O., Ern, Y., 2013, Efektivitas khasiat pengobatan luka bakar sediaan gel mengandung fraksi ekstrak pegagan berdasarkan analisis hidroksipolin dan histopatologi pada kulit kelinci, *Buletin Penel. Kes.*, 41(1), 45-60.
- Ruff, K.J., Endres, J.R., Clewell, A.E., Szabo, J.R., Schauss, A.G., 2012, Safety evaluation of a natural eggshell e-derived product, *Food and Chem. Toxicol.*, 50(3), 604-611.
- Rowe, R. C., Sheskey, P. J., Owen, S. C., 2006, *Handbook of Pharmaceutical Excipients*, Pharmaceut Press, London.
- Scaffidi, P., Misteli, T., Bianchi, M.E., 2002, Release of chromatin protein HMGB1 by necrotic cell triggers inflammation, *Nature*, 418, 191-195.
- Schmidt, A.M., Yan, S.D., Yan, S.F., Stern, D.M., 2001, The multiligand receptor RAGE as a progression factor amplifying immune and inflammatory responses, *J. Clin. Invest.*, 108, 949-955.
- Sims, G.P., Rowe, D.C., Rietdijk, S.T., Herbst, R., Coyle, A.J., 2010, HMGB1 and RAGE in inflammation and cancer, *Annu. Rev. Immunol.*, 28, 367-388.
- Sofjan, 2008, *Tatalaksana Pemilihan Ayam Lokal*, Balai Pelatihan Ternak Ciawi, Bogor.
- Stern, D. Yan, S.D., Yan, S.F. Schmidt, A.M., Receptor for advanced glycation endproducts: a multiligand receptor magnifying cell stress in diverse pathologic setting, *Adv. Drug Deliv. Rev.*, 54, 1615-1625.
- Stros, M., 2010, HMGB proteins: interaction with DNA and chromatin, *Biochim. Biophys. Acta*, 1799, 101-113.
- Syamsuni, H., 2006, *Farmasetika Dasar dan Hitungan Farmasi*, EGC, Jakarta.
- Swarbrick, J., 2007, *Encyclopedia Pharmaceutical Technology*, Taylor & Francis Ltd, London.
- Tambayong, J., 2000, *Patofisiologi untuk Keperawatan*, EGC, Jakarta, 50.
- Tancharoen, S., Gando, S., Binita, S., Nagasato, T., Kikuchi, K., Nawa, Y., Dararat, P., Yamamoto, M., Narkpinit, S., Maruyama, I., 2016, HMGB-1 promotes intraoral palatal wound healing through RAGE-Dependent Mechanisms, *Int. J. Mol. Sci.*, 17, 1-17.

- Tang, D., Kang, R., Xiao, W., Jiang, L., Liu, M., Shi, Y., Wang, K., Wang, H., Xiao, X., 2007, Nuclear heat shock protein 72 as a negative regulator of oxidative stress (hydrogen peroxide)-induced HMGB1 cytoplasmic translocation and release, *J. Immunol.* 178, 7376-7384.
- Taniguchi, N., Kawahara, K., Yone, K., 2003, High mobility group box chromosomal protein 1 plays a role in the pathogenesis of rheumatoid arthritis as a novel cytokine, *Arthritis Rheum.*, 48, 971-981.
- Thomas J.O., Stott, K., 2012, H1 and HMGB1: modulators of chromatin structure, *Biochem. Soc. Trans.*, 40, 341-346.
- Thomas J.O., Travers, A.A., 2001, HMG1 and 2, and related 'architectural' DNA-binding proteins, *Trends Biochem. Sci.*, 26, 167-174.
- Thorne, C.H., 2014, *Grabbs and Smith's Plastic Surgery 7th Ed.*, Lippincott Williams and Wilkins, Philadelphia.
- Titaley, S. Fatimawali, Lolo, W., A., 2014, Formulasi dan uji efektivitas sediaan gel ekstrak etanol daun Mangrove Api-Api (*Avicenna marina*) sebagai antiseptik tangan, *Jur. Ilmiah Farm.*, 3(2), 99-106.
- Tjay, T. H., Rahardja, K., 2002, *Obat-Obat Penting Khasiat, Penggunaan, dan Efek-Efek Sampingnya Ed. 5*, PT Elex Media, Jakarta.
- Tsung, A., Tohme, A., Billiar, T.R., 2014, High mobility group box-1 in sterile inflammation, *J. of Internal Med.*, 276, 425-443.
- Ueno, C., Hunt, T.C., Hopf, W.F., 2006, Using physiology to improve surgical wound outcomes, *Plast. Reconstr. Surg.*, 117, 59-71.
- Ueno, H., Matsuda, T., Hashimoto, S., 2004, Contribution of high mobility group box protein in experimental an clinical acute lung injury, *Am. J. Respir. Cril. Care Med.*, 170, 1310-1316.
- Urbich, C., Dimmeler, S., 2004, Endothelial progenitor cells: characterization and role in vascular biology. *Circ. Res.*, 95, 343-353.
- Van Beijnum, J.R., Dings, R.P. van der Linden, E., Zwaans, B.M., Ramaekers, F.C., Mayo, K.H., Griffioen, A.W., 2006, Gene expression of tumor angiogenesis dissected: specific targeting of colon cancer angiogenic vasculature, *Blood*, 108, 2339-2348.
- Van Beijnum, J.R., Nowak-Sliwinska, P. van den Boezem, E., Hautvast, P., Buurman, W.A., Griffioen, A.W., 2013, Tumor angiogenesis in enforced by autocrine regulation high mobility group box 1, *Oncogen*, 32, 363- 374.

- Velnar, T., Bailey, T., Smrkolj, V., 2009, The wound healing process: an overview of the cellular and molecule mechanisms, *J. of Dent. Int. Med. Res.*, 37(5), 1528-1542.
- Venereau, E., Schiraldi, M., Ugucioni, M., Bianchi, M.E., 2013, HMGB1 and leukocyte migration during trauma and sterile inflammation, *Mol. Immunol.*, 55, 76-82.
- Xu, D., Young, J., Song, D., Esko, J.D., 2011, Heparan sulfate is essential for high mobility group protein 1 (HMGB1) signaling by the receptor for advanced glycation end products (RAGE), *J. Biol. Chem.*, 286 (48), 41736-41744.
- Yang, H., Antoine, D.J., Andersson, U., Tracey, K.J., 2013, The many faces of HMGB1: molecular structure-functional activity in inflammation, apoptosis, and chemotaxis, *J. Leukoc. Biol.*, 93, 865-873.
- Yang, H., Hreggvidsdottir, H.S., Palmblad, K., Wang, H., Orchani, M., Li, J., Lu, B., Chavan, S., Rosas-Ballina, M., Al-Abed, Y., Akira, S., Bierhaus, A., Erlandsson-Harris, H., Andersson, U., Tracey, K.J., 2010, A critical cysteine is required for HMGB1 binding to toll like receptor 4 and activation of macrophage cytokine release, *Proc. Natl. Acad. Sci USA*, 107, 11942-11947.
- Yang, H., Wang, H., Czura, C.J., Tracey, K.J., 2005, The cytokine activity of HMGB 1, *J. Leukoc. Biol.*, 78, 1-8.
- Yang, Q.W., Lu, F.L., Zhou, Y., Wang, L., Zhong, Q., Lin, S., Xiang, J., Li, J.C., Fang, C.Q., Wang, J.Z., 2011, HMGB1 mediates ischemia reperfusion injury by TRIF-adaptor independent toll like receptor 4 signaling, *J. Cereb. Blood Flow Metab.*, 31, 593-605.
- Yang, S., Xu, L., Yang, T., Wang, F., 2014, High mobility group box-1 and its role in angiogenesis, *J. of Leukocyte Bio.*, 95, 563-574.
- Yasuda, T., Ueda, T., Takeyama, Y., Shinzeki, M., Sawa, H., Nakajima, T., Ajiki, T., Fujino, Y., Suzuki, Y., Kuroda, Y., 2006, Significant increase serum high-mobility group box chromosomal protein 1 levels in patients with severe acute pancreatitis, *Pancreas*, 33(4), 359-363.
- Young, A., McNaught, C.F., 2011, The physiology of wound healing, *Surgery*, 29 (10), 475-479.