

DAFTAR PUSTAKA

- Ahmad, A. R. 2012. Isolasi dan Elusidasi Struktur Antioksidan dan Penghambat Enzim Xantin Oksidase Ekstrak Daun Pletekan (*Ruellia tuberosa* L.). Tesis. Universitas Indonesia, Depok.
- Allo, M.B.R. 2016. Uji Aktivitas Antibakteri Dari Ekstrak Air Kulit Buah Pisang Ambon Lumut (*Musa acuminata* Colla) terhadap Pertumbuhan *Staphylococcus aureus*. Skripsi. Program Studi Pendidikan Biologi, FKIP, Universitas Sanata Dharma, Yogyakarta.
- Aminah, D.N., Tomayahu, N., & Abidin, Z. 2017. Penetapan kadar flavonoid total ekstrak etanol kulit buah alpukat (*Persea Americana* Mill.) dengan metode spektrofotometri Uv-Vis. *Jurnal Fitofarmaka Indonesia*. 4(2): 226-230.
- Amir, A., Wiraningtyas, A., Ruslan, & Annafi, N. 2016. Perbandingan Metode Ekstraksi Natrium Alginat: Metode Konvensional dan *Microwave Assisted Extraction* (MAE). *Chempublish Journal*. 1(2): 7-13.
- Andriani, Y. 2007. Uji Aktivitas Antioksidan Ekstrak Betaglukan dari *Saccharomyces cerevisiae*. *Jurnal Gradien*, 3(1): 226–230.
- Anihouvi, V.B., Saali, F., Sakyi-Dowsan, E. Ayenor, GS & Honhouigan, J.D. 2011. Response surface methodology for optimizing the fermentation conditions during the processing of cassava fish (*Pseudotolithus* sp.) into Lanhoun. *International Journal of Engineering Science and Technology*, 3(9): 7085–7095.
- Anwar, K., Rahmanto, B., Triyasmono, L., Rizki, M. I., & Lestari, F. 2017. The influence of leaf age on total phenolic, flavonoids, and free radical scavenging capacity of *Aquilaria beccariana*. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 8(1): 129–133.
- Apriyanti, D. & Fithriyah, N.H. 2013. Pengaruh Suhu Aplikasi Terhadap Viskositas Lem Rokok dari Tepung Kentang. *Konversi*. 2(2): 23-34.
- Arirudran, B., Saraswathy, A., & Krishnamurthy, V. 2011. Pharmacognostic and preliminary phytochemical studies on *Ruellia tuberosa* L. (whole plant). *Pharmacognosy Journal*, 3(22): 29–34.
- Aryanti N., Aininu, N. & Fathia, M.W. 2016. Ekstraksi dan Karakterisasi Klorofil dari Daun Suji (*Pleomele angustifolia*) sebagai Pewarna Pangan Alami. *Jurnal Aplikasi Teknologi Pangan*. 5(4): 129-135.
- Astuti, S. 2008. Isoflavon Kedelai dan Potensinya sebagai Penangkap Radikal Bebas. *Jurnal Teknologi Industri dan Hasil Pertanian*, 13(2): 126-136.

- Azizah, D. N., Kumolowati, E., & Faramayuda, F. 2014. Penetapan Kadar Flavonoid Metode AlCl_3 pada Ekstrak Methanol Kulit Buah Kakao (*Theobroma cacao* L.). *Kartika Jurnal Ilmiah Farmasi*. 2(2): 45-49.
- Bors, W., Saran, M., & Elstner, E. 1992. *Screening of Plant Antioxidant*. In H. Linkens & J. Jackson (Ed. Rev.), *Plant Toxin Analysis*. Springer-Verlag, Berlin.
- Bourne, M. C. 1982. *Food Texture And Viscosity Concept And Measurement*. John Willey and Sons, New York.
- Bradley, N. 2007. *The Response Surface Methodology*. University of South Bend, Indiana.
- Bray, H. G., & Thrope, W. V. 1954. Methodologies for total phenol estimation of plant tissues. *Meth. Biochem. Anal.*, 1(1): 7-52.
- Chan, C., G. Yusoff., G. Ngoh., & F. W. Kung. 2011. Microwave assisted extraction of active ingredients from plants. *Journal of Chromatography*, 1218: 6213-6225. *Conference on Chemistry and Chemical Engineering*, 12: 1-6.
- Chen, Y, Xie M.Y, & Gong X.F. 2007. Microwave assisted extraction used for the isolation of total triterpenoid saponins from *Ganoderma atrum*. *Journal of Food Engineering*, 81:172-170.
- Chen, Y.H, Wang J.P, & Jiang H.Q. 2008. Optimization of extraction technology of total flavonoids from mulberry leaves by orthogonal design. *Food and Drug*. 3: 17-18.
- Cheong, B. E., Waslim, M. Z., Lem, F. F., & Teoh, P. L. 2013. Antioxidant and anti-proliferative activities of Sabah *Ruellia tuberosa*. *Journal of Applied Pharmaceutical Science*, 3(12): 20-24
- Chothani, D. L., Patel, M. B., Mishira, S. H., & Vaghasiya, H. U. 2010. Review on *Ruellia tuberosa* (cracker plant). *Pharmacognosy Journal*, 2(12): 506–512.
- Chun, O.K., Kim D.O., & Lee C.Y. 2003. Superoxide radical scavenging activity of the mayor polyphenols in fresh plums. *Journal of Agricultural and Food Chemistry*, 5(1): 8067-8072.
- Darsana, I.G.O., Besung, I.N.K., & Mahatmi, H. 2012. Potensi Binahong (*Anredera cordifolia* (Tenore) Steenis) dalam Menghambat Pertumbuhan Bakteri *Escheria coli* secara *in vitro*. *Indonesia Medicus Vaterinus*, 1(3): 337-351.
- Davis, W. W., & Stout, T. R. 1971. Disc plate method of microbiological antibiotic assay: Factors influencing variability and error. *Applied microbiology*, 22(4): 659-665.

- Dharmawan, I. P. G. A. 2009. Pengaruh Kopigmentasi Pewarna Alami Antosianin dari Rosela (*Hibiscus sabdariffa* L.) dengan Brazilein dari Kayu Secang (*Caesalpinia sappan* L.) terhadap Stabilitas Warna pada Model Minuman Ringan. Tesis. Institut Pertanian Bogor, Bogor.
- Direktorat Jenderal Pengawasan Obat dan Makanan. 1989. *Materi Medika Indonesia Jilid V*. Departemen Kesehatan Republik Indonesia, Jakarta.
- Ditjen POM. 2009. *Konsep Pengembangan Obat Asli Indonesia*. Direktorat Jenderal Pengawasan Obat dan Makanan, Jakarta.
- Djide, M.N., & Sartini. 2008. *Dasar-Dasar Mikrobiologi Farmasi*. Lembaga Penerbit Universitas Hasanudin (LEPHAS), Makassar.
- Du, L., Xiaotang, Y., Jun, S., Zhuangzhuang, M., Zhaoq, Z., & Xuequn P. 2014. Characterization of the Stage Dependency of High Temperature on Green Ripening Reveals A Distinct Chlorophyll Degradation Regulation in Banana Fruit, *Journal of Scientia Horticulturae*. 180: 139-146.
- Egwaikhide, P. A., & Gimba, C. E. 2007. Analysis of the phytochemical content and anti-microbial activity of *Plectranthus glandulosus* whole plant. *Middle-East Journal of Scientific Research*, 2(3-4), 135-138.
- Endarini, L. H. 2016. *Farmakognosi dan Fitokimia*. Pusdik SDM Kesehatan, Jakarta.
- Farida, R. & F. C. Nisa. 2015. Ekstraksi Antosianin Limbah Kulit Manggis Metode *Microwave Assisted Extraction* (lama ekstraksi dan rasio bahan:pelarut). *Jurnal Pangan dan Agroindustri*, 3(2): 362-373.
- Fermanasari, D., Zaharah, T. A., & Wibowo, M. A. 2016. Uji Total Fenol, Aktivitas Antioksidan dan Sitotoksitas Daun Akar Bambak (*Ipomoea* sp.). *Jurnal Kimia Khatulistiwa*, 5(4): 68-73.
- Galan, A. M., Calinescu, I., Trifan, A., Winkworth-Smith, C., Calvo-Carrascal, M., Dodds, C., & Binner, E. 2017. New insights into the role of selective and volumetric heating during microwave extraction: Investigation of the extraction of polyphenolic compounds from sea buckthorn leaves using microwave-assisted extraction and conventional solvent extraction. *Chemical Engineering and Processing: Process Intensification*, 116: 29-39.
- Gao, M., Song, B., & Lin, C., 2006, Dynamic Microwave Assisted Extraction Of Flavonoids From *Saussurea medusa* Maxim. Cultured Cells, *Biochemical Engineering Journal*, 33(2): 79-83.
- Gross, J. 1991. *Pigments in Vegetable, Chlorophylls and Carotenoids*. Van Nostrand Reinhold, New York.
- Handayani, D., Mun'im, A., & Ranti, A. S. 2014. Optimation of green tea waste extraction using microwave assisted extraction to yield green tea extract. *Traditional Medicine Journal*, 19(1): 29-35.

- Harborne, J. 2006. *Metode Fitokimia Penuntun Cara Modern Menganalisa Tumbuhan (Ed. Rev.)*. Institut Teknologi Bandung, Bandung.
- Hermawan, A. 2007. Pengaruh Ekstrak Daun Sirih (*Piper betle* L.) Terhadap Pertumbuhan *Staphylococcus aureus* dan *Escherichia coli* dengan Metode Difusi Disk. *Disertasi*. Universitas Airlangga, Surabaya.
- Ho, T. L. 1998. *Sonochemistry: Distinctive Techniques for Organic Synthesis*. World Scientific Publishing Company, Singapore.
- Ibrahim, A.M., Yunita, H.S. & Feronika. 2015. Pengaruh Suhu Dan Lama Waktu Ekstraksi Terhadap Sifat Kimia Dan Fisik Pada Pembuatan Minuman Sari Jahe Merah Dengan Kombinasi Penambahan Madu Sebagai Pemanis. *Jurnal Pangan dan Agroindustri*. 3 (2): 530-541.
- Ince, A. E., Şahin, S., & Şümnü, S. G. 2013. Extraction of phenolic compounds from melissa using microwave and ultrasound. *Turkish Journal of Agriculture and Forestry*, 37(1): 69–75.
- Indrawati, N. L., & Razimin. 2013. *Bawang Dayak: Si Umbi Ajaib Penakluk Aneka Penyakit*. PT. AgroMedia Pustaka, Jakarta.
- Iriany., Setiawan, I., & Gustia, S. 2017. Model kinetika ekstraksi flavonoid dari bayam merah (*Alternanthera amoena* vass.). *Jurnal Teknik Kimia USU*. 6(4): 8-14.
- Jain, T., Jain, V., Pandey, R., Vyas, A., & Shukla, S. S. 2009. Microwave assisted extraction for phytoconstituents – An overview. *Asian Journal Research Chemistry*, 2(1): 19-25.
- Jawetz, E., Melnick, J. L., & Adelberg, E. A. 2001, *Mikrobiologi Kedokteran, Edisi XXII*. Penerbit Salemba Medika, Jakarta.
- Jawetz, E., Melnick, J. L., & Adelberg, E. A. 2005. *Microbiology Untuk Profesi Kesehatan*. Penerbit Buku Kedokteran EGC, Jakarta.
- Jiangfeng, S., Li, D., Liu, C., & Zhang, Y. 2011. Optimized microwave-assisted extraction of total phenolics (TP) from *Ipomoea batatas* leaves and its antioxidant activity. *Innovative Food Science and Emerging Technologies*, 12(3): 282–287.
- Kedare, S.B. & Singh, R.P. 2011. Genesis and development of DPPH method of antioxidant assay. *Journal of Food Science and Technology*, 48(4): 412–422.
- Kemenkes RI. 2019. Profil Kesehatan Indonesia 2018. (On-line). http://www.depkes.go.id/resources/download/pusdatin/profil-kesehatan-indonesia/Data-dan-Informasi_Profil-Kesehatan-Indonesia-2018.pdf. Diakses pada 20 Januari 2020.

- Khuluq, A. D., Widjanarko, S. B & E.S. Murtini. 2007. Ekstraksi dan betasianin daun darah (*Alternanthera dentata*) (kajian perbandingan pelarut air:etanol dan suhu ekstraksi). *Jurnal Teknologi Pertanian*. 8(3): 172-181.
- Kiay, N., Suryanto, E., & Mamahit, L. 2011. Efek Lama Perendaman Ekstrak Kalamansi (*Citrus microcarpa*) terhadap Aktivitas Antioksidan Tepung Pisang Goroho (*Musa spp.*). *Chem. Prog*, 4: 27-33.
- King, J.W., Gabriel, R.D., & Wightman, J.D. 2009. *Subcritical water extraction of antosianin from fruit berry substrates. Supercritical Fluid Facility. Los Alamos National Laboratory C.ACT Group Chemistry Division, Los Alamos , USA.*
- Kojić, A. B., Planinić, M., Tomas, S., Jokić, S., Mujić, I., Bilić, M., & Velić, D. 2011. Effect of extraction conditions on the extractability of phenolic compounds from lyophilised fig fruits (*Ficus carica* L.). *Polish Journal of Food and Nutrition Sciences*, 61(3): 195–199.
- Kosasih, E., Tony, S., & Hendro, H. 2006. *Peran Antioksidan pada Lanjut Usia*. Pusat Kajian Nasional Masalah Lanjut Usia, Jakarta.
- Kripasana, K., & Xavier, J. 2020. Phytochemical analysis and antioxidant activity of leaf extracts of some selected plants of the family Acanthaceae. *Plant Science Today*, 7(2): 264–274.
- Kristanti, M.I.K.U., 2014. Uji Aktivitas Antibakteri Tanaman Suruhan (*Peperomia pelludica* L.) terhadap Pertumbuhan *Escherichia coli* dan *Bacillus cereus* secara In-Vitro serta Kaitannya dengan Pembelajaran Biologi SMA Kelas X. *Skripsi*. Universitas Sanata Dharma, Yogyakarta.
- Kristanti, Y., Widarta I.W.R., & Permana, I.D.G.M. 2019. Pengaruh Waktu Ekstraksi dan Konsentrasi Etanol Menggunakan Metode *Microwave Assisted Extraction* (MAE) terhadap Aktivitas Antioksidan Ekstrak Rambut Jagung (*Zea mays* L.). *Jurnal Ilmu dan Teknologi Pangan*. 8(1): 2527-8010.
- Kusmayati., & Agustini, N.W.R. 2007. Uji Aktivitas Senyawa Antibakteri dari Mikroalga (*Porphyridium cruentum*). *Biodiversitas*. 8(1) : 48-53.
- Kusuma, A. T., Adela, A., & Najib, A. 2018. Penentuan kadar flavonoid ekstrak etil asetat daun sukun (*Artocarpus altilis*). *Ad-Dawa' Journal Pharmacy Science*. 1(1): 25-31.
- Lai, L.S., S.T. Chou, & W.W. Chao. 2001. Studies on the antioxidative activities of hsian tsao (*Mesona procumbens* Heinsl) leaf gum. *J. Agric. Food Chem*. 49(2): 963-968.
- Lai, Y.H., & Lim, Y.Y. 2011. Evaluation of Antioxidant Activities of the Methanolic Extract of Selected Ferns in Malaysia. *IPCBE 20*, Malaysia.
- Langat, M. 2011. *Chemical Constituents of East European Forest Species*. A. f. Standards, Book of Extended Extracts. Napreca, Nairobi.

- Lans, C.A. 2006. Ethnomedicines used in Trinidad and Tobago for urinary problems and diabetes mellitus. *Journal of Ethnobiology and Ethnomedicine*, 2: 1–11.
- Larasati, N.C. 2019. Optimasi Suhu dan Waktu Ekstraksi pada Proses Pembuatan Ekstrak Cair Batang Kecombrang (*Etlingera elatior*). *Skripsi*. Universitas Jenderal Soedirman, Purwokerto.
- Lemmens, R. H. M. J. & Bunyapraphatsara, N. 2003. Plant resources of South-East Asia no 12(3): Medicinal and Poisonous Plants 3. *Journal of Ethnopharmacology*, 87(1): 119–129.
- Li, W., Tao, & Tang, K. 2009. Flavonoids from Mullberry leaves by microwave assisted extract and fatigue activity. *African Journal of Agricultural Research*, 4(9): 898-902.
- Lin, C., Huang, Y., Cheng, L., Sheu, S., & Chen, C. 2006. Bioactive flavonoids From *Ruellia tuberosa*. *National Research Institute of Chinese Medicine*, 17(3): 103–109.
- Liu, J., & Nes, W.D. 2009. Steroidal triterpenes: Design of substrate-based inhibitors of ergosterol and sitosterol synthesis. *Molecules*, 14(11): 4690–4706.
- Long, R.W. 1976. Biosystematics of *Ruellia tuberosa* L. (Acanthaceae). *American Journal of Botany*, 63(7): 951–959.
- Maksum, A., & Purbowati, I. S. M. 2018. Optimasi ekstraksi senyawa fenolik dari kelopak bunga rosella (*Hibiscus sabdariffa*) berbantu gelombang mikro. *Agrin*, 21(2): 91-104.
- Malangngi, L., Sangi, M., & Paendong, J. 2012. Penentuan kandungan tanin dan uji aktivitas antioksidan ekstrak biji buah alpukat (*Persea americana* Mill.). *Jurnal Mipa*, 1(4): 5-10.
- Malik, A. & Ahmad, AR. 2015. Determination of phenolic and flavonoid contents of ethanolic extract of kanunang leaves (*Cordia myxa* L.). *International Journal of PharmTech Research*, 7(2): 243-246.
- Mandal, V., Mohan, Y., & Hemalatha, S. 2007. Microwave assisted extraction - an innovative and promising extraction tool for medicinal plant research. *Pharmacognosy Reviews*, 1(1): 7–18.
- Mardaningsih, F., Andriani, M.A.M., & Kawiji. 2012. The Influence of Ethanol Concentration and temperature of Spray Dryer for Chlorophyll Powder Characteristic of Alfafa (*Medicago sativa* L) by Using Binder Maltodekstrin. *Jurnal Teknosains Pangan*. 1(1): 110-117.
- Marxen, K. Vanselow, K.H., Lippemeier, S., Hintze, R., Ruser, A. & Hansen U.P. 2007. Determination of DPPH Radical Oxidation Caused by Methanolic Extracts of Some Microalgal Species by Linear Regression Analysis of Spectrophotometric Measurements. *Sensors*, 7(1): 2080-2095.

- Meda, A., Lamien, C.E., Romito, M., Millogo, J., & Nacoulma, O.G. 2005. Determination of the total phenolic, flavonoid and proline contents in Burkina Faso honey, as well as their radical scavenging activity. *Food Chemistry*, 91(3): 571–577.
- Melati, N.S. 2012. Aplikasi *Response Surface Methodology* (RSM) dalam Optimasi Parameter Proses pada Mie Instan Indomie di PT. Indofood CBP Sukses Makmur, Tbk. Divisi Noodle Cabang Jakarta. *Skripsi*. Institut Pertanian Bogor, Bogor.
- Miranti, M., Prasetyorini., & Suwary, C. 2013. Perbandingan Aktivitas Antibakteri Ekstrak Etanol 30% Dan 96% Kelopak Bunga Rosella (*Hibiscus sabdariffa*) terhadap Bakteri *Staphylococcus aureus*. *Ekologia*, 13(1): 9-18.
- Molyneux, P. 2004. The use of the stable free radical *diphenylpicrylhydrazyl* (DPPH) for estimating antioxidant activity. *Journal of Science Technology*. 26(2): 211-219.
- Montgomery, D.C. 2001. *Design and Analysis of Experiments* (5th ed.). John Wiley & Sons. Inc, New York.
- Montgomery, D.C. 2009. *Introduction to Statistical Quality Control*. 6th Edition, John Wiley & Sons. Inc, New York.
- Mudi, S. Y., & Ibrahim, H. 2008. Activity of *Bryophyllum Pinnatum* S. Kurz extracts on respiratory tract pathogenic bacteria. *Bayero Journal of Pure and Applied Sciences*, 1(1), 39-42.
- Munisa, A., Muflihunna, A., & Aarsal, A. F. 2012. Uji Aktivitas Antioksidan Ekstrak Daun Sukun terhadap Kadar Glukosa Darah dan Malondialdehid (MDA) pada Mencit (*Mus musculus*). *Simposium Nasional Kimia Bahan Alam Ke-XX (SimNasKBA 2012)*, Jakarta.
- Neldawati., Ratnawulan, & Gusnedi. 2013. Analisis Nilai absorbansi dalam penentuan kadar flavonoid untuk berbagai jenis daun tanaman obat. *Pillar of Physics*, 2: 76–83.
- Nugroho, A. 2012. *Pemanfaatan Software dalam Penelitian*. Universitas Gajah Mada, Yogyakarta.
- Pelczar, M.J. & Chan, E.C.S. 1986. *Dasar-Dasar Mikrobiologi 1*, Universitas Indonesia Press, Jakarta.
- Prakash, A. 2001. Antioxidant activity medallion laboratories. *Journal of Analithycal Progres*, 19(2): 1-4.
- Prasetyo, S., Henny, S., & Yohanes Y.N. 2012. *Pengaruh Rasio Massa Daun Suji/Pelarut, Temperatur dan Jenis Pelarut Pada Ekstraksi Klorofil Daun Suji Secara Batch Dengan Pengontakan Dispersi*. Lembaga Penelitian dan Pengabdian Masyarakat. Universitas Katolik Parahyangan, Bandung

- Pratista, I.M.I., Suhendra, L., & Wrsiati, L.P. 2017. Karakteristik Pewarna Alami pada Ekstrak *Sargassum polycystum* dengan Konsentrasi Pelarut Etanol dan Lama Maserasi yang Berbeda. *Jurnal Rekayasa dan Manajemen Agroindustri*. 5(4): 51-60.
- Pratt, D.E. & Hudson, B.J.F. 1990. *Natural antioxidant not exploited commercially*. In: B.J.F. Hudson (Ed), Food Antioxidant. Elsevier Applied Science, London and New York.
- Prayoga, G. 2013. Uji Aktivitas Antioksidan dengan Metode DPPH dan Identifikasi Golongan Senyawa Kimia dari Ekstrak Teraktif Daun Sambang Darah (*Excoecaria cochinchinensis* Lour). *Skripsi*. Fakultas Farmasi, Universitas Indonesia, Depok.
- Purbowati, I.S.M. 2014. Nanoenkapsulasi Ekstrak Kelopak Bunga Rosella (*Hibiscus sabdariffa*) Hasil Optimasi Ekstraksi Berbantu Gelombang Mikro sebagai Bahan Antibakteri dan Antioksidan. *Disertasi*. Sekolah Pascasarjana, Institut Pertanian Bogor, Bogor.
- Putranto, A.W., Dewi, S.R., Izza, N.M., Yuneri, D.R., Dachi, M.Y.S., & Sumarlan, S.H. 2018. Ekstraksi senyawa fenolik daun kenikir (*Cosmos caudatus*) menggunakan *Microwave Assisted Extraction* (MAE). *Rona Teknik Pertanian*, 11(1): 59-70.
- Rafiee, Z., Jafari, S. M., Alami, M., & Khomeiri, M. 2011. Microwave-assisted extraction of phenolic compounds from olive leaves; a comparison with maceration. *J. Anim. Plant Sci.*, 21(4): 738-745.
- Raissi, S., & Farsani, R.E. 2009. Statistical process optimization through multi-response surface methodology. *World Academy of Science, Engineering and Technology*, 39(3): 280–284.
- Ratnawati, S. E., Ekantari, N., Pradipta, R. W., & Paramita, B. L. 2018. The Application of Response Surface Methodology (RSM) on the Optimization of Catfish Bone Calcium Extraction. *Jurnal Perikanan Universitas Gadjah Mada*, 20(1): 41-48.
- Richter, P, Tota, I.M.I, & Toledo, C. 2006. Subcritical Water Extraction and Determination of Nifedine in Pharmacheutical Formulation Drug, Cosmetics, Forensic Science. *J.of AOAC International*. (89)2.
- Salni, H.M. & Ratna. W.M. 2011. Isolasi Senyawa Antibakteri dari Daun Jengkol (*Pithecolobium lobatum* benth) dan Penentuan Nilai KHM-nya. *Jurnal Penelitian Sains*. 14(1): 38-41.
- Sarastani, D., Soekarto, S. T., Muchtadi, T. R., Fardiaz, D., & Apriyantono, A. 2002. Aktivitas Antioksidan Ekstrak dan fraksi ekstrak biji atung (*Parinarium glaberrimum* Hassk.). *Jurnal Teknologi Dan Industri Pangan*, 13(2): 149–156.

- Sari, D.K., Dyah H.W. & Aji P. 2013. Kajian Isolasi Senyawa Fenolik Rumput Laut *Euceuma cottonii* Berbantu Gelombang Micro dengan Variasi Suhu dan Waktu. *Jurnal Teknik Kimia*, 19(3): 38-43.
- Sari, R., Muhani, M., & Fajriaty, I. 2017. Uji Aktivitas Antibakteri Ekstrak Etanol Daun Gaharu (*Aquilaria microcarpa* Baill.) terhadap Bakteri *Staphylococcus aureus* dan *Proteus mirabilis*. *Pharm Sci Res*. 4(3): 143-154.
- Sari, R.A., Sylvestris, A., & Bahrudin, M. (2013). Pengaruh pemberian ekstrak daun pletekan (*Ruellia tuberosa* L.) terhadap kadar glukosa darah pada tikus putih (*Rattus novergicus*) strain Wistar yang diinduksi alloxan. *Jurnal Ilmu Kesehatan Dan Kedokteran Keluarga*, 9(1): 33–37.
- Saria, B.L., Triastinurmiatiningsih, & Haryani, T.S. 2020. Optimasi Metode *Microwave-Assisted Extraction* (MAE) untuk Menentukan Kadar Flavonoid Total Alga Coklat *Padina australis*. *ALCHEMY Jurnal Penelitian Kimia*, Vol. 16(1): 37-48.
- Sayuti, N.A. 2015. Formulasi dan Uji stabilitas fisik sediaan gel ekstrak daun ketepeng cina (*Cassia alata* L.). *Jurnal Kefarmasian Indonesia*, 5(2): 74–82.
- Septiana, A.T., & Asnani, A. 2013. Aktivitas Antioksidan Ekstrak Rumput Laut *Sargassum duplicatum*. *Jurnal Teknologi Pertanian*. 14(2): 79-86.
- Shahidi, F., & Nackz, M. 1995. *Food Phenolics Source, Chemistry Effect Application*. Techomic Publishing AG, Basel.
- Sheikh, T.Z.B., Yong, C.L., & Lian. M.S. 2009. In vitro antioxidant activity of the hexane and methanolic extracts of *Sargassum baccularia* and *Cladophora patentiramea*. *Journal of Applied Sciences*. 13(9): 2490-2493.
- Shu, Y.Y. & Ko, M.Y. 2003. Microwave Assisted Extraction of Ginsenosides from Ginseng Root, *Microchemical Journal*, 74:131-139.
- Silva, M., Gomes, F., Oliveira, F., Morais, S., & Matos, C.D. 2015. Microwave Assisted Alginate Extraction from Portuguese *Saccorhiza polyschides* - Influence of Acid Pretreatment. *International Journal of Chemical, Nuclear, Materials and Metallurgical Engineering*, 9(1): 30-33.
- Siregar, E.D.M. 2005. Perlakuan Jenis Pakan Alami pada Daun Sirsak dan Teh. *Skripsi*. Institut Pertanian Bogor, Bogor.
- Siswandono & Soekardjo, B. 2000. *Kimia Medisinal* (2nd ed.). Airlangga University Press, Surabaya.
- Soesanto, H. 2006. Pembuatan Isoeugenol dari Eugenol Menggunakan Pemanasan Gelombang Mikro. *Skripsi*. Departemen Teknologi Industri Pertanian, Fakultas Teknologi Pertanian, Institut Pertanian Bogor, Bogor.

- Srihidayati, G. 2017. Studi Perbandingan Viskositas Saos Sambal Aneka Merk Produk. *Jurnal Pertanian Berkelanjutan*. 5(2): 1-6.
- Steenis, C. G. 2003. *Flora* (M. Surjowinoto (Ed. Rev)). PT. Balai Pustaka, Jakarta.
- Su, Y.L., Xu, J.Z., Leung, L.K.K., Huang, Y., & Chen, Z.C. 2004. Antioxidant activity of tea theaflavins and methylated catechin in canola Oil. *JAOCS*. 31(3): 269-274.
- Sudarmadji, S., Haryono, B., & Suhardi. 1989. *Prosedur Analisa untuk Bahan Makanan dan Pertanian*. Penerbit Liberty, Yogyakarta.
- Suriani, H.G. N., & Ristianengrum, A.I. 2017. Uji toksisitas LD₅₀ ekstrak daun pletekan (*Ruellia tuberosa* L.) terhadap mencit (*Mus musculus*). *Majalah Farmasi Indonesia*. 14(1): 47–52.
- Suwarno, T., & Soekarto. 1990. *Dasar-Dasar Pengawasan dan Standarisasi Mutu Pangan* (1st ed.). IPB Press, Bogor.
- Tang, H. 1992. Phenolic compounds in food: an overview. In Phenolic compounds in food and their effect on health. *American Chemical Society Symposium Series no.507*, USA.
- Taylor, M., Atri, B. S., & Minhas, S. 2005. *Intellectual Property Developments in Microwave Chemistry*. Evalueserve Patent, 1–50.
- Thomson, R. 2008. *The Chemistry of Natural Product* (2nd ed.). Chapman and hall ltd, London.
- Ukoha, P.O., Cemaluk, E.A.C., Nnamdi, O.L., & Madus, E. P. 2011. Tannins and other phytochemical of the Samanea saman pods and their antimicrobial activities. *African Journal of Pure and Applied Chemistry*, 5(8): 237-244.
- Wang, Y., GuangSheng, X., YongChun, Z., & Fusheng, M. 2010. Microwave-assisted extraction of flavonoids from chinese herb *Radix puerariae* (Ge Gen). *Journal of Medicinal Plants Research*, 4(4): 304–330.
- Wei, L., Tao, L., & Keji, T. 2009. Flavonoids from mulberry leaves by microwave-assisted extract and anti-fatigue activity. *African Journal of Agricultural Research*, 4(9): 898–902.
- White, P.A.S., Oliveira, R.C.M., Oliveira, A.P., Serafini, M.R., Araújo, A.A.S., Gelain, Moreira, D.P.J.C.F., Almeida, J.R.G.S., Quintans, J.S.S., QuintansJunior, L.J., & Santos, M.R.V. 2014. Antioxidant activity and mechanisms of action of natural compounds isolated from lichens: A Systematic Review. *Molecules*. 19: 14496-14527.
- Wibisono, Y., Savitri, D., Dewi, S. R., & Putranto, A. W. 2020. Ekstraksi Senyawa Fenolik dari Bawang Putih (*Allium sativum* L.) untuk Agen Anti-Biofouling pada Membran. *Jurnal Ilmiah Rekayasa Pertanian dan Biosistem*, 8(1): 100-109.

- Widyaningsih, A. 2013. Menurunkan tingkat stres dan penyakit degeneratif dengan pendekatan *focus group discussion* di PT. Kayu Lapis Indonesia. *Indonesian Journal of Community Empowerment*, 116: 37–43.
- Yuliantari, N.W.A., Widarta, I.W.R., & Permana, I.D.G.M. 2017. Pengaruh suhu dan waktu ekstraksi terhadap kandungan flavonoid dan aktivitas antioksidan daun sirsak (*Annona muricata* L.) menggunakan ultrasonik. *Media Ilmiah Teknologi Pangan*. 4(1): 35-42.
- Yulianthi, N.N.S., Suhendra, L., & Wrasati, L.P. 2017. Pengaruh Perbandingan Jenis Pelarut terhadap Kandungan Senyawa Total Fenol, α -Tokoferol, dan Total Karotenoid Ekstrak *Sargassum polycystum*. *Jurnal Rekayasa Dan Manajemen Agroindustri*, 5(4): 1-10.
- Zemansky, S. 1982. *Fisika Untuk Universitas 1*. Yayasan Dana Buku Indonesia. Jakarta.
- Zhang, L., Shan, Y., Tang, K., & Putheti, R. 2009.. Ultrasound-assisted extraction flavonoids from Lotus (*Nelumbo nucifera Gaertn*) leaf and evaluation of its anti-fatigue activity. *International Journal of Physical Sciences*, 4(8): 418–422.
- Zheng, X., Liu, B., Li, L., & Zhu, X. 2011. Microwave-assisted extraction and antioxidant activity of total phenolic compounds from pomegranate peel. *Journal of Medicinal Plants Research*, 5(6): 1004-1011.