

DAFTAR PUSTAKA

- Abdalla, A.N., Shaheen, U., Abdallah, Q., Flaminii, G., Bkhaitan, M.M., Abdelhady, M.I., & Bader, A. 2020, 'Proapoptotic activity of Achillea membranacea essential oil and its major constituent 1,8-cineole against A2780 ovarian cancer cells', *Molecules*, 25(7), 1-12.
- Abutaha, N., Nasr, F.A., Mohammed, A.Z., Semlali, A., Al-Mekhlafi, F.A., & Wadaan, M.A. 2019, 'Calendula arvensis L. as an anti-cancer agent against breast cancer cell lines', *Molecular biology reports*, 46(2), 2187-2196.
- Acheampong, F., Larbie, C., Appiah-Opong, R., Arthur, F. K., & Tuffour, I. 2015, 'In vitro antioxidant and anticancer properties of hydroethanolic extracts and fractions of Ageratum conyzoides', *European Journal of Medicinal Plants*, 7(4), 205-214.
- Adetutu, A., Morgan, W.A., Corcoran, O., & Chimezie, F. 2012, 'Antibacterial activity and in vitro cytotoxicity of extracts and fractions of Parkia biglobosa (Jacq.) Benth. stem bark and Ageratum conyzoides Linn. Leaves', *Environmental Toxicology and Pharmacology*, 34, 478-483.
- Ahmed, S.A. & Kamel, E.M. 2014, 'Cytotoxic activities of flavonoids from Centaurea scoparia', *The Scientific world journal*, 1-7.
- Ajao, A.A. & Motete, A.N., 2017, 'Tithonia diversifolia (Hemsl) A. Gray. (Asteraceae: Heliantheae), an invasive plant of significant ethnopharmacological importance: a review', *South African Journal of Botany*, 113, 396-403.
- Alam, M.N., Almoyad, M., & Huq, F. 2018, 'Polyphenols in colorectal cancer: current state of knowledge including clinical trials and molecular mechanism of action', *BioMed research international*, 1-30.
- Alcazar, S.J., Ault, J., Khodjakov, A., & Schneider, E. 2000, 'Increased mitochondrial cytochrome c levels and mitochondrial hyperpolarization precede camptothecin-induced apoptosis in jurkat cells', *Cell Death Differ*, 7(11), 1090-1100.
- Alem, L.F., Baker, A.T., Pandya, U.M., Eisenhauer, E.L., & Rueda, B.R. 2019, 'Understanding and targeting apoptotic pathways in ovarian cancer',

- Cancers*, 11(11), 1631.
- Alencar, M.V., Islam, M.T., Ali, E.S., Santos, J.V., Paz, M.F., Sousa, J., & Cavalcante, A.A. 2018, ‘Association of phytol with toxic and cytotoxic activities in an antitumoral perspective: a meta-analysis and systemic review’, *Anti-Cancer Agents in Medicinal Chemistry (Formerly Current Medicinal Chemistry-Anti-Cancer Agents)*, 18(13), 1828-1837.
- Alfaifi, M., Alsayari, A., Gurusamy, N., Louis, J., Eldin Elbehairi, S., Venkatesan, K., & Alboushnak, H. 2020, ‘Analgesic, anti-inflammatory, cytotoxic activity screening and UPLC-PDA-ESI-MS metabolites determination of bioactive fractions of Kleinia pendula’. *Molecules*, 25(2), 1-14.
- Allen, L.V., Popovich, N.G., & Ansel, H.C. 2014, *Ansel. Bentuk Sediaan Farmasetis & Sistem Penghantaran Obat*, diterjemahkan oleh L. Hendriati dan K. Foe, edisi kesembilan, Penerbit Buku Kedokteran EGC, Jakarta, pp. 243-261.
- Anand, P., Kunnumakkara, A.B., Harikumar, K.B., Ahn, K.S., Badmaev, V., & Aggarwal, B.B. 2008, ‘Modification of cysteine residue in p65 subunit of nuclear factor- b (NF- B) by picroliv suppresses NF- B-Regulated gene products and potentiates apoptosis’, *Cancer Research*, 68(21), 8861–8870.
- Anantharaju, P.G., Gowda, P.C., Vimalambike, M.G., & Madhunapantula, S.V. 2016, ‘An overview on the role of dietary phenolics for the treatment of cancers’, *Nutrition journal*, 15(1), 99.
- Arianingrum, R. 2016, ‘The effect of p-hidroxy m-methoxy chalcone (pHmMk) On Bcl-2 and Bax protein expression in MCF7 breast cancer cell lines’. *Jurnal Penelitian Saintek*, 21(1), 10-20.
- Bader, A., Abdallah, Q.M., Abdelhady, M.I., De Tommasi, N., Malafronte, N., Shaheen, U., & Cotugno, R. 2019, ‘Cytotoxicity of some plants of the Asteraceae family: Antiproliferative activity of Psiadia punctulata root sesquiterpenes’, *Rec. Nat. Prod*, 13, 307-315.
- Bai, J., Li, Y., & Zhang, G. 2017, ‘Cell cycle regulation and anticancer drug discovery’, *Cancer Biol Med*, 14(4), 348-362.
- Bali, E.B., Acık, L., Elci, P., Sarper, M., Avcu, F., & Vural, M. 2015, ‘In vitro anti-oxidant, cytotoxic and pro-apoptotic effects of achillea teretifolia willd

- extracts on human prostate cancer cell lines', *Pharmacognosy Magazine*, 11(44): 5398-5315.
- Batra, P. & Sharma, A.K. 2013, 'Anti-cancer potential of flavonoids: recent trends and future perspectives', *3 Biotech*, 3(6): 439-459.
- Berghe, T.V., Grootjans, S., Goossens, V., Dondelinger, Y., Krysko, D.V., Takahashi, N., & Vandenabeele, P. 2013, 'Determination of apoptotic and necrotic cell death in vitro and in vivo', *Methods*, 61(2), 117–129.
- Bishayee, A., Mandal, A., Thoppil, R.J., Darvesh, A.S., & Bhatia, D. 2013, 'Chemopreventive effect of a novel oleanane triterpenoid in a chemically induced rodent model of breast cancer', *Int J Cancer*, 133(5), 1054–106.
- Bisht, V.K. & Purohit, V. 2010, 'Medicinal and aromatic plants diversity of Asteraceae in Uttarakhand', *Nat Sci*, 8(3), 121-8.
- Bratty, M., Govindaram, L.K., Thangavel, N., Alhazmi, H.A., Ibrahim, A.M., Maruthamuthu, V., & Kandasamy, R. 2019, 'High performance thin-layer chromatography and in vitro cytotoxic studies on ethanol extract of Matricaria chamomilla L. (Asteraceae) flowers', *Tropical Journal of Pharmaceutical Research*, 18(9): 1–8.
- Cardoso, P.C.D.S., Rocha, C.A.M.D., Mota, T.C., Bahia, M.D.O., Correa, R.M.D.S., Gomes, L.M., & Burbano, R. 2019, 'In vitro assessment of cytotoxic, genotoxic and mutagenic effects of antimalarial drugs artemisinin and artemether in human lymphocytes', *Drug and Chemical Toxicology*, 42(6), 608-614.
- Chaturvedi, D. 2011, 'Sesquiterpene lactones: structural diversity and their biological activities', *Res. Signpost*, 661, 313–334.
- Cheung, F.W.K., Li, C., Che, C.T., Liu, P., Bonnie, L., Wang, L. & Liu, W.K. 2010, 'Geoditin a induces oxidative stress and apoptosis on human colon HT29 cells', *Marine Drugs*, 8(8), 80–90.
- Chiarugi, P., & Giannoni, E. 2008, 'Anoikis: a necessary death program for anchorage-dependent cells', *Biochemical pharmacology*, 76(11), 1352-1364.
- Costea, T., Nagy, P., Ganea, C., Szollosi, J., & Mocanu, M.M. 2019, 'Molecular mechanisms and bioavailability of polyphenols in prostate cancer',

- International journal of molecular sciences*, 20(5), 1062.
- Cruceriu, D., Balacescu, O., & Rakosy, E. 2018, ‘Calendula officinalis: potential roles in cancer treatment and palliative care’, *Integrative cancer therapies*, 17(4), 1068-1078.
- Da, J., Xu, M., Wang, Y., Li, W., Lu, M., & Wang, Z. 2019, ‘Kaempferol promotes apoptosis while inhibiting cell proliferation via androgen-dependent pathway and suppressing vasculogenic mimicry and invasion in prostate cancer’, *Analytical Cellular Pathology*, 1-11.
- Dalimarta, 2000, *Atlas Tumbuhan Obat Indonesia*, Bogor, Trubus Agriwidya.
- Doyle, A. & Griffith, S.J.B. 2000, *Cell and Tissue Culture for Medical Research*, 49, John Wiley and Sons, New York.
- Efeyan, A. & Serrano, M. 2007, ‘P53: guardian of the genome and policeman of the oncogenes, cell cycle’, 6(9), 1006-1010.
- Elkady, W.M., Ayoub, I.M., Abdel-Mottaleb, Y., ElShafie, M.F., & Wink, M. 2020, ‘Euryops pectinatus L. flower extract inhibits p-glycoprotein and reverses multi-drug resistance in cancer cells: a mechanistic study’, *Molecules*, 25(3), 1-15.
- El-toumy, S.A., Ahmed, S.A., & Kamel, E.M. 2014, ‘Phenolic constituents, hepatoprotective and cytotoxic activities of Pluchea Diocoridis’, *int. J appl res nat prod*, 7, 1-10.
- Fachrunisa, D., Hasibuan, P.A.Z., & Harahap, U. 2019, ‘Cell cycle inhibition and apoptotic induction of Vernonia amygdalina Del. leaves extract on MCF-7 cell line’, *Open Access Macedonian Journal of Medical Sciences*, 7(22), 3807-3810.
- Ferrer, P., Asensi, M., Segarra, R., Ortega, A., Benlloch, M., Obrador, E., Varea, M.T., Asensio, G., Jorda, L., & Estrela, J.M. 2005, Association between pterostilbene and quercetin inhibits metastatic activity of B16 Melanoma, *Neoplasia*, 7(1), 37–47
- Fita, F.E., Listianingsih, D., Hapsari, Y.A., Pradana, R.G., Safitri, E.I., & Arifin, I. 2017, ‘Efek sitotoksik kombinasi ekstrak metanol daun kenikir (Cosmos Caudatus) dan doksorubisin terhadap sel kanker payudara T47D secara in vitro dan in silico’, *Jurnal Ilmu Farmasi dan Farmasi Klinik*, 51-56.

- Fitriatuzzakiyyah, N., Sinuraya, R.K., & Puspitasari. 2017, ‘Terapi kanker dengan radiasi: konsep dasar radioterapi dan perkembangannya di indonesia, *Jurnal Farmasi Klinik Indonesia*, 6(4), 311-320.
- Forester, S.C., Choy, Y.Y., Waterhouse, A.L., & Oteiza, P.I. 2012, ‘The anthocyanin metabolites gallic acid, 3-o-methylgallic acid, and 2,4,6-trihydroxybenzaldehyde decrease human colon cancer cell viability by regulating pro-oncogenic signals’, *Molecular Carcinogenesis*, 53(6), 432–439.
- Frisca, F., Sardjono, C. T., & Sandra, F. 2009, ‘Angiogenesis: patofisiologi dan aplikasi klinis’, *Maranatha Journal of Medicine and Health*, 8(2), 150-191.
- Fuster, J.J., Sanz-González, S.M., Moll, U.M., Andrés, V. 2007, ‘Classic and novel roles of p53: prospects for anticancer therapy’, *Trends Mol. Med.*, 13(5), 192–199.
- Garrett, M.D. 2001, *Cell Cycle Control and Cancer*, Current Science, Vol. 81, No.5
- Gartner, L.P. & Hiatt, J.L. 2007, *Nucleus. in: gartner, lp., hiatt, jl. color textbook of histology*, 3rd. Ed. Philadelphia, Saunders Elsevier, pp. 61-80.
- Guzelmeric, E., Vovk, I., & Yesilada, E. 2015, ‘Development and validation of an hptlc method for apigenin 7-oglucoside in chamomile flowers and its application for fingerprint discrimination of chamomile like materials’, *J Pharm Biomed Anal*, 107, 108-117.
- Guzelmeric, E., Ristivojevic, P., Vovk, I., Milojkovic-Opsenica, D., & Yesilada, E. 2017, ‘Quality assessment of marketed Chamomile tea products by a validated hptlc method combined with multivariate analysis’, *J Pharm Biomed Anal*, 132(5), 35-45.
- Halimah, E., Diantini, A., Destiani, D.P., Pradipta, I.S., Sastramihardja, H.S., Lestari, K., & Koyama, H. 2015, ‘Induction of caspase cascade pathway by kaempferol- 3-o-rhamnoside in LNCaP prostatecancer cell lines’, *Biomedical Reports*, 3(1), 115-117.
- Hall, M. & Peters, G. 1996, ‘Genetic alterations of cyclins, cyclin-dependent kinases, and cdk inhibitors in human cancer’, *Adv. Cancer Res*, 68, 67-108.

- Hamed, M.M., El-Mobdy, M.A., Kamel, M.T., Mohamed, H.I., & Bayoumi, A.E. 2019, ‘Phytochemical and biological activities of two asteraceae plants *Senecio vulgaris* and *Pluchea dioscoridis L.*’, *Pharmacology Online*, 2, 101-121
- Handayani, T. 2008, ‘Pengaruh xantorizol terhadap sel hepatoma hepg2’, *Maranatha Journal of Medicine and Health*, 8(1): 29-36.
- Hartati, M.S., Mubarika, S., Bolhuis, R.L.H., Nooter, K., Oostrum, R.G., Boersma, A.M.H., & Wahyuono, S. 2003, ‘Sitotoksitas rimpang temu mangga (Curcuma mangga & V. Zijp.) dan kunir putih (Curcuma zedoaria I.) terhadap beberapa sel kanker manusia (in vitro) dengan metode SRB’, *Berkala Ilmu Kedokteran*, 35(4), 197-201.
- Harvey, A.L. 2008, ‘Natural products pn drug discovery’, *Drug Discovery Today*, 13(19-20), 894-901.
- Heiden, M.V.G., Chandel, N.S., Li, X.X., Schumacker, P.T., Colombini, M., & Thompson, C.B. 2000, ‘Outer mitochondrial membrane permeability can regulate coupled respiration and cell survival’, *Proc Natl Acad Sci USA*, 97(9), 4666–4671.
- Hepokur, C., Budak, Y., Basri, K.H., Selvi, B., & Yaylim, İ. 2019, ‘Investigation of cytotoxic effects of Inula Viscosa extract’, *Cumhuriyet Science Journal*, 40(3), 578-582.
- Ho, W.Y., Yeap, S.K., Ho, C.L., Raha, A.R., Suraini, A. A., & Alitheen, N.B. 2011, ‘Elephantopus scaber induces cytotoxicity in MCF7 human breast cancer cells via p53-induced apoptosis’, *J. Med. Plants Res.* 5: 5741–5749.
- Huang, H., Du, T., Xu, G., Lai, Y., Fan, X., Chen, X., & Li, K. 2017, ‘Matrine suppresses invasion of castration-resistant prostate cancer cells by downregulating MMP-2/9 via NF-κB signaling pathway’, *International journal of oncology*, 50(2), 640-648.
- Ilhami, F.Y., Wahyuni, F.S., & Husni, E. 2013, Uji efek sitotoksik hasil fraksinasi ekstrak etanol akar asam kandis (*Garcinia Cowa Roxb.*) terhadap sel kanker payudara T47D dengan metode MTT. *Prosiding Seminar Nasional Perkembangan Terkini Sains Farmasi dan Klinik III*, Fakultas Farmasi Universitas Andalas Padang, 71-77.

- Jakovljevic, R.M., Grujicic, D., Zivanovic, M., Stankovic, M., Cric, A., Djurdjevic, P., & Milosevic-Djordjevic, O. 2019, ‘Ethyl acetate extracts of two artemisia species: analyses of phenolic profile and anticancer activities against SW480 colon cancer cells’, *Natural Product Communications*, 14(5): 1-6.
- Jassbi, A.R., Firuzi, O., Miri, R., Salhei, S., Zare, S., Zare, M., & Baldwin, I.T. 2016, ‘Cytotoxic activity and chemical constituents of Anthemis mirheydari’, *Pharmaceutical biology*, 54(10), 2044-2049.
- Junedi, S., Susidarti, R.A., & Meiyanto, E. 2010, ‘naringenin meningkatkan efek sitotoksik doxorubicin pada sel kanker payudara T47D melalui induksi apoptosis’, *Jurnal Ilmu Kefarmasian Indonesia*, 8(2), 87-92.
- Kabeer, F.A., Sreedevi, G.B., & Nair, M.S. 2014, ‘Isodeoxyelephantopin from Elephantopus scaber (Didancao) induces cell cycle arrest and caspase-3-mediated apoptosis in breast carcinoma T47D cells and lung carcinoma’, *Chin. Med.* 9, 1-9.
- Kashafi, E., Moradzadeh, M., Mohamadkhani, A., & Erfanian, S. 2017, ‘Kaempferol increases apoptosis in human cervical cancer hela cells via pi3k/akt and telomerase pathways’, *Biomedicine & Pharmacotherapy*, 89, 573-577.
- Kim, M.S., So, H.S., Lee, K.M., Park, J.S., Lee, J.H., Moon, S.K., Ryu, D.G., Chung, S., Jung, B.H., Kim, Y.K., Moon, G., & Park, R. 2000, ‘Activation of caspase cascades in Korean mistletoe (*Viscum album* var. *coloratum*) lectin-ii-induced apoptosis of human myeloleukemic U937 cells’, *Gen Pharmacol Vasc Syst*, 34(5), 349–35.
- Kim, S.J., Kim, U.J., Yoo, H.Y., Choi, Y.J., & Kang, K.W. 2020, ‘Anti cancer effects of CKD-581, a potent histone deacetylase inhibitor against diffuse large b-cell lymphoma’, *International Journal of Molecular Sciences*, 21(12), 4377.
- Kong, C.K.L., Lam, W.S., Chiu, L.C.M., Ooi, V.E.C., & Sun, S.S.M. 2009, ‘A rice bran polyphenol, cycloartenyl ferulate, elicits apoptosis in human colorectal adenocarcinoma SW480 and sensitizes metastatic SW620 cells to trail-induced apoptosis’, *Biochem Pharmacol*, 77(9): 1487-1496.

- Lai, H.C., Singh, N.P., Sasaki, T. 2013, ‘Development of artemisinin compounds for cancer treatment, *Investigational New Drugs*, 31(1), 230-246.
- Lawrence, G.H.M. 1968, *Taxonomy Vascular Plants*, The Macmillan Company, New York.
- Lee, C.M., Lee, J., Nam, M.J., Choi, Y.S., & Park, S.H. 2019, ‘Tomentosin displays anti-carcinogenic effect in human osteosarcoma mg-63 cells via the induction of intracellular reactive oxygen species’, *International journal of molecular sciences*, 20(6), 1508.
- Lee, Y. J., Chung, J. G., Tan, Z. L., Hsu, F. T., Liu, Y. C., & Lin, S. S. 2020, ‘ERK/AKT Inactivation and Apoptosis Induction Associate With Quetiapine-inhibited Cell Survival and Invasion in Hepatocellular Carcinoma Cells’, *in vivo*, 34(5), 2407-2417.
- Lin, M.T., Lin, C.L., Lin, T.Y., & Cheng, C.W. 2015, ‘Synergistic effect of fisetin combined with sorafenib in human cervical cancer hela cells through activation of death receptor- 5 mediated caspase-8/caspase-3 and the mitochondriadependent apoptotic pathway’, *Tumour Biology : The Journal of the International Society for Oncodevelopmental Biology and Medicine*, 37(5), 6987-6996.
- Lindholm, P. 2005, *Cytotoxic Compounds Of Plant Origin-Biological and Chemical Diversity*, Uppsala University, Sweden.
- Luo, Y., Zeng, A., Fang, A., Song, L., Fan, C., Zeng, C., & Xie, Y. 2019, ‘Nifuroxazide induces apoptosis, inhibits cell migration and invasion in osteosarcoma’, *Investigational new drugs*, 37(5), 1006-1013.
- Ma, A. & Zhang, R. 2020, ‘Diosmetin inhibits cell proliferation, induces cell apoptosis and cell cycle arrest in liver cancer’, *Cancer Management and Research*, 12, 3537-3546.
- Machana, S., Natthida, W., Sahapat, Barusrux, & Apiyada, N. 2011, ‘Cytotoxic and apoptotic effects of six herbal plants against the human hepatocarcinoma (HepG2) cell line, *Chinese Medicine*, 6, 39.
- Mamouni, K., Zhang, S., Li, X., Chen, Y., Yang, Y., Kim, J., & Wu, D. 2018, ‘A novel flavonoid composition targets androgen receptor signaling and inhibits prostate cancer growth in preclinical models’, *Neoplasia*, 20(8),

- 789–799.
- Mandal, A., Bhatia, D., & Bishayee, A. 2013, ‘Simultaneous disruption of estrogen receptor and wnt/b-catenin signaling is involved in methyl amooranin-mediated chemoprevention of mammary gland tumorigenesis in rats’, *Mol Cell Biochem*, 384(1-2), 239–250.
- Mardihusodo, H.R., Wahyuningsih, M.S.H., & Astuti, I. 2013, ‘The effect of active compound isolated from the leaves of kembang bulan [Tithonia diversifolia (Hemsley) A. Gray] on cell cycle and angiogenesis of WiDr Cell Line’, *Journal of the Medical Sciences (Berkala ilmu Kedokteran)*, 45(3), 101-111.
- Mashuri, A. & Mustokoweni, S. 2015, ‘Perbedaan ekspresi matrix metalloproteinases-9 (MMP-9) pada osteosarkoma non metastasis dan kejadian metastasis’, *Majalah Patologi Indonesia*, 24(1), 1-6.
- Mayr, C., Wagner, A., Neureiter, D., Pichler, M., & Jakab, M. 2015, ‘The green tea catechin epigallocatechin gallate induces cell cycle arrest and shows potential synergism with cisplatin in biliary tract cancer cells’, *BMC Complement Altern Med*, 15(194), 1-7.
- Mehmood, T., Maryam, A., Ghramh, H. A., Khan, M., & Ma, T. 2017, ‘Deoxyelephantopin and isodeoxyelephantopin as potential anticancer agents with effects on multiple signaling pathways’, *Molecules*, 22(6), 1013.
- Messaoudi, M., Chahmi, N., El Mzibri, M., Gmouh, S., Amzazi, S., Benbacer, L., & El Hassouni M. 2016, ‘Cytotoxic effect and chemical composition of Inula viscosa from three different regions of Morocco’, *European Journal of Medicinal Plants*, 16(4):1-9.
- Mishra, R., Das, M.K., Singh, S., Sharma, R.S., Sharma, S., & Mishra, V. 2017, ‘Articulatin d induces apoptosis via activation of caspase-8 in acute t-cell leukemia cell line’, *Molecular and Cellular Biochemistry*, 426(1-2), 87-99.
- Nikseresht, M., Kamali, A.M., Rahimi, H.R., Delaviz, H., Toori, M.A., Kashani, I.R., & Mahmoudi, R. 2017, ‘The hydroalcoholic extract of Matricaria chamomilla suppresses migration and invasion of human breast cancer MDA-MB-468 and MCF7 cell lines’, *Pharmacognosy Res*, 9(1), 87– 95.
- Nurhayati, B., Rahayu, I.G., Rinaldi, S.F., Zaini, W.S., Afifah, E., Arumwardana,

- S., & Widowati, W. 2018, 'The antioxidant and cytotoxic effects of *Cosmos caudatus* ethanolic extract on cervical cancer', *The Indonesian Biomedical Journal*, 10(3), 243-249.
- Nurkhasanah, N.S. & Mahdi, L. 2017, 'Chloroform fraction of ethanolic extract of *Elephantopus scaber* Linn. increase the p53 expression on human breast cancer (T47D) Cell Line', *Pharmaciana*, 7(2), 141– 146.
- Nurulita, N.A., Meiyanto, E., & Sugiyanto, S. 2011, 'Selectivity of ethyl acetate fraction of *Gynura procumbens* on colon cancer and breast cancer', *Indonesian Journal of Cancer Chemoprevention*, 2(3), 274-280.
- Odeleye, O.P., Oluyege, J.O., Aregbesola, O.A., & Odeleye, P.O. 2014, 'Evaluation of preliminary phytochemical and antibacterial activity of *Ageratum conyzoides* on some clinical bacterial isolates', *Int. J. Eng. Sci*, 3(6), 1-5.
- Organization for Economic Co-operation and Development. 2009, *Chronic Toxicity Studies*, OECD Guidelines For The Testing of Chemicals No. 452, 1-13.
- Palanca, F.P., Fondevila, F., Méndez-Blanco, C., Tunon, M.J., Gonzalez-Gallego, J., & Mauriz, J.L. 2019, Antitumor effects of quercetin in hepatocarcinoma in vitro and in vivo models: a systematic review', *Nutrients*, 11(12), 2875.
- Park, E., Bae, W., Eom, S., Kim, K., & Paiik, H. 2017, 'Improved antioxidative and cytotoxic activities of chamomile (*Matricaria chamomilla*) florets fermented by *Lactobacillus plantarum* KCCM 11613P', *J Zhejiang Univ Sci B (Biomed & Biotechnol)*, 18(2), 152-160.
- Passoni, F.D., Oliveira, R.B., Chagas-Paula, D.A., Gobbo-Neto, L., Da Costa, F.B., 2013, Repeated-Dose Toxicological Studies of *Tithonia diversifolia* (Hemsl.) A. Gray and Identification of The Toxic Compounds, *J. Ethnopharmacol*, 147(2), 389–394.
- Perveen, S. & Taweeel, A.M. 2017, 'Phenolic compounds from the natural sources and their cytotoxicity, phenolic compounds', *Natural Sources, Importance and Applications*, 29-60.
- Pineres, G.A.J., Castro, V., Mora, G., Schmidt, T.J., Strunck, E., Pahl, H.L., &

- Merfort, I. 2001, Cysteine 38 in p65/NF-κB plays a crucial role in DNA binding inhibition by sesquiterpene lactones’, *Journal of Biological Chemistry*, 276(43), 39713-39720.
- Purwanto, N., Rismawati, E., & Sadiyah, E.R. 2015, Uji sitotoksik ekstrak biji salak (*Salacca Zalacca* (Gaert) Voss) dengan menggunakan metode *Brine Shrimp Lethality Test (BsLT)*’, *Prosiding Penelitian SPeSIA*, 616-622.
- Rahayu, M. & Roosmarinto, R. 2017, ‘Kajian aktivitas antikanker ekstrak daun gude (Cajanus cajan) terhadap sel kanker kolon secara in vitro’, *Jurnal Teknologi Laboratorium*, 6(1), 31-38.
- Ratnasari, A. A., Winarto, H., Purbadi, S., Sekarutami, S. M., & Sutrisna, B. 2016, ‘Hubungan Ekspresi NFκB dengan Respons Radiasi Kanker Serviks Stadium Lokal Lanjut’, *eJournal Kedokteran Indonesia*, 4(1), 31-36.
- Ren, W., Qiao, Z., Wang, H., Zhu, L., & Zhang, L. 2003, ‘Flavonoids: promising anticancer agents’, *Med Res Rev*, 23(4), 519-534.
- Riset Kesehatan Dasar (Riskedas), 2018, Badan Penelitian dan Pengembangan Kesehatan.Kementerian.RI.tahun.2018,http://www.depkes.go.id/resources/download/infoterkin/materi_rakorpop_018/Hasil%20Riskeidas%202018.pdf – Diakses Juli 2020
- Sari, L. M. 2018, ‘Apoptosis: Mekanisme Molekuler Kematian Sel’, *Cakradonya Dental Journal*, 10(2), 65-70.
- Sachs, J.R., Mayawala, K., Gadamsetty, S., Kang, S.P., & Alwis, D.P. 2016, Optimal dosing for targeted therapies in oncology: drug development cases leading by example’, *Clin Cancer Res*, 22(6), 1318–1324.
- Saleh, A.M., Aljada, A., Rizvi, S. A., Nasr, A., Alaskar, A.S., & Williams, J.D. 2014, ‘In vitro cytotoxicity of Artemisia vulgaris L. essential oil is mediated by a mitochondria dependent apoptosis in HL60 leukemic cell line’, *BMC complementary and alternative medicine*, 14(1), 1-15.
- Sari, L.M. 2019, ‘Catechin: molecular mechanism of anti-cancer effect: katekin: mekanisme molekular efek antikanker’, *Dentika Dental Journal*, 22(1), 20-25.
- Sarkar, S., Pal, A., Chouni, A., & Paul, S. 2020, ‘A novel compound β-sitosterol-3-o-β-d-glucoside isolated from azadirachta indica effectively induces

- apoptosis in leukemic cells by targeting g0/g1 populations', *Indian Journal of Biochemistry and Biophysics (IJBB)*, 57(1), 27-32.
- Schlachterman, A., Valle, F., Wall, K.M., Azios, N.G., Castillo, L., Morell, L., & Dharmawardhane, S.F. 2008, 'Combined resveratrol, quercetin, and catechin treatment reduces breast tumor growth in a nude mouse model', *Translational oncology*, 1(1), 19-27.
- Setiawati, A., Septisetyani, E.P., Wijayanti, T.R., & Rokhman, M.R. 2007, 'Sambung nyawa (*Gynura procumbens* (Lour.) Merr.) sebagai agen kemopreventif', *Cancer Chemoprevention Research Center*, 1-12.
- Shalom, R., Bergman, M., Grossman, S., Azzam, N., Sharvit, L., & Fares, F. 2019, 'Inula viscosa extract inhibits growth of colorectal cancer cells in vitro and in vivo through induction of apoptosis', *Frontiers in oncology*, 9,1-14.
- Shendge, A.K., Chaudhuri, D., Basu, T., & Mandal, N. 2020, 'A natural flavonoid, apigenin isolated from clerodendrum viscosum leaves, induces G2/M phase cell cycle arrest and apoptosis in MCF7 cells through the regulation of p53 and caspase-cascade pathway', *Clinical and Translational Oncology*, 1-13.
- Silva, M.T. 2010, 'Secondary necrosis: the natural outcome of the complete apoptotic program', *FEBS Lett.* 584(22), 4491–4499.
- Silva, M.T., Vale, A., & Dosantos, M.N.N. 2008, 'Secondary necrosis in multicellular animals: an outcome of apoptosis with pathogenic implications', *Apoptosis* 13, 463–482.
- Simanjuntak, H.A. 2017, 'Potensi famili Asteraceae sebagai obat tradisional di masyarakat etnis simalungun Kabupaten Simalungun Provinsi Sumatera Utara', *BioLink*, 4(1),11–18.
- Soekardjo, B. & Siswandono. 2000, *Kimia Medisinal, Jilid II*, Airlangga University Press, Surabaya.
- Sofyani, R.S. 2017, Potensi ekstrak daun pagoda (*Clerodendrum japonicum*) sebagai antikanker dengan metode *Brine Shrimp Lethality Test (BSLT)*, *Karya Tulis Ilmiah*, Akademi Farmasi Putra Indonesia Malang, Malang.

- Sumayyah, S. & Salsabila, N. 2017, ‘Obat tradisional: antara khasiat dan efek sampingnya’, *Majalah Farmasetika*, 2(5), 1-4.
- Siu, W.Y., Yam, C.H., & Poon, R.Y.C. 1999, ‘G1 versus G2 Cell Cycle After Adriamycin-induced Damage in Mouse Swiss3T3 Cells’, *Left*, 461, 299-305.
- Sun, J., Guo, Y., Fu, X., Wang, Y., Liu, Y., Huo, B., & Hu, X. 2016, ‘Dendrobium candidum inhibits MCF7 cells proliferation by inducing cell cycle arrest at G2/M phase and regulating key biomarkers’, *OncoTargets and therapy*, 9, 21-30.
- Talib, W.H., & Mahasneh, A.M. 2010, ‘Antiproliferative activity of plant extracts used against cancer in traditional medicine’, *Scientia pharmaceutica*, 78(1), 33-46.
- Tang, H., Tang, Z., Jiang, Y., Wei, W., & Lu, J. 2019, ‘Pathological and therapeutic aspects of matrix metalloproteinases: implications in osteosarcoma’, *Asia-Pacific Journal of Clinical Oncology*, 15(4), 218-224.
- Thongnest, S., Chawengrum, P., Keeratichamroen, S., Lirdprapamongkol, K., Eurtivong, C., Boonsombat, J., & Ruchirawat, S. 2019, ‘Vernodalidimer L, a sesquiterpene lactone dimer from vernonia extensa and anti-tumor effects of vernodalin, vernolepin, and vernolide on HepG2 liver cancer cells’, *Bioorganic chemistry*, 92:103–197.
- Tjitrosoepomo, G. 2010, *Taksonomi Tumbuhan Obat-obatan*, Universitas Gadjah Mada, Yogyakarta.
- Triesty, I. & Mahfud, M. 2017, ‘Ekstraksi minyak atsiri dari gaharu (Aquilaaria malaccensis) dengan menggunakan metode microwave hydrodistillation dan soxhlet extraction’, *Jurnal Teknik ITS*, 6(2), 1-4.
- Vermeulen, K., Berneman, Z.N., & Van Bockstaele, D.R. 2003, ‘Cell Cycle and Apoptosis’, *Cell Proliferation*, 36(3), 165–175.
- Wang, J., Song, H., Wu, X., Zhang, S., Gao, X., Li, F., & Chen, Q. 2018, ‘Steroidal saponins from Vernonia amygdalina Del. and their biological activity’, *Molecules*, 23(3), 579.
- Wang, Y., Tang, C., & Zhang, H. 2015, ‘Hepatoprotective effects of kaempferol 3-O-rutinoside and kaempferol 3-o-glucoside from carthamus tinctorius L.

- on ccl4 induced oxidative liver injury in mice', *Journal of Food and Drug Analysis*, 23(2), 310-317.
- Weerapreeyakul, N., Nonpunya, A., Barusrux, S., Thitimetharoch, T., & Sripanidkulchai, B. 2012, 'Evaluation of the anticancer potential of six herbs against a hepatoma cell line', *Chinese Medicine*, 7(15),1-7.
- Wegiera, M., Smolarz, H.D., Jedruch, M., Korczak, M., & Kopron, K. 2012, 'Cytotoxic effect of some medicinal plants from Asteraceae family on leukemic cell line pilot study', *Acta poloniae pharmaceutica*, 69(2), 263-268.
- Wazir, U., Orakzai, M. M., Khanzada, Z. S., Jiang, W. G., Sharma, A. K., Kasem, A., & Mokbel, K. 2015, 'The role of death-associated protein 3 in apoptosis, anoikis and human cancer', *Cancer Cell International*, 15(1), 1-10.
- WHO. 2018, Latest global cancer data: cancer burden rises to 18.1 million new cases and 9.6 million cancer deaths in 2018 and Indonesia, https://www.iarc.fr › wp-content › uploads › 2018/09 › pr263_E, diakses 22 November 2019.
- Wu, H.Y., Xin, C., & Xu. 2012, 'Capecitabine combined with epigallocatechin-3-gallate inhibits angiogenesis and tumor growth in nude mice with gastric cancer xenografts', *Exp. Ther. Med*, 3(4), 650-654.
- Wu, L., Li, J., Liu, T., Li, S., Feng, J., Yu, Q., & Chen, K. 2019, 'Quercetin shows anti-tumor effect in hepatocellular carcinoma lm3 cells by abrogating JAK2/STAT3 signaling pathway', *Cancer medicine*, 8(10), 4806-4820.
- Xia, L., Plachynta, M., Liu, T., Xiao, X., Song, J., Li, X., & Ben-David, Y. 2016, 'Pro-inflammatory effect of a traditional chinese medicine formula with potent anti-cancer activity in vitro impedes tumor inhibitory potential in vivo', *Molecular and Clinical Oncology*, 5(6), 717-723.
- Yedjou, C., Izevbegie, E., & Tchounwou, P.B. 2008, 'Preclinical assessment of vernonia amygdalina leaf extracts as dna damaging anti-cancer agent in the management of breast cancer', *International Journal of Environmental Research and Public Health*, 5(5), 337-341.
- Yusuf, H., Kamarlis, R. K., & Yusni, Y. 2020, 'Growth inhibition and induction of apoptosis in mcf7 and t47d breast cancer cell lines by ethanol extract of

- seurapoh (*Chromolaena odorata*) leaves', *Jurnal Kedokteran Hewan-Indonesian Journal of Veterinary Sciences*, 14(3), 73-79.
- Zhai, X., Guo, X., Yue, W., Wang, J., Yang, J., & Chen, J. 2017, 'Artemether suppresses cell proliferation and induces apoptosis in diffuse large b cell lymphoma cells', *Experimental and Therapeutic Medicine*, 14(5), 4083-4090.
- Zubair, M. S. & Subehan, S. 2010, Molecular docking of lunacridine from lunasia amara to dna: its inhibition and interaction study correlated with the cytotoxic activity on p388 murine leukemia cells', *Indonesian Journal of Cancer Chemoprevention*, 1(2), 108-117.

