


DAFTAR REFERENSI

- Agbeti, M. & Dickman M., 1989. Use of Lake Fossils Diatom Assemblages to Determine Historical Change in Trophic Status. *J. Fish. Aquat. Sci*, 46, pp.1013-1021.
- Andrewartha, H. G., 1986. *The Ecological Web : More on the Distribution and Abundance of Animals*. Chicago: University of Chicago Press
- Avanisieva, M. S., 2007. Radiolarian Skeleton : Morphology of Spines, Internal Framework, and Primary Sphere. *Paleontological Journal*, 4(1), pp. 1-14.
- Barinova, S.S., O.V. Anissimova, E. Nevo, M.M. Jarygin & S.P. Wasser. 2004. Diversity and Ecology of Algae from the Nahal Qishon River, Northern Israel. *Plant Biosystem*, 138, pp.245-259
- Batarbee, R. W. Carvalho L, & Jones, V.J. 2001. *Diatoms Analysis. In Tracking Environmental Change Using Lake Sediment*. Kluwer Academic Publisher. pp. 155-202
- Batarbee, R. W., J. P. Smol, & J. Merilainen. 1986. *Diatoms as Indicator of pH : A Historical Review*, pp.5-14
- Battarbee, R. W., Monteith D. T., Juggins S., Evans C. D., Jenkins A., & Simpson G. L. 2005 Reconstructing pre-acidification pH for an acidified Scottish loch: a comparison of palaeolimnological and modelling approaches. *Environ Pollut* 137, pp. 135–149
- Battarbee, R.W., Jones, V.J., Flower, R.J., Cameron, N.G., Bennion, H., Carvalho, L., & Juggins, S., 2001, Diatoms, in Smol, J.P., Birks, H.J.B., Last, W.M, eds. *Tracking Environmental Change Using Lake Sediments, Volume 3: Terrestrial, Algal, and Siliceous Indicators: Dordrecht*. Netherlands: Kluwer Academic Publishers, pp.155-202.
- Bemmelen, R.W. van 1949. *The Geology of Indonesia*. Martinus Nyhoff. Nederland: The Hague
- Benito, Xavier, Rosa Trobajo, & Carles Ibanez. 2015. Benthic Diatoms in a Mediterranean Delta : Ecological Indicators and a Conductivity Transfer Function for Paleoenviromental Studies. *Journal of Paleolimnology*.
- Benton, Michael, David A., & T. Harper. 2009. *Introduction to Paleobiology and The Fossil Record*. Paleontology, Paleobiology and Geobiology. UK: Wiley-Blackwell Publisher.
- Berner R. A. 1978. *Early Diagenesis: A Theoretica Approach*. Princeton: Princeton University Press
- Bettis, E.A., Zaim, Y., Larick, R., Ciochon, R.L., Suminto, Rizal, Y., Reagan, & M., Heizler, M. 2009. Way Out of Africa : Early Pleistocene Paleoenvironments Inhabited by Homo erectus in Sangiran Java. *Human Evolution*, 56, pp.11-24

- Birks, H. J. B., 2003. *Quantitative palaeoenvironmental reconstructions from Holocene biological data*, in Mackay, A., Battarbee, R., Birks, J., Oldfield, F. eds), *Global Change in the Holocene*. London: Arnold, pp.107-123.
- Birks, H.J.B., 1986, *Numerical zonation, comparison and correlation of Quaternary pollen-stratigraphical data*, in Berglund, B.E. (ed.), *Handbook of Holocene Palaeoecology and Palaeohydrology*: Chichester: Wiley & Sons, pp.743-774.
- Birks, H. J. B. 1998 Numerical tools in palaeolimnology progress, potentialities, and problems. *J Paleolimnol* 20, pp. 307–332
- Birks, H. J. B. 2003 *Quantitative palaeoenvironmental reconstructions from Holocene biological data*. In: Birks H. J. B., Mackay A, Battarbee R, Birks H. J. B., Oldfield F. eds *Global change in the Holocene*. New York: Taylor and Francis. pp.107–123
- Birks, H. J. B., J. M. Line, S. Juggins, A. C. Stevenson and C. J. F. ter Braak. 1990. Diatoms and pH Reconstruction. *Philosophical Transaction of the Royal Society of London*, B327, pp.263-278.
- Birks H. J. B., Line J. M., Juggins S., Stevenson A. C., ter Braak C. J. F. 1990. Diatoms and pH Reconstruction. *Philosophical Transactions of the Royal Society of London Series B-Biological Sciences*, 327(1240), pp.263-278.
- Birks H. J. B., Birks, H. H. 1980. *Quaternary Palaeoecology*. Baltimore: University Park Press, pp. 289.
- Birks, H.J.B., Gordon, A.D., 1985, *Numerical Methods in Quaternary Pollen Analysis*. London: Academic Press, pp. 289.
- Black, R. F. 1976. Periglacial Features Indicative of Permafrost : Ice and Soil Wedges. *Quaternary Research*, 6, pp. 3-26.
- 
- Bolm, K. S., Wallace A.R., Moyle, P.R., Bliss, J.D. & Orris, G.J. 2003. Preliminary bibliography of lacustrine diatomite deposits in the Western United States and related topics. *US Geological Survey Bulletin* 2209-F, pp.1–19.
- Boltovskoy, Demetrio, Stanley A. Kling. 2002. *What Are Radiolarian*. Radiolaria Org.
- Bradbury, J.P. & Krebs, W.N., 1995. Actinocyclus (Bacillariophyta) species from lacustrine Miocene deposits of the Western United States. *US Geological Survey Professional Paper* 1543-A, pp.1–47.
- Brown, S.L., M.R. Landry, S. Christensen, D. Garrison, M.M. Gowing, R.R. Bidigare & L. Campbell. 2002. Microbial community dynamics and taxon-specific phytoplankton production in the Arabian Sea during the 1995 monsoon seasons. *Deep. Sea. Res. II.*, 49, pp.2345-2376.
- Borcard, D., P. Legendre, & P. Drapeau. 1992. Partialling out the spatial component of ecological variation. *Ecology*. 73, pp.1045–1055.
- Buesseler K. O. 1998. The Decoupling of Production and Particulate Export in The Surface Ocean. *Global Biogeochem. Cycles*, 12, pp.297–310

- Chen, S., Huwa, Jiunn-Tzong Wu. 1999. Paleolimnological Environment Indicated by The Diatom and Pollen Assemblages in a Alpine Lake in Taiwan. *Journal of Paleolimnology*. 22, pp.149-158.
- Codey, Fabrice, G., Racki. 2000. Radiolarian Paleoecology and Radiolarites : is The Present Key to The Past. *Earth Science Reviews*. 52, pp.83-120.
- Conley, D. J., 1988. Biogenic silica as an estimate of siliceous microfossil abundance in Great Lakes sediments. *Biogeochemistry*. 6, pp.161–179.
- Cortese, G., Dolven, J.K., Bjørklund, K.R., Malmgren, B.A., 2005. Late Pleistocene-Holocene radiolarian paleotemperatures in the Norwegian Sea based on artificial neural networks. *Palaeogeogr. Palaeoclimatol. Palaeoecol*, 224, pp.311–332.
- Cortese, G., Dunbar, G.B., Carter, L., Scott, G., Bostock, H., Bowen, M., Crundwell, M., Hayward, B.W., Howard, W., Martinez, J.I., Moy, A.D., Neil, H., Sabaa, A & Sturm, A., 2014. Southwest Pacific Ocean response to a warmer world: Insights from Marine Isotope Stage 5e. *Paleoceanography*. 28, pp.585–598.
- Cholnoky, B. J. 1968. Differences In Silica Content Between Marine and Freshwater Diatoms. *Limnology and Oceanography*. 3, pp.205-215.
- Courtillot, V., & Olson, P. 2007. Mantle Plumes Link Magnetic Superchrones to Phanerozoic Mass Depletion Events. *Earth and Planetary Science Letters*, 260, pp.495-504
- Creaney, S. & Quinn, P.R. 1993. Recurring patterns of total organic carbon and source rock quality within a sequence stratigraphic framework. *American Association of Petroleum Geologists Bulletin*, 77, pp.386-401.
- Demaison, G. & Moore, G.T. 1980. Anoxic environments and oil source bed genesis. *American Association of Petroleum Geologists Bulletin*, 64, pp.1179-209
- Dam, V., Mertens & Sinkeldam. 1994. *A Coded Checklist and Ecological Indicator Values of Freshwater Diatoms from the Netherlands*. Risk Assessment Method.
- Denys, L., & E. Ledewijckx. 1984. An Improved Method of Coding Diatom Data For Computer Utilisation. *Bulletin Geology*, 93, pp.297-299
- Dixit S. S., S. Juggins & Kingston Charles. 1992. Diatoms : Powerful Indicator of Environmental Change. *Environmental Science and Technology*. 26, pp.23-33.
- Diekmann, Bernhard, S. Panitz, G. Cortese & H. L. Neil. A. 2015 Radiolarian-Based Paleoclimate History of Core Y9 (Northeast of Campbell Plateau, New Zealand) for The Last 160 kyr. *Marine Micropaleontology* 116, pp.1-14.
- Dolven, J.K. & Skjerpen, H., 2013. Radiolaria Details and Application. *Radiolaria.org*.

- Dolven, J.K. & Bjørklund, K.R., 2001. An early Holocene peak occurrence and recent distribution of Rhizoplecta boreale (Radiolaria): a biomarker in the Norwegian Sea. *Marine Micropaleontology* 42, pp.25–44.
- Durbin, J., & G. S. Watson. 1951. Testing for serial correlation in least squares regression. *Biometrika* 38, pp.159–177.
- Eaves, Gregory I., John P. S., Bruce P. F., & Mary E.E. 2006. Diatom Based Transfer Function for Inferring Climatic and Environmental Change in Alaska, USA. *Arctic, Antarctic and Alpine Research*, 4, pp.353-365
- Eisma, D. & Van Der Gaast. 1971. Determination of Opal in Marine Sediment by X-Ray Diffraction. *Netherlands Journal of Sea Research*. 5 (3), pp.382-389
- Ergin, M., Bodur, M.N., Ediger, D., Ediger, V. & Yilmaz, A. 1993. Organic carbon distribution in the surface sediments of the Sea of Marmara and its control by the inflows from adjacent water masses. *Marine Chemistry*, 41, pp.S311-26.
- Es, L. J. C. van , 1931. *The age of Pithecanthropus*. s-Gravenhage, pp.28
- Esper, O., Gresonde R., & Kadagies N. 2010. Diatoms Distribution in Southeastern Paific Surface Sediments and Their Relation to Modern Environmental Variables. *Paleogeography, Paleoclimatology, Paleoecology*, 284, pp.1-27
- Farrimond, P., Comet, P., Eglinton, G., Evershed, R.P., Hall, M.A., Park, D.W. & Wardrop, A.M.K. 1984. Organic geochemical study of the Upper Kimmeridge Clay of the Dorset type area. *Marine and Petroleum Geology*, 1, pp.340-54.
- French, H. M. 1996. *The Periglacial Environment*. Harlow, Longman, pp.341
- Fritz, S.C., Juggins, S., Battarbee, R.W. & Engstrom, D.R., 1991. Reconstruction of past changes in salinity and climate using diatom-based transfer function. *Nature* 352, pp.706-708.
- Gallinari M., Ragueneau O., Corrin L., DeMaster D., & Treguer P. 2002. The Importance of Water Column Processes on The Dissolution Properties of Biogenic Silica in Deep-Sea Sediments I. *Geochim. Cosmochim. Acta*, 66, pp.2701–2717.
- Gasse, F., 1986. East African diatoms and water pH. In: Smol, J.P., Battarbee, R.W., Davis, R.B., Meriläinen, J. Eds., Diatoms and Lake Acidity. *Junk, The Hague*, pp.149–168.
- Gehman, H.M. 1962. Organic matter in limestones. *Geochimica et Cosmochimica Acta*, 26, pp.88597.
- Gell, P.A., J. A. Sonneman, M. A Reld, M. A Illman & A. J Sincock,. 1999. *An Illustrated Key to Common Diatom Genera From Southern Australia*. Australia: Adelaide University Press.

- Gell, P., J. Tibby., J. Fluin., P. Leahy., M. Reid, K. Adamson, S. Bulpin, A. Macgregor, P. Wallbrink, G. Hancock, & B. Walsh., 2005. Accesing Limnological Change And Variability Using Fossil Diatom Assemblages, South-East Australia. *River Res. Applic.* 21, pp.257-269
- Guiry, M.D. & Guiry, G.M. 2017. *Algabase World Wide Electronic Publication*, National University of Ireland Galway.
- Gurel, A., Yildiz, A. 2007. Diatom Communities, Lithofacies Characteristic and Paleoenviromental Interpretation of Pliocene Diatomite Deposits in The Illara-Selime Plain. *J. Asian Earth Sci.* 30, pp.17-180.
- Halfman, J. D., D. F. Jacobson, C. M. Cannela, K. A. Haberyan & B. P. Finney. 1992. Fossils Diatoms and The Mid to Late Holocene Paleolimnology of Lake Turkans, Kenya : a Reconnaissance Study. *J. Paleolim.* 7, pp.23-35
- Hall, S. L. & Fisher, F. M. 1985. Annual productivity and extracellular release of dissolved organic compounds by the epibenthic algal community of a brackish marsh. *Journal of Phycology*, 21, pp.277-281.
- Harjo, Satrio B., 2017. *Lingkungan Pengendapan Formasi Pucangan Berdasarkan Karakteristik Litologi, mikrofosil Diatom, dan Moluska di Desa Krikilan, Kecamatan Kalijambe Kabupaten Sragen, Provinsi Jawa Tengah*. Skripsi. Purwokerto: Fakultas Teknik Universitas Jenderal Soedirman.
- Hartoko A, Hariyadi, Petrus S & Josaphat T S. 2014 *Satellite Data Spatial Based Reconstruction and Discovery of the Ancient Coastaline, Coral-fringing Reef and Mollusc Fossils at The Muria Strait Central Java Indonesia* .The 6 th Indonesia Japan Joint Scientific Symposium, pp. 15
- Hayward, B.W., Grenfell, H.R., Reid, C.M. & Hayward, K.A., 1999. Recent New Zealand shallow-water benthic foraminifera: Taxonomy, ecologic distribution, biogeography, and use in paleoenvironmental assessment. *Institute of Geological and Nuclear Sciences Monograph*, 21, pp.1-258.
- Hecky, Robert E., & Peter Kilham. 1973. Diatoms In Alkaline, Saline Lakes : Ecology and Geochemical Implications. *Organic Matter*, 1, pp.53-71
- Hill, M.O. & Gauch, H.G., 1980. Detrended correspondence analysis: an improved ordination technique, *Vegetatio*, 42, pp.47-58.
- Hurlbert, S.H. 1971. The nonconcept of species diversity: a critique and alternative parameter *Ecology* 52, pp.577-585.
- Hurd D. C. & Theyer F. 1977. Changes in The Physical and Chemical Properties of Biogenic Silica From The Central Equatorial Pacific: Part II. Refractive Index, Density, and Water Content of Acid-cleaned Samples. *Am. J. Sci.* 277, pp.1168–1202.
- Hurd D. C. 1973. Interactions of Biogenic Opal, Sediment and Seawater in The Central Equatorial Pacific. *Geochim. Cosmochim. Acta*, 37, pp.2257– 2282.

- Ingri, J., Anders W., Thongchai S., Susane B., & Sten-Ake E. 2014. Changes in Trace Metals Sedimentation During Freshening of a Coastal Basin. *Marine Chemistry*, 167, pp.2-12
- Itihara, M, Sudijono, D. Kadar, T. Shibasaki, H. Kumai, S. Yoshikawa, F. Aziz, T. Soeradi, Wikarno, & AP. Kadar AP. 1985. *Geologi and Stratigraphy of the Sangiran Area*. Bandung : Geological Research and Development Centre.
- Juggins, S. 2013. Quantitative reconstructions in palaeolimnology: new paradigm or sick science? *Quat Sci Rev* 64, pp. 20–32
- Juggins S. 2014. *User Guide C2. Software for ecological and paleontological data analysis and visualisation. User Guide version 1.7.6*. New Castle: University of New Castle
- Khustina, Y. C., D. D. Solihin & N. T. M. Pratiwi. 2014. Morphological Identification and Diversity Analysis of Fossils Diatoms From Diatomite Sangiran Central Java Indonesia. *Jurnal Biologi Indonesia* 10 (2), pp.247-258.
- Knoll, A., H. David & A. Johnson. 1974. Radiolaria as Paleoclimatic Indicators : Pleistocene Climatic Fluctuations in The Equatorial Pacific Ocean. *Quaternary Research* (4), pp.206-216.
- Kombo, Mohamed M., Said A. Vuai, Maki Ishiki, & Akira Tokuyama. 2005. Influence of Salinity on Ph and Alumunium Concentration on the Interaction of Acidic Red Soil with Seawater. *Journal of Oceanography*, 6, pp.591-601
- Korhola, A. 2013. *Data Interpretation*. Finland: University of Heisinki, pp.489-499.
- Kramer, K. & Lange-Bertalot, H. 2004. *Subwasserflora Von Mitteleuropa, Bd. 02/2: Bacillariophyceae: Teil 2: Bacillariophyceae, Epithemiaceae, Surirellaceae*. Berlin: Spectrum.
- Kramer, K. & Lange-Bertalot, H. 2004. *Subwasserflora Von Mitteleuropa, Bd. 02/3: Bacillariophyceae: Teil3: Centrales, Fragillariaceae, Eunotiaceae*. Berlin: Spectrum.
- Kramer, K. & Lange-Bertalot, H. 2004. *Subwasserflora Von Mitteleuropa, Bd. 02/4: Bacillariophyceae: Teil 4: Achanthes S.I., Navicula Sstr*. Berlin: Spectrum.
- Lipps, J.H., 1993. *Fossil prokaryotes and protists*. UK: Blackwell Scientific Publications
- Lohman, K.E., 1957. *Cenozoic Nonmarine Diatoms from the Great Basin, Geology*. California: California Institute of Technology, pp.190.
- Lotter, A.F., Birks, H.J.B., Hofmann, W. & Marchetto, A., 1998. Modern diatom, cladocera, chironomid, and chrysophyte cyst assemblages as quantitative indicators for the reconstruction of past environmental conditions in the Alps. II. *Journal of Paleolimnology* 19, pp.443–463.

- Lotter, A. F. 1998. The Recent Eutrophication of Badeggersee as Assessed by Diatom Fossils Assemblages. *The Holocene*. 8, pp.395-405
- Ludes B., M. Coste, N. North, S. Doray, A. Tracqui & P. Kintz. 1999. Diatom Analysis in Victim's Tissue as an Indicator of The Site of Drowning. *Int J Legal Med* 112, pp.163-166.
- Magurran, A. E. & B. J. McGill. 2011. *Biological diversity: frontiers in measurement and assessment*. UK: Oxford University Press.
- Maojian, Li. 2016. Sedimentary BSi and TOC Quantifies the Degradation of Changjiang Estuary, China, From River Basin Alteration and Warming SST. *East China University*
- McQuoid, M.R., & L.A. Hobson. 2001. A Holocene Record of Diatom and Silicoflagelate Microfossils in Sediment of Sannich, ODP Leg 169S. *Marine Geology*, pp.111-123
- Menicucci, A. J., Paula J. Noble & Michael Housman. 2016. Paelolimnology and Diatom Flora of Miocene Quincy Diatomite. *Journal of Paleolimnology*.
- Muylaert, K., Koen Sabbe, & Wim Vyerman. 2009. Changes in Phytoplankton Diversity and Community Composition along the Salinity Gradient of the Schelde Estuarin, Netherlands. *Estuarine, Coastal and Shelf Science*, 82, pp.335-340
- Nigrini, C., 1970. Radiolarian assemblages in the North Pacific and their application to a study of Quaternary sediments in core V20-130. In: Hays, J.D. Eds., Geological Investigations of the North Pacific, *Geological Society of America*, Memoir. 126, pp.139–183.
- Nigrini, C.A. & Moore, T.C., 1979. *A guide to modern Radiolaria*. Cushman Foundation for Foraminiferal Research, Special Publication, 16 pp.1-12.
- Ogjanova, R. N. 2005. Upper Neogene Siliceous Microfossils From Pelogenia Basin (Balkan Penisula). *Geologica Carpathica*. 4, pp.347-358.
- Ogjanova, R. N. & Popova N. 1996. Paleolimnological Reconstruction of The Sofia Neogene Basin, Southern Bulgaria, A Review of Paleoenviromental Diatom Studies. *Phytologia Balcanica*. 2, pp.45-53
- Okazaki, Yusuke, K. Takashi, K. Katsuki, A. Ono, J. Hori, T. Sakamoto, M. Uchida, Y. Shibata, M. Ikebara & K. Aoki. 2005 Late Quartenary Paleoceanographic Changes in the Southwestern Okhotsk Sea : Evidence from Geochemical, Radiolarian and Diatom Records. *Deep-Sea Research II* 52, pp.2332-2350
- Okazaki, Y., Takahashi, K., Yoshitani, H., Nakatsuka, T., Ikebara, M. & Wakatsuchi, M., 2003. Radiolarians under the seasonally sea-ice covered conditions in the Okhotsk Sea: flux and their implications for paleoceanography. *Marine Micropaleontology* 49, pp.195–230.

- Overpeck, J., Webb, T., Prentice, I., 1985. Quantitative interpretation of fossil pollen spectra: dissimilarity coefficients and the method of modern analogs. *Quat. Res.* 23, pp.87–108.
- Owen, R. B., Renaut M. & G. Stamatakis. 2010. Diatomaceus Sedimentation In Late Neogene Lacustrine Basins of Western Macedonia, Greece. *J. Paleolimnol.* 44, pp.343-359
- Parrish, J.T. 1982. Upwelling and petroleum source beds, with reference to Paleozoic. *American Association of Petroleum Geologists Bulletin*, 66, pp.750-74.
- Petrushevskaya, M., 1967. Radiolarians of orders Spumellaria and Nassellaria of the Antarctic region. *Biological Reports of the Soviet Antarctic, Expedition*, pp. 2–186.
- Pillans, Brad. 2003. Subdividing the Pleistocene Using the Matuyama-Brunhes Boundary (MBB): An Australasian Perspectives. *Quaternary Science Reviews*, pp.2-7
- Pringgoprawiro, H. 1983. *Stratigrafi cekungan Jawa Timur Utara dan Paleogeografinya: sebuah pendekatan baru*. Disertasi Doktor. Bandung: Institut Teknologi Bandung.
- Rahardjo, Wartono. 2014. *Peta Geologi Situs Manusia Purba Sangiran Kabupaten Sragen & Karanganyar Propinsi Jawa Tengah*. Yogyakarta: Karya Makmur.
- Raup, David M. 1985. Magnetic Reversals and Mass Extinctions. *Nature*, 314, pp.341-343
- Reinhold, Th., 1940. Fossil diatoms of the neogene of Java and their zonal distribution. *Geol. Ser.* , 12 (1937-1940), pp.43- 66.
- Robertson, Sarah. 2017. *Direct Estimation of Organic Matter by Loss On Ignition : Method*. Property of SFU Soil Science Lab, pp.1-11.
- Sanders, H. 1968. Marine benthic diversity: a comparative study. *The American Naturalist*, 10(2), pp.243-282.
- Schink D. R., Guinasso N. L., Jr., & Fanning K. A. 1975. Processes Affecting The Concentration of Silica at The Sediment Water Interface of The Atlantic Ocean. *J. Geophys*, 80, pp.3013–3031.
- Schrader H. J. 1971. Fecel pellets role in sedimentation of pelagic diatoms. *Sciences*,174, pp.55–58.
- Setty, MGAP. 1966. Preparation and method of study of fossil diatoms. *J Micropaleo* 12, pp.11-514.

- Shackleton, N. J. & Opdyke, N. D., 1976. Oxygen isotope and paleomagnetic stratigraphy of Pacific core V28-239, late Pliocene to latest Pleistocene. *Mem. Geol. Soc. Am.*, 145, pp.449-464
- Shimkus, K.M. & Trimonis, E.S. (1974) Modern sedimentation in Black Sea, in *The Black Sea Geology, Chemistry and Biology American Association of Petroleum Geologists Memoir*, 20, pp.78-249
- Siever R. 1992. The silica cycle in the Precambrian. *Geochim. Cosmochim. Acta*, 56, pp.3265–3272.
- Simonsen, R 1979. *The Diatom System : Ideas On Phylogeny : Bacillaria*, 2, pp.9-17.
- Simpson, G. G., Roe, A., & Lewontin, R. C. 1960. *Quantitative Zoology*. New York: Harcourt, Brace & World Inc, pp.148-171.
- Simpson, G. L., Shilland E. M., Winterbottom J.M., Keay J. 2005. Defining Reference Conditions for Acidified Waters Using a Modern Analogue Approach. *Environmental Pollution*, 137, pp. 19-133.
- Sonneman, J.A., Sincock, A., Fluin, J., Reid, M., Newall, P., Tibby, J., & Gell, P. 2000. *An Illustrated Guide To Common Stream Diatom Species From Temperate Australia. Cooperative Research Centre For Freshwater Ecology, Identification Guide No. 33*. New York: NSW.
- Soeprobawati, Tri Retnaningsih, Shalihuddin Djalal Tandjung, Sutikno, Suwarno Hadisusanto & Peter Gell. 2010. Stratigrafi Diatom Danau Rawapening : Kajian Paleolimnologi Sebagai Landasan Pengelolaan Danau. *Prosiding Seminar Nasional Limnologi V*, pp. 102-115
- Soeprobawati, Tri Retnaningsih, Sutikno, Suwarno Hadisusanto, S. W. A. Sudey & Peter Gell. 2016. The Water Quality Parameters Controlling Diatoms Assemblage in Rawapening Lake, Indonesia. *Biodiversitas*, 17(2), pp.657-664.
- Stoermer, E. F. & Smol J. P. 1999. *The Diatoms : Application for The Environmental and Earth Science*. Cambridge : Cambridge University Press.
- Stoermer, E. F., J. A. Wolin & C. L. Schelske, 1993. Paleolimnological comparison of the Laurentian Great Lakes based on diatoms. *Limnol. Oceanogr*, 38, pp.1311–1316.
- Stoermer, E. F., C. L. Schelske & J. A. Wolin, 1990. Siliceous microfossil succession in the sediments of McLeod Bay, Great Slave Lake, Northwest Territories. *Can. J. Fish. Aquat. Sci.* 47, pp.1865–1874.
- Stoermer, E. F., J. P. Kociolek, C. L. Schelske & D. J. Conley, 1985a. Siliceous microfossil succession in the recent history of Lake Superior. *Proc. Acad. Nat. Sci.*, 137, pp.106–118.
- Ter Braak C. J. F. 1995. Non-linear Methods for Multivariate Statistical Calibration and Their Use in Palaeoecology: a Comparison of Inverse k-nearest Neighbours, Partial Least Squares and Weighted Averaging Partial Least Squares and

- Classical Approaches. *Chemometrics and Intelligent Laboratory Systems*, 28, pp.165-180.
- Thenu, E.V., Barianto, D.H. & Rahardjo, W. 2015. Analisa Lingkungan dan Sejarah Pengendapan Formasi Pucangan Berdasarkan mikrofosil Gastropoda dan Pelecipoda di Dusun Ngampon, Kecamatan Kalijambe, Kabupaten Sragen, Provinsi Jawa Tegah. *Jurnal Sangiran*, 4, pp.1-13.
- Tipper, J.C. 1979. Rarefaction and rarefaction- the use and abuse of a method in paleoecology. *Paleobiology*, 5, pp.423-434.
- Treppke U. F., Lange C. B., & Wefer G. 1996. Vertical fluxes of diatoms and silicoflagellates in the eastern equatorial Atlantic, and their contribution to the sedimentary record. *Mar. Micropaleontol*, 28, pp.73–96.
- Tyson, R.V. 1995. *Sedimentary Organic Matter*. United Kingdom: University of Newcastle Upon
- Van Cappellen P. & Qiu L. 1997. Biogenic silica dissolution in sediments of the Southern Ocean: I. Solubility. *Deep-Sea Res*, 44, pp.1109–1128.
- Verschuren, D., D. N. Edgington, H. J. Kling & T. C. Johnson, 1998. Silica depletion in Lake Victoria: Sedimentary signals at offshore stations. *J. Great Lakes Res*, 24, pp.118–130.
- Verschuren, D. 1999. Influence of depth, mixing regime on sedimentation in a small, fluctuating tropical soda lake. *Limnol. Oceanogr.* 44, pp.1103–1113.
- Verchuren, Dirk, John Tibby, Koen Sabbe, Neil Roberts. 2000. Effect Of Depth, Salinity and Substrate on The Invertebrate Community of a Fluctuating Tropical Lake. *Ecological Society of America*. 81(1) , pp.164-182.
- Waples, D. W. 1985. *Geochemistry in Petroleum Exploration*. Boston: International Human Resources Development Corporation, pp.232
- Washburn, A. L. 1980. Permafrost Features as Evidence of Climatic Change. *Earth Science Review*, 15, pp.327-402.
- Webb, J.E. 1958. The ecology of Lagos Lagoon V. Some physical properties of lagoon deposits. *Philosophical Transactions of the Royal Society of London*, B241, pp.393-419.
- Wetzel, R.G., Likens, G.E. 2000. Limnological Analysis, 3 edition : Stuttgart. Springer, pp.429
- Whitehead, D. R., D. F. Charles, S. T. Jackson, J. P. Smol & D. R. Engstrom. 1989. The Development History of Adirondack Lakes. *J. Paleolim* 2, pp.186-206
- Willem, Helmut, V. Luer, C. J. Hollis. 2008. Late Quaternary Radiolarian Assemblages as Indicators of Paleoceanographic Changes North of The Subtropical Front, Offshore Eastern New Zealand, Southwest Pacific. *Micropaleontology*, 54 (1), pp.49-69.

Wolfe, A. P. 2003. Diatom Community Response to Late-Holocene Climatic Variability, Baffins Island, Canada : a Comparison of Numerical Approaches. *The Holocene*, 13 (1), pp.29-37.

Yokoyama, Hishasi & Yuka Ishihi. 2006. Seasonal Variation in Delta 13 and Delta 15 of Epilithic Microalgae in Gokasho Bay. *Plankton Benthos Res*, 4, pp.208-213

Yokoyama, Takuo, & Itaru Koizumu. 1989. Marine Transgressions on The Pleistocene Pecangan Formation in The Sangiran Area, Central Java, Indonesia. *Paleogeography. Paleoceanography, Paleoecology*, 72, pp.177-193

