

DAFTAR PUSTAKA

- Agbogbo, F.K. & Celly, G., 2008. Cellulosic Ethanol Production Using The Naturally Occuring Xylose-Fermenting Yeast *Pichia stipitis*. *Biotechnol. Let.*, XXX, pp.1515-24.
- Agbogbo, F.K., Kelly, G.C., Smith, M.T. & Wenger, K.S., 2006. Fermentation of glucose/xylose mixtures using *Pichia stipitis*. *Process Biochemistry*, XLI, pp.2333-36.
- Albuquerque, T.L.d., Jr., I.J.d.S., Macedo, G.R.d. & Rocha, V.P., 2014. Biotechnological production of xylitol from lignocellulosic wastes: A review. *Process Biochemistry*, XLIX(11), pp.1779-89.
- Ambarsari, L., Suryani, Gonzales, S. & Puspita, P.J., 2014. The Addition Effects of Glucose as a Co-substrate on Xylitol Production by *Candida guilliermondii*. *Current Biochemistry*, II(1), pp.13-21.
- Anggraeni, A.S., 2011. *Produksi Xilitol pada Hidrolisat Ampas Tebu oleh Sel Amobil Candida tropicalis dan Candida guilliermondii*. Skripsi. Bogor: Fakultas Matematika dan Ilmu Pengetahuan Alam Institut Pertanian Bogor.
- Anindyawati, T., 2009. *Prospek Enzim dan Limbah Lignoselulosa untuk Produksi Bioetanol*. Bogor: Pusat Penelitian Bioteknologi LIPI.
- Ariani, L. & Idiawati, N., 2011. Penentuan Lignin dan Kadar Glukosa dalam Hidrolisis Organosolv dan Hidrolisis Asam. *Jurnal Sains dan Terapan Kimia*, V(2), pp.140-50.
- Bari, I.D., Canio, P.D., Cuna, D., Liuzzi, F., Capece, A. & Romano, P., 2013. Bioethanol Production from Mixed Sugar by *Scheffersomyces stipitis* free and immobilized cells and co-cultures with *Saccharomyces cerevisiae*. *New Biotechnology*, XXX, pp.591-97.
- Barlianti, V., Dahnum, D., Muryanto, Triwahyuni, E., Aristiawan, Y. & Sudiyani, Y., 2015. Enzymatic Hydrolysis of Oil Palm Empty Fruit Bunch to Produce Reducing Sugar and its Kinetic. *Menara Perkebunan*, LXXXIII(1), pp.37-43.
- Cheison, S.C., Schmitt, M., Leeb, E., Letzel, T. & Kulozik, U., 2010. Influence of Temperature and Degree of Hydrolysis on The Peptide Composition of Trypsin Hydrolysates of Beta-lactoglobulin: Analysis by LC-ESI-TOF/MS. *Food Chem*, CXXI, pp.457-67.
- Chen, Y., 2011. Development and application of co-culture for ethanol production by co-fermentation of glucose and xylose: a systematic review. *J Ind Microbiol Biotechnol*, XXXVIII, pp.581-97.
- Darsono & Made, S., 2014. Pembuatan Bioetanol dari Lignoselulosa Tandan Kosong Kelapa Sawit menggunakan Perlakuan Awal Iradiasi Berkas Elektron dan NaOH. *Jurnal Kimia Kemasan*, XXXVI(2), pp.245-52.

- Endang, M.W., 2005. Pembuatan Asam Oksalat dari Sekam Padi. *Ekulilibrium*, IV(1), pp.13-17.
- Ernawati, 2012. *Identifikasi Pengaruh Variabel Proses dan Penentuan Kondisi Optimum Dekomposisi Katalik Metana dengan Metode Respon Permukaan*. Skripsi. Jakarta: Fakultas Teknik Universitas Indonesia.
- Fairus, S., Kurniawan, R., Taufana, R. & Nugraha, A.S., 2013. Kajian Pembuatan Xilitol dari Tongkol Jagung Melalui Proses Fermentasi. *Al-Kauniyah Jurnal Biologi*, VI(2), pp.91-100.
- Fardiaz, S., 1992. *Mikrobiologi Pangan I*. Jakarta: Gramedia Pustaka Utama.
- Farias, D., Atala, D.I.P. & Filho, F.M., 2017. Improving bioethanol production by *Scheffersomyces stipitis* using retentostat extractive fermentation at high xylose concentration. *Biochemical Engineering Journal*, CXXI, pp.171-80.
- Germec, M., Kartal, F. K., Guldali, H., Bilgic, M., Isci, A. & Turhan, I., 2016. Obtaining Growth Curves for *Scheffersomyces stipitis* Strains and Their Modeling. *Scientific Bulletin. Series F. Biotechnologies*, XX, pp.263-69.
- Gonzales, S., 2010. *Penambahan Glukosa Sebagai Kosubstrat dan Pengaruhnya Terhadap Produksi Xilitol oleh Candida guilliermondii*. Skripsi. Bogor: Fakultas Matematika dan Ilmu Pengetahuan Alam Institut Pertanian Bogor.
- Guo, H., Su, R., Huang, R., Qi, W. & He, Z., 2015. Co-optimization of Sugar Yield and Input Energy by The Stepwise Reduction of Agitation Rate during Lignocellulose Hydrolysis. *Food and Bioproducts Processing*, XCV(2015), pp.1-6.
- Gutierrez-Rivera, B., Waliszewski-Kubiak, K., Carvajal-Zarrabal, O. & Aguilar-Uscanga, M. G., 2012. Conversion efficiency of glucose/xylose mixtures for ethanol production using *Saccharomyces cerevisiae* ITV01 and *Pichia stipitis* NRRL Y-7124. *Chem Technol Biotechnol*, Volume LXXXVII, pp. 263-270.
- Hashim, F.S., Yussof, H. W., Zahari, M. A. K. M., Illias, R. M., & Rahman, R. A., 2016. A Factorial Analysis Study on Enzymatic Hydrolysis of Fiber Pressed Oil Palm Frond for Bioethanol Production. *IOP Conf. Series: Earth and Environmental Science*, XXXII.
- Hidayat, M.R., 2013. Teknologi Pretreatment Bahan Lignoselulosa Dalam Proses Produksi Bioetanol. *BIOPROPAL INDUSTRI*, IV(1), pp.33-48.
- Ikhsan, D., Yulianto, M.E. & Hartati, I., 2008.. Pengembangan Bioreaktor Hidrolisis Enzimatis untuk Produksi Bioethanol dari Biomassa Jerami Padi. In *Workshop Teknik Mesin UNDIP*. Semarang, 2008. Universitas Diponegoro.
- Jo, J.H., Park, Y.C., Jin, Y.S. & Seo, J.H., 2017. Construction of efficient xylose-fermenting *Saccharomyces cerevisiae* through a synthetic isozyme system of xylose reductase from *Scheffersomyces stipitis*. *Bioresource Technology*, CCXLI, pp.88-94.

- Judoamidjojo, M., 1992. *Teknologi Fermentasi*. Jakarta: Rajawali Pers.
- Kurtzman, C. P. & Suzuki, M., 2010. Phylogenetic analysis of ascomycete yeasts that form coenzyme Q-9 and the proposal of the new genera Babjeviella, Meyerozyma, Millerozyma, Priceomyces, and Scheffersomyces. *Mycoscience*, LI, pp. 2-14
- Lai, I.W., Yahya, S.S.M., Nor, N.M. & Sulong, M.R., 2016. Enzymatic Saccharification on Ammonia Pre-treated Oil Palm Trunk Biomass for Glucose Production: an Optimization using Response Surface Methodology. *Malaysian Journal of Analytical Sciences*, XX(1), pp.21-30.
- Lin, T.H., Guo, G.L., Hwang, W.S. & Huang, S.L., 2016. The addition of hydrolyzed rice straw in xylose fermentation by *Pichia stipitis* to increase bioethanol production at the pilot-scale. *Biomass and Bioenergy*, XCI, pp.204-09.
- Linares, J.C.L., Romero, I., Cara, C., Ruiz, E., Moya, M. & Castro, E., 2014. Bioethanol production from rapeseed straw at high solids loading with different process configurations. *Fuel*, CXII, pp.112-18.
- Mardawati, E., Werner, A., Bley, T., Kresnowati, M. & Setiadi, T., 2014. The Enzymatic Hydrolysis of Oil Palm Empty Fruit Bunches to Xylose. *Journal of the Japan Institute of Energy*, XCIII(10), pp.973-78.
- Marlida, Y., Mirzah, Arief, S. & Amru, K., 2014. Produksi Glukosa dari Batang Kelapa Sawit Melalui Proses Hidrolisis Secara Enzimatis Menggunakan Amilase Termostabil. *J. Ris. Kim.*, VII(2), pp.194-200.
- Mosier, N., Wyman, C., Dale, B., Elander, R., Lee, Y. & Holtzaple, M., 2005. Features of promising technologies for pretreatment of lignocellulosic biomass. *Bioresource Technology*, XCVI(6), pp.673-86.
- Muryanto, Triwahyuni, E., Sudiyani, Y. & Abimanyu, H., 2015. The Effect of Substrate Loading in Simultaneous Saccharification and Fermentation Process for Bioethanol Production from Oil Palm Empty Fruit Bunches. *Energy Procedia*, LXVIII, pp.138-46.
- Muryanto, Yanni, S. & Haznan, A., 2016. Optimasi Proses Perlakuan Awal NaOH Tandan Kosong Kelapa Sawit untuk menjadi Bioetanol. *Indones. J. App. Chem*, XVIII(1), pp.27-35.
- Mussatto, S.I., Dragone, G., Fernandes, M., Milagres, A. M. F. & Roberto, I. C. 2008. The Effect of Agitation Speed, Enzyme Loading and Substrate Concentration on Enzymatic Hydrolysis of Cellulose from Brewer's Spent Grain. *Cellulose*, XV, pp.711-21.
- Ni'mah, L., Angga, A. & Muhammad, Z., 2015. Pembuatan Bioetanol dari Limbah Serat Kelapa Sawit Melalui Proses Pretreatment, Hidrolisis Asam dan Fermentasi Menggunakan Ragi Tape. *JURNAL INFO TEKNIK*, XVI(2).
- Nofiana, Y., 2017. *Optimasi Fermentasi Bioetanol Holoselulosa Tandan Kosong Sawit dengan CO-Culture Saccharomyces cerevisiae dan Scheffersomyces*

stipitis Terimobilisasi Alginat. Skripsi. Jakarta: Universitas Islam Negeri Syarif Hidayatullah.

- Noratiqah, K., Madlihah, M. S., Aisyah, B. S., Eva, M. S., Suraini, A. A. & Kamarulzaman, K., 2013. Statistical Optimization of Enzymatic Degradation Process for Oil Palm Empty Fruit Bunch (OPEFB) in Rotary Drum Bioreactor using Crude Cellulase Produced from *Aspergillus niger* EFB1. *Biochemical Engineering Journal*, LXXV(2013), pp.8-20.
- Novozymes, 2015. *Cellulosic ethanol*. [Online] Novozymes Bioenergy Available at: http://bioenergy.novozymes.com/en/cellulosic-ethanol/CellicCTec3/Documents/AS_2010- [Accessed 9 June 2017].
- Oktaveni, D., 2009. *Lignin Terlarut Asam dan Delignifikasi Pada Tahap Awal Proses Pulping Alkali*. Skripsi. Bogor: Institut Pertanian Bogor Fakultas Kehutanan.
- Oswaldo, Z.S., Putra, P. & Faizal, M., 2012. Pengaruh Konsentrasi Asam dan Waktu pada Proses Hidrolisis dan Fermentasi Pembuatan Bioetanol dari Alang-Alang. *Jurnal Teknik Kimia*, XVIII(2), pp.51-62.
- Pahan, I., 2007. *Panduan Lengkap Kelapa Sawit : Manajemen Agribisnis dari Hulu hingga Hilir*. Bogor: Penebar Swadaya.
- Palmqvist, E. & Hagerdal, B.H., 2000. Fermentation of Lignocellulosic Hydrolysates, II: Inhibitors and Mechanisms of Inhibition. *Bioresource Technology*, LXXIV(1), pp.25-33.
- Papini, M., Nookaew, I., Uhlen, M. & Nielsen, J., 2012. *Scheffersomyces stipitis*: a comparative systems biology study with the Crabtree positive yeast *Saccharomyces cerevisiae*. *Microbial Cell Factories*, XI, pp.136-51.
- Park, Y. C., Oh, E. J., Jo, J. H., Jin, Y. S. & Seo, J. H. 2016. Recent advances in biological production of sugar. *Current Opinion in Biotechnology*, XXXVII, pp.105-13.
- Perkebunan, D.J., 2016. *Luas Areal, Produksi dan Produktivitas Perkebunan di Indonesia*. [Online] Available at: <http://www.pertanian.go.id/Indikator/tabel-3-prod-lsareal-prodvitas-bun.pdf> [Accessed 6 Mei 2017].
- Pratto, B., Alencar de Souza, R.B., Sousa Jr, R. & Goncalves de Cruz, A.J., 2015. Enzymatic Hydrolysis of Pretreated Sugarcane Straw: Kinetic Study and Semi-Mechanistic Modeling. *Appl Biochem Biotechnol*, CLXXVIII(7), pp.1430-44.
- Ramos, L.P., 2003. The Chemistry Involved in The Steam Treatment of Lignocellulosic Materials. *Quimica Nova*, XXVI(6), pp.863-71.
- Rarassati, J.P., 2016. *Enzymatic Hydrolysis from Oil Palm Empty Fruit Bunch for Xylose Production*. Skripsi. Tangerang: Faculty of Life Science and Technology Swiss German University.

- Rodrigues, R. C. L. B., Kenealy, W. R. & Jeffries, T. W., 2011. Xylitol production from DEO hydrolysate of corn stover by *Pichia stipitis* YS-30. *J Ind Microbiol Biotechnol*, Volume LXXXVIII, p. 1649–1655.
- Sanchez, O.J. & Cardona, C.A., 2008. Trends in biotechnological production of fuel ethanol from different feedstocks. *Bioresource Technology*, XCVIX(13), pp.5270-95.
- Sari, F.P. Sholihat, N. N, Anita, S. H., Fitria & Hermiati, E. 2016. Peningkatan Produksi Gula Pereduksi dari Tandan Kosong Kelapa Sawit dengan Praperlakuan Asam Organik pada Reaktor Bertekanan. *Reaktor*, XVI(4), pp.199-206.
- Setyahadi, S., Nurrahman, M.I. & Gozan, M., 2014. Pengaruh Kecepatan Agitasi pada Media Sintesis untuk Produksi α -Amilase dari *Bacillus amyloliquefaciens* T1. *Journal of Agro-based Industry*, XXXI(1), pp.16-21.
- Singh, D.P. & Trivedi, R.K., 2013. Acid And Alkaline Pretreatment Of Lignocellulosic Biomass To Produce Ethanol As Biofuel. *International Journal of ChemTech Research*, V(2), pp.727-34.
- Smunindar, 2010. *Produksi Bioetanol dari Limbah Tanaman Jagung Melalui Sakarifikasi dan Fermentasi Simultan dengan Kultur Campuran Saccharomyces cereviseae dan Pichia stipitis*. Skripsi. Bogor: Fakultas Teknologi Pertanian Institut Pertanian Bogor.
- Stenberg, K. Bollok, M., Reczey, K., Galbe, M. & Zacchi, G., 2000. Effect of Substrate and Cellulase Concentration on Simultaneous Saccharification and Fermentation of Steam-Pretreated Softwood for Ethanol Production. *Biotechnology and Bioengineering*, LXVIII(2), pp.204-10.
- Sudiyani, Y. Styarini, D., Triwahyuni, E., Sudiarmato, Sembiring, K. C., Aristiawan, Y., Abimanyu, H. & Han, M. H., 2013. Utilization of Biomass Waste Empty Fruit Bunch Fiber of Palm Oil for Bioethanol Production Using Pilot – Scale Unit. *Energy Procedia*, XXXII, pp.31-38.
- Sutikno, Marniza & Yanti, M.F., 2015. Pengaruh Perlakuan Awal Basa dan Asam Terhadap Kadar Gula Reduksi Tandan Kosong Kelapa Sawit. *Jurnal Teknologi Industri & Hasil Pertanian*, XX(1).
- Triwahyuni, E., Muryanto, Sudiyani, Y. & Abimanyu, H., 2015. The effect of substrate loading on simultaneous saccharification and fermentation process for bioethanol production from oil palm. *Energy Procedia*, LXVIII, pp.138-46.
- Wahyuningtyas, P., Argo, B.D. & Nugroho, W.A., 2013. Studi Pembuatan Enzim Selulase Dari Mikrofungi *Trichoderma reesei* Dengan Substrat Jerami Padi Sebagai Katalis Hidrolisis Enzimatik Pada Produksi Bioetanol. *Jurnal Bioproses Komoditas Tropis*, I(1), pp.21-25.
- Widianti, L., 2010. *Pengaruh urea pada Biokonversi Xilosa Menjadi Xilitol dari Hidrolisat Hemiselulosa Limbah Tanaman Jagung (Zea mays) oleh*

Debaryomyces hansenii. Skripsi. Surakarta: Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Sebelas Maret.

Widiya, I., 2016. *Optimasi Agitasi dan Aerasi pada Produksi Xilanase Bacillus halodurans CMI dengan Metode Permukaan Respon*. Tesis. Bogor: Sekolah Pascasarjana IPB.

Yanti, M., 2013. *Pengaruh Konsentrasi Asam Sulfat (H₂SO₄) dan Waktu Hidrolisis Tandan Kosong Kelapa Sawit (TKKS) terhadap Kadar Gula Reduksi sebagai Bahan Baku Bioetanol*. Skripsi. Bandar Lampung: Universitas Lampung.

Zona, Z. 2010. *Areaceae Schultz Schultzenstein. In Flora of North America Editorial Committee (Eds.) Flora of North America North of Mexico, Vol. 22: Magnoliophyta: Alismatidae Arecidae, Commelinidae (in Part), and Zingiberidae*. New York and Oxford.

