

## DAFTAR PUSTAKA

- Arifin, B., Ibrahim, S., 2018. Struktur, Bioaktivitas dan Antioksidan Flavonoid. *J. Zarah* 6, 21–29.
- Arifullah, M., Namsa, N.D., Mandal, M., Chiruvella, K.K., Vikrama, P., Gopal, G.R., 2013. Evaluation of anti-bacterial and anti-oxidant potential of andrographolide and echiodinin isolated from callus culture of *Andrographis paniculata* Nees. *Asian Pac. J. Trop. Biomed.* 3, 604–610; discussion 609-610.
- Augustine, A.W., Narasimhan, A., Vishwanathan, M., Karundevi, B., 2014. Evaluation of antidiabetic property of *Andrographis paniculata* powder in high fat and sucrose-induced type-2 diabetic adult male rat. *Asian Pac. J. Trop. Dis.* 4, S140–S147.
- Awang, K., Abdullah, N.H., Hadi, A.H.A., Fong, Y.S., 2012. Cardiovascular activity of labdane diterpenes from *Andrographis paniculata* in isolated rat hearts. *J. Biomed. Biotechnol.* 2012, 876458.
- Chao, W.-W., Kuo, Y.-H., Lin, B.-F., 2010. Anti-inflammatory activity of new compounds from *Andrographis paniculata* by NF-kappaB transactivation inhibition. *J. Agric. Food Chem.* 58, 2505–2512.
- Chao, W.W. & Lin, B. F., 2010. Isolation and Identification of Bioactive Compounds in *Andrographis paniculata* (Chunxinlian). *Chinese Medicine* 5:17, 1-15.
- Chen, L.-X., He, H., Xia, G.-Y., Zhou, K.-L., Qiu, F., 2014. A new flavonoid from the aerial parts of *Andrographis paniculata*. *Nat. Prod. Res.* 28, 138–143.
- Davison E. K., Brimble M. A., 2019. Natural Product Derived Privileged Scaffolds in Drug Discovery. *Curr Opin Chem Biol* 52:1–8

- Elfahmi, Woerdenbag, H.J., Kayser, O., 2014. Jamu: Indonesian traditional aerial medicine towards rational phytopharmacological use. *J. Herb. Med.* 4, 51–73.
- Endarini, L. H., 2016. *Farmakognosi dan Fitokimia.*, Pusdik SDM Kesehatan. Jakarta.
- Gan, L., Zheng, Y., Deng, L., Sun, P., Ye, J., Wei, X., Liu, F., Yu, L., Ye, W., Fan, C., Liu, J., Zhang, W., 2019. Diterpenoid Lactones with Anti-Inflammatory Effects from the Aerial Parts of *Andrographis paniculata*. *Mol. Basel Switz.* 24.
- Gao, S., Wang, D., Chai, H., Xu, J., Li, T., Niu, Y., Chen, X., Qiu, F., Li, Y., Li, H., Chen, L., 2019. Unusual ent-Labdane Diterpenoid Dimers and their Selective Activation of TRPV Channels. *J. Org. Chem.* 84, 13595–13603.
- Hanh, T.T.H., My, N.T.T., Cham, P.T., Quang, T.H., Cuong, N.X., Huong, T.T., Nam, N.H., Minh, C.V., 2020. Diterpenoids and Flavonoids from *Andrographis paniculata*. *Chem. Pharm. Bull. (Tokyo)* 68, 96–99.
- Hapuarachchi, S.D., Ali, Z., Abe, N., Sugandhika, S.T., Sandun, S.T.P., Khan, I.A., 2013. Andrographidine G, a New Flavone Glucoside from *Andrographis paniculata*. *Nat. Prod. Commun.* 8, 333–334.
- Kabera, J., 2014. Plant Secondary Metabolites: Biosynthesis, Classification, Function and Pharmacological Classification, Function and Pharmacological Properties. *J. Pharm. Pharmacol.* 2014 2, 377–392.
- Khumairoh, Tjandrakirana, & Budijastuti, W., 2013, Pengaruh Pemberian Filtrat Daun Sambiloto terhadap Jumlah Leukosit Darah Tikus Putih yang Terpapar Benzena, *Lentera Berkala Ilmiah Biologi*, 2(1), pp.1-5
- Kotewong, R., Duangkaew, P., Srisook, E., Sarapusit, S., Rongnoparut, P., 2014. Structure–function relationships of inhibition of mosquito cytochrome P450 enzymes by flavonoids of *Andrographis paniculata*. *Parasitol. Res.* 113, 3381–3392.

- Kumar, N. & Goel, N., 2019. Phenolic Acids: Natural Versatile Molecules with Promising Therapeutic Applications. *Biotechnology Reports*, 24, 1-10.
- Lee, S., Morita, H., Tezuka, Y., 2015. Preferentially Cytotoxic Constituents of *Andrographis paniculata* and their Preferential Cytotoxicity against Human Pancreatic Cancer Cell Lines. *Nat. Prod. Commun.* 10, 1153–1158.
- Lin, J., Massonnet, M., & Cantu, D., 2019, The Genetic Basic of Grape and Wine Aroma, *Horticulture Resesarch*, 6:81, pp.1-24
- MacKay, D., & Jones, P. J. H., 2011, Phytosterols in Human Nutrition: Type, Formulation, Delivery nd Physiological Function, *Eur. J. Lipid Sci.*, 113, pp. 1427-1432
- Maggio, L.A., Sewell, J.L., Artino, A.R., Jr, 2016. The Literature Review: A Foundation for High-Quality Medical Education Research. *J. Grad. Med. Educ.* 8, 297.
- My, N.T.T., Hanh, T.T.H., Cham, P.T., Cuong, N.X., Huong, T.T., Quang, T.H., Nam, N.H., Minh, C.V., 2020. Andropaniosides A and B, two new ent-labdane diterpenoid glucosides from *Andrographis paniculata*. *Phytochem. Lett.* 35, 37–40.
- Nabavi, S. M., Samec, D., Tomczyk, M., Milella, L., Russo, D., Habtemariam, S., Sutar, I., Rastrelli, L., Daglia, M., Xiao, J., Giampieri, F., Battine, M., Sobarzo-Sanchez, E., Nabavi, S. F., Yousefi, B., Jeandet, P., Xu, S., Shirooie, S., 2018. Flavonoid Biosynthetic Pathways in Plants: Versatile Targets for Metabolic Engineering, *Biotechnology Advances*, 1-12.
- Okhwarobo, A., Ehizogie Falodun, J., Erharuyi, O., Imieje, V., Falodun, A., Langer, P., 2014. Harnessing the medicinal properties of *Andrographis paniculata* for diseases and beyond: a review of its phytochemistry and pharmacology. *Asian Pac. J. Trop. Dis.* 4, 213–222.
- Orsavova, J., Misurcova, L., Ambrozova, J. V., Vicha, R., & Mlcek, J., 2015. Fatty Acids Composition of Vegetable Oils and Its Contribution to Dietary Energy Intake and Dependence of Cardiovascular Mortality on Dietary

Intake of Fatty Acids, *International Journal of molecular Sciences*, 16, 12871-12890.

- Ortega A. M., Campos M. R., 2019. *Bioactive Compounds as Therapeutic Alternatives*. In *Bioactive compounds*. 247–264, Woodhead Publishing.
- Ortiz, A. & Sansinenea, E., 2018. Di-2-ethylhexylphtalate May Be a Natural Product, Rather than a Pollutant. *Journal of Chemistry*, 1-8.
- Rachmani, E., 2017. Aktivitas Antioksidan Ekstrak dan Fraksi Aerial Sambiloto (*Andrographis paniculata*). *Media Pharm. Indones*. MPI 1, 100.
- Radhika, P., Prasad, Y.R., Lakshmi, K.R., 2010. Flavones from the stem of *Andrographis paniculata* Nees. *Nat. Prod. Commun.* 5, 59–60.
- Radhika, P., Prasad, Y.R., Sowjanya, K., 2012. A new diterpene from the leaves of *Andrographis paniculata* Nees. *Nat. Prod. Commun.* 7, 485–486.
- Rungsung, W., Ratha, K. K., Dutta, S., Dixit, A. K., Hazra, J., 2015. Secondary Metabolites of Plants in Drugs Discovery. *World Journal of Pharmaceutical Research*. 4:7, 604-613.
- Santas, J., Codony, R., & Rafecas, M., 2013, 'Phytosterol: Beneficial Effect', in Ramawat, K., & Merillon, J. M., *Natural Products*, Springer, Berlin.
- Sareer, O., Ahmad, S., Umar, S., 2014. *Andrographis paniculata*: A Critical Appraisal of Extraction, Isolation and Quantification of Andrographolide and Other Active Constituents. *Natural Product Research*, 28:23, 2081-2101.
- Shaikh, R.U., Dawane, A.A., Pawar, R.P., Gond, D.S., Meshram, R.J., Gacche, R.N., 2016. Inhibition of *Helicobacter pylori* and Its Associate Urease by Labdane Diterpenoids Isolated from *Andrographis paniculata*. *Phytother. Res.* PTR 30, 412–417.
- Shaikh, R.U., Meshram, R.J., Gacche, R.N., 2019a. An investigation on in vitro anti-inflammatory and antiproliferative potential of isolated Labdane diterpenoids from *Andrographis paniculata* (Burm. f.) wall. Ex nees: An

- important medicinal plant prescribed in Ayurveda. *Eur. J. Integr. Med.* 32, 100983.
- Shaikh, R.U., Meshram, R.J., Gacche, R.N., 2019b. An investigation on in vitro anti-inflammatory and antiproliferative potential of isolated Labdane diterpenoids from *Andrographis paniculata* (Burm. f.) wall. Ex nees: An important medicinal plant prescribed in Ayurveda. *Eur. J. Integr. Med.* 32, 100983.
- Sharma, V., Kapoor, K.K., Mukherjee, D., Gupta, V.K., Dhar, M.K., Kaul, S., 2018. Camphor sulphonic acid mediated quantitative 1,3-diol protection of major Labdane diterpenes isolated from *Andrographis paniculata*. *Nat. Prod. Res.* 32, 1751–1759.
- Snyder, H., 2019. Literature review as a research methodology: An overview and guidelines. *J. Bus. Res.* 104, 333–339.
- Song, Y.-X., Liu, S.-P., Jin, Z., Qin, J.-F., Jiang, Z.-Y., 2013. Qualitative and quantitative analysis of *Andrographis paniculata* by rapid resolution liquid chromatography/time-of-flight mass spectrometry. *Mol. Basel Switz.* 18, 12192–12207.
- Srivastava, N., Akhila, A., 2010. Biosynthesis of Andrographolide in *Andrographis paniculata*, *Phytochemistry* 71, 1298-1304.
- Sun, C.-P., Yang, Z.-J., Zhao, W.-Y., Zhang, R.-Y., Li, H., Chen, L.-X., 2020. A novel 15-spiro diterpenoid dimer from *Andrographis paniculata* with inhibitory potential against human carboxylesterase 2. *Bioorganic Chem.* 97, 103680.
- Sun, X., Yan, H., Zhang, Y., Wang, X., Qin, D., Yu, J., 2019. Preparative Separation of Diterpene Lactones and Flavones from *Andrographis paniculate* Using Off-Line Two-Dimensional High-Speed Counter-Current Chromatography. *Mol. Basel Switz.* 24.
- Swamy, M. K., 2020. *Plant-derived Bioactives: Production, Properties and Theurapeutic Applications*, Springer Nature, Singapore.

- Talapatra, S. K. & Talapatra, B., 2015. *Chemistry of Plant Natural Products: Stereochemistry, Conformation, Synthesis, Biology, and Medicine*, Springer, New York.
- Teponno, R. B., Kusari, S., & Spitteller, M., 2016. Recent Advances in Research on Lignans and Neolignans. *Natural Product Reports*, 1-49.
- Tholl, D., 2015. Biosynthesis and Biological Functions of Terpenoids in Plants, *Adv. Biochem. Eng. Biotechnol*, 148, 63-106.
- Tian, C., Ni, J., Chang, F., Liu, S., Xu, N., Sun, W., Xie, Y., Guo, Y., Ma, Y., Yang, Z., Dang, C., Huang, Y., Tian, Z., & Wang, Y., 2015. Bio-source of di-n-butyl phthalate Production by filamentous Fungi. *Scientific Reports*, 6:19791, 1-8.
- Wang, C., Gong, X., Bo, A., Zhang, L., Zhang, M., Zang, E., Zhang, C., Li, M., 2020. Iridoids: Research Advances in Their Phytochemistry, Biological Activities, and Pharmacokinetics. *Molecules* 25.
- Wang, C.-H., Li, W., Qiu, R.-X., Jiang, M.-M., Li, G.-Q., 2014. A new diterpenoid from the aerial parts of *Andrographis paniculata*. *Nat. Prod. Commun.* 9, 13–14.
- Wang, G.-Y., Wen, T., Liu, F.-F., Tian, H.-Y., Chun-Lin, F., Huang, X.-J., Ye, W.-C., Wang, Y., 2017. Two new diterpenoid lactones isolated from *Andrographis paniculata*. *Chin. J. Nat. Med.* 15, 458–462.
- Wen, Q., Jin, X., Lu, Y., Chen, D.-F., 2020. Anticomplement ent-labdane diterpenoids from the aerial parts of *Andrographis paniculata*. *Fitoterapia* 142, 104528.
- Widyawati, T., 2010. Aspek Farmakologi Sambiloto (*Andrographis paniculata* Nees) [WWW Document]. undefined. URL /paper/Aspek-Farmakologi-Sambiloto-(Andrographis-Nees)-Widyawati/38e2a7f27ef0d386cbbdb01ce9e91246a84099aa (accessed 11.8.20).

- Xu, C., Chou, G.-X., Wang, C.-H., Wang, Z.-T., 2012. Rare noriridoids from the roots of *Andrographis paniculata*. *Phytochemistry* 77, 275–279.
- Xu, C., Chou, G.X., Wang, Z.T., 2010. A new diterpene from the leaves of *Andrographis paniculata* Nees. *Fitoterapia* 81, 610–613.
- Yuan, Y., Ji, L., Luo, L., Lu, J., Ma, X., Ma, Z., Chen, Z., 2012. Quinone reductase (QR) inducers from *Andrographis paniculata* and identification of molecular target of andrographolide. *Fitoterapia* 83, 1506–1513.
- Zhang, L., Liu, Q., Yu, J., Zeng, H., Jiang, S., Chen, X., 2015. Separation of five compounds from leaves of *Andrographis paniculata* (Burm. f.) Nees by off-line two-dimensional high-speed counter-current chromatography combined with gradient and recycling elution. *J. Sep. Sci.* 38, 1476–1483.

