

DAFTAR PUSTAKA

- Aini, Z.M. & Saimin, J. 2017, 'Hubungan Infeksi Torch Pada Kehamilan Dengan Kejadian Kelainan Kongenital Pada Bayi Baru Lahir', *Medula*, vol. 4, no. 2, pp. 344–53.
- Alemu, A., Abageda, M., Assefa, B. & Melaku, G. 2019, 'Low birth weight: Prevalence and associated factors among newborns at hospitals in kambata-tembaro zone, southern Ethiopia 2018', *Pan African Medical Journal*, vol. 34, pp. 1–8.
- Anil, K.C., Basel, P.L. & Singh, S. 2020, 'Low birth weight and its associated risk factors: Health facility-based case-control study', *PLoS ONE*.
- Apgar, B.S., Greenberg, G. & Yen, G. 2005, 'Prevention of group B streptococcal disease in the newborn', *American Family Physician*, vol. 71, no. 5, pp. 903–10.
- Arunda, M.O., Agardh, A. & Asamoah, B.O. 2018, 'Survival of low birthweight neonates in Uganda: analysis of progress between 1995 and 2011', *BMC Pregnancy and Childbirth*, vol. 18, no. 189, pp. 1–12.
- Assa, N.P., Artana, I.W.D., Kardana, I.M., Putra, P.J. & Sukmawati¹, M. 2020, 'The characteristics of neonatal sepsis in Low Birth Weight (LBW) infants at Sanglah General Hospital , Bali , Indonesia', *Intisari Sains Medis*, vol. 11, no. 1, pp. 172–8.
- Astuti, E.S., Nursalam, N., Devy, S.R. & Etika, R. 2019, 'Knowledge, Family Support and Self-Reliance Capital when Caring for Low Birth Weight Babies', *Jurnal Ners*, vol. 14, no. 1, p. 10.
- Azzahroh, P. & Utami, W.E. 2017, 'Hubungan BBLR Dengan Kejadian Sepsis Neonatorum di RSUD DR. H. Abdul Moeloek Provinsi Lampung Tahun 2015', *Jurnal Ilmu dan Budaya, Edisi Khusus Fakultas Ilmu Kesehatan*, vol. 40, no. 57, pp. 6609–16.
- Belachew, A. & Tewabe, T. 2020, 'Neonatal sepsis and its association with birth weight and gestational age among admitted neonates in Ethiopia: systematic review and meta-analysis', *BMC Pediatrics*, vol. 20, no. 55.

- Boo, N. & Cheah, I.G. 2016, 'Factors associated with inter-institutional variations in sepsis rates of very-low-birth-weight infants in 34 Malaysian neonatal intensive care units', *Singapore Med J*, vol. 57, no. 3, pp. 144–52.
- Chapman, L. & Durham, R.F. 2010, *Maternal-newborn nursing: the critical components of nursing care*, F. A. Davis Company, Philadelphia.
- Chen, C.-W., Peng, C.-C., Hsu, C.-H., Chang, J.-H., Lin, C.-Y., Jim, W.-T., Sung, Y.-H., Lee, S.-C., Chang, H.-Y. & Lee, H.-C. 2019, 'Value of prenatal diagnosis of meconium peritonitis', *Medicine*, vol. 98, no. 39, p. e17079.
- Demelash, H., Motbainor, A., Nigatu, D., Gashaw, K. & Melese, A. 2015, 'Risk factors for low birth weight in Bale zone hospitals, South-East Ethiopia : A case-control study', *BMC Pregnancy and Childbirth*, vol. 15, no. 1, pp. 1–10.
- Dinkes Jateng 2018, 'Profil Dinas Kesehatan Jawa Tengah', *Profil Kesehatan Jawa Tengah*.
- Edison, E.F., Chundrayetti, E. & Yerizel, E. 2016, 'Hubungan Kategori Berat Badan Lahir Rendah dengan Nilai Apgar di RSUP Dr. M. Djamil Padang Periode Januari-Desember 2013', *Jurnal Kesehatan Andalas*, vol. 5, no. 1, pp. 36–40.
- Ernawati, A. 2015, 'Gambaran Kejadian Berat Badan Lahir Rendah Di Kabupaten Pati Incident', *Jurnal Litbang*, vol. 11, no. 1, pp. 46–55.
- Ershad, M., Mostafa, A., Cruz, M. Dela & Vearrier, D. 2019, 'Neonatal Sepsis Risk factor American Academy of Pediatrics', *Current Emergency and Hospital Medicine Reports*, vol. 7, no. 3, pp. 83–90.
- Fajriana, A. & Buanasita, A. 2018, 'Faktor Risiko Yang Berhubungan Dengan Kejadian Bayi Berat Lahir Rendah Di Kecamatan Semampir Surabaya', *Media Gizi Indonesia*, vol. 13, no. 1, p. 71.
- Girma, S., Fikadu, T., Agdew, E., Haftu, D., Gedamu, G., Dewana, Z. & Getachew, B. 2019, 'Factors associated with low birthweight among newborns delivered at public health facilities of Nekemte town, West Ethiopia: A case control study', *BMC Pregnancy and Childbirth*, vol. 19,

no. 1, pp. 1–6.

Hartini, K., Artana, D. & Putra, J. 2013, 'KARAKTERISTIK ENTEROKOLITIS NEKROTIKANS PADA NEONATUS YANG DIRAWAT DI RSUP SANGLAH Kadek', *Jurnal Ilmiah Kedokteran*, vol. 44, no. 4, pp. 19–24.

Herliana, L. & Purnama, M. 2019, 'Masalah Plasenta Serta Kehamilan Multiple Terhadap Kejadian BBLR Di RSUD Kota Tasikmalaya Placental Problems and Multiple Pregnancy Against LBW Events In RSUD Kota Tasikmalaya', *Media Informasi*, vol. 15, no. 1, pp. 40–5.

Hillman, L.S., Day, L.S., Hoffman, H.J. & Stockbauer, J.W. 2019, 'Poorer outcomes of all low birth weight groups at age 10 : Missouri statewide case-control study', *Early Human Development*, vol. 136, pp. 60–9.

Indrasari, N. 2012, 'Faktor resiko pada kejadian berat badan lahir rendah (bblr)', *Jurnal Keperawatan*, vol. 8, no. 2, pp. 114–23.

Kemenkes RI 2019, 'Di Rakesnas 2019, Dirjen Kesmas Paparkan Strategi Penurunan AKI dan Neonatal', *Direktur Jenderal Kesehatan Masyarakat*, vol. 1, no. Maternal Mortality, p. 1.

Konrad, G. & Katz, A. 2007, 'Epidemiology of early-onset neonatal group B streptococcal infection: Implications for screening', *Canadian Family Physician*, vol. 53, no. 6, pp. 1054–5.

Linda, L. 2018, 'Hubungan Pemberian ASI Eksklusif dan Bayi Berat Lahir Rendah (BBLR) dengan Kejadian Pneumonia Pada Balita Umur 12-59 Bulan di Wilayah Kerja Puskesmas Kamonji', *Husada Mahakam: Jurnal Kesehatan*, vol. 4, no. 5, p. 277.

Liu, H.Q. & Tong, X.M. 2019, 'A clinical analysis of late-onset sepsis in very low birth weight and extremely low birth weight infants', *Chinese Journal of Contemporary Pediatrics*, vol. 21, no. 10, pp. 1038–43.

Masitoh, S., Syafrudin & Delmaifanis 2014, 'Hamil Ganda Penyebab Bermakna Berat Bayi Lahir Rendah', *Jurnal Ilmu dan Teknologi Kesehatan*, vol. 1, no. 2, pp. 129–34.

- Meizikri, R., Yani, F.F. & Yusrawati, Y. 2016, 'Hubungan Kejadian Pneumonia Neonatus dengan Beberapa Faktor Risiko di RSUP Dr. M. Djamil Padang Periode 2010-2012', *Jurnal Kesehatan Andalas*, vol. 5, no. 3.
- Misnadiarly 2008, *Penyakit infeksi saluran napas pneumonia pada anak, orang dewasa, dan usia lanjut*, Pustaka Obor Populer, Jakarta.
- Muftah, S. 2016, 'Maternal under-nutrition and anaemia factors associated with low birth weight babies in Yemen', *International Journal of Community Medicine and Public Health*, vol. 3, no. 10, pp. 2749–56.
- Nair, S., Lewis, L.E., Godinho, M.A., Murthy, S., Lakiang, T. & Venkatesh, B.T. 2018, 'Factors associated with neonatal pneumonia in India : protocol for a systematic review and planned meta- analysis', *BMJ Open*.
- Noviestari, E., Ibrahim, K., Deswani & Ramdaniati, S. 2020, *Dasar-Dasar Keperawatan*, Elseiver Singapura, vol. 2.
- Ozkan, H., Cetinkaya, M., Koksai, N., Celebi, S. & Hacimustafaoglu, M. 2014, 'Culture-proven neonatal sepsis in preterm infants in a neonatal intensive care unit over a 7 year period: Coagulase-negative Staphylococcus as the predominant pathogen', *Pediatrics International*, vol. 56, no. 1, pp. 60–6.
- Peiró, J.L. & Aydin, E. 2017, 'Meconium peritonitis', *Journal of The Faculty of Radiologists*, vol. 5, no. 1, pp. 62–4.
- Person, M.K., Esposito, D.H., Holman, R.C., Mehal, J.M. & Stoll, B.J. 2015, 'Risk Factors for Infectious Disease Death among Infants in the United States', *Pediatr Infect Dis J*, vol. 33, no. 11, pp. 1–15.
- Pramono, M.S. & Paramita, A. 2015, 'POLA KEJADIAN DAN DETERMINAN BAYI DENGAN BERAT BADAN LAHIR RENDAH (BBLR) DI INDONESIA TAHUN 2013 (Pattern of Occurrence and Determinants of Baby with Low Birth Weight in Indonesia 2013)', *Buletin Penelitian Sistem Kesehatan*, vol. 18, no. 1, pp. 1–10.
- Qian, T., Zhang, R., Zhu, L., Shi, P., Yang, J., Yang, C. yi, Chen, D. mei, Shi, J. yun, Zhou, X. guang, Qiu, Y. ping, Yang, Y., He, L., He, S. ru, Cao, Y. tao, Wei, Q. fen, Kumar, M. & Chen, C. 2017, 'Necrotizing enterocolitis in low

- birth weight infants in China: Mortality risk factors expressed by birth weight categories', *Pediatrics and Neonatology*, vol. 58, no. 6, pp. 509–15.
- Qomariyah, D.N. & Saputra, Y. 2017, 'Management of Congenital Dacryocystitis et Causa Amniotocoele in Infants', *Jurnal Majority*, vol. 6, no. 3, pp. 128–31.
- Rahmawati, P., Mayetti, M. & Rahman, S. 2018, 'Hubungan Sepsis Neonatorum dengan Berat Badan Lahir pada Bayi di RSUP Dr. M. Djamil Padang', *Jurnal Kesehatan Andalas*, vol. 7, no. 3, pp. 405–10.
- Restrepo-Méndez, M.C., Lawlor, D.A., Horta, B.L., Matijasevich, A., Santos, I.S., Menezes, A.M.B., Barros, F.C. & Victora, C.G. 2015, 'The association of maternal age with birthweight and gestational age: A cross-cohort comparison', *Paediatric and Perinatal Epidemiology*, vol. 29, no. 1, pp. 31–40.
- Roeslani, R.D., Amir, I., Nasrulloh, M.H. & Suryani 2013, 'Faktor Risiko pada Sepsis Neonatorum Awitan Dini', *Sari Pediatri*, vol. 14, no. 6, pp. 363–8.
- Rokhayah, S. & Ratnasari, D. 2016, 'Hubungan antara bayi berat lahir rendah terhadap terjadiya sepsis neonatorum Di Rsud Cilacap', *Jurnal ilmiah ilmu kesehatan*, vol. 14, no. 3, pp. 37–44.
- Salendu, P.M. 2012, 'Sepsis Neonatorum Dan Pneumonia Pada Bayi Aterm', *Jurnal Biomedik (Jbm)*, vol. 4, no. 3, pp. 175–9.
- Saryono & Anggraeni, M.D. 2011, *Metodologi Penelitian Kualitatif Dalam Bidang Kesehatan*, Nuha Medika.
- Sihombing, N., Saptarini, I. & Kumala, D.S.P. 2017, 'DETERMINAN PERSALINAN SECTIO CAESAREA DI INDONESIA (ANALISIS LANJUT DATA RISKESDAS 2013) The Determinants of Sectio Caesarea Labor in Indonesia (Further Analysis of Riskesdas 2013) PENDAHULUAN Setiap perempuan menginginkan persalinannya berjalan lancar', *Jurnal Kesehatan Reproduksi*, vol. 8, no. 1, pp. 63–75.
- Siyoto, S. & Sodik, M.A. 2018, *Dasar Metodologi Penelitian, Dasar Metodologi Penelitian*.

- Soegijanto, S. 2016, *Kumpulan Makalah Penyakit Tropis dan Infeksi di Indonesia jilid 7*, Airlangga University Press.
- Sukmawati, W.D. 2019, 'THE RELATIONSHIP BETWEEN LOW PNEUMONIA TODDLERS IN WEST JAVA BIRTH', *Jurnal Berkala Epidemiologi*, vol. 7, no. 3, pp. 225–32.
- Suzuki, K., Nomura, K., Takenoshita, S., Ando, K. & Kido, M. 2016, 'Combination of parity and pre-pregnancy BMI and low birth weight infants among Japanese women of reproductive age', *J-STAGE*, vol. 54, no. 6, pp. 515–20.
- Tan, B., Zhang, F., Zhang, X., Huang, Y.L., Gao, Y.S., Liu, X., Li, Y.L. & Qiu, J.F. 2014, 'Risk factors for ventilator-associated pneumonia in the neonatal intensive care unit: A meta-analysis of observational studies', *European Journal of Pediatrics*, vol. 173, no. 4, pp. 427–34.
- Tanner, S.M., Berryhill, T.F., Ellenburg, J.L., Jilling, T., Cleveland, D.S., Lorenz, R.G. & Martin, C.A. 2015, 'Pathogenesis of necrotizing enterocolitis: Modeling the innate immune response', *American Journal of Pathology*, pp. 4–16.
- Vanin, L.K., Zatti, H., Soncini, T., Nunes, R.D. & Staudt de Siqueira, L.B. 2020, 'Maternal and fetal risk factors associated with late preterm infants', *Revista Paulista de Pediatria*, vol. 38.
- WHO 2014, 'WHA Global Nutrition Targets 2025: Low Birth Weight Policy Brief', *World Health Organization*.
- WHO 2017, *Reaching the Every Newborn National 2020 Milestones Country Progress, Plans and Moving Forward*, World Health Organization.
- WHO 2019, 'Low birthweight estimates', *World Health Organization*, vol. 4, no. 3, pp. 3–9.
- Wibowo, T., Haksari, E.L. & Wandita, S. 2012, 'Faktor Prognostik Kematian Bayi Berat Lahir Sangat Rendah di Rumah Sakit Rujukan Tingkat Tersier', *Sari Pediatri*, vol. 13, no. 6, pp. 401–5.
- Widiawati, S. 2017, 'Hubungan sepsis neonatorum , BBLR dan asfiksia dengan

kejadian ikterus pada bayi baru lahir', *Riset Informasi Kesehatan*, vol. 6, no. 1, pp. 52–7.

Wise, P.H. 2016, *Infant Mortality, International Encyclopedia of Public Health*, Second Edi., vol. 4, Elsevier.

