

DAFTAR PUSTAKA

- [1] Kemenkes RI dan Direktorat Jenderal P2P, *Pedoman Pencegahan dan Pengendalian Coronavirus Disease (COVID-19) Rev Ke - 4*, vol. 4. 2020.
- [2] Kemenkes RI, *Pedoman Pencegahan dan Pengendalian Coronavirus Disease (COVID- 19) Rev Ke - 5*, vol. 5. 2020.
- [3] Kemenkes RI, “QnA : Pertanyaan dan Jawaban Terkait COVID-19,” 2020. [Online]. Available: <https://covid19.kemkes.go.id/qna-pertanyaan-dan-jawaban-terkait-covid-19/#.X6O9pYgzbIU>. [Accessed: 05-Nov-2020].
- [4] M. Mohammed, M. B. Khan, and E. B. M. Bashie, *Machine learning: Algorithms and Applications*, no. July. 2016.
- [5] Learners Evolve Machine, “Mengenal Machine Learning,” *medium.com*, 2019. [Online]. Available: <https://medium.com/evolve-machine-learners/mengenal-machine-learning-6c4a48db48b0>. [Accessed: 06-Nov-2020].
- [6] W. S. Eka Putra, “Klasifikasi Citra Menggunakan Convolutional Neural Network (CNN) pada Caltech 101,” *J. Tek. ITS*, vol. 5, no. 1, 2016, doi: 10.12962/j23373539.v5i1.15696.
- [7] S. O’Dea, “Number of smartphone users from 2016 to 2021,” *statista*, 2020. [Online]. Available: <https://www.statista.com/statistics/330695/number-of-smartphone-users-worldwide/>. [Accessed: 06-Nov-2020].
- [8] M. M. Lambacing and F. Ferdiansyah, “Rancang Bangun New Normal

- Covid-19 Masker Detektor Dengan Notifikasi Telegram Berbasis Internet of Things,” *Dinamik*, vol. 25, no. 2, pp. 77–84, 2020, doi: 10.35315/dinamik.v25i2.8070.
- [9] M. Loey, G. Manogaran, M. H. N. Taha, and N. E. M. Khalifa, “A hybrid deep transfer learning model with machine learning methods for face mask detection in the era of the COVID-19 pandemic,” *Meas. J. Int. Meas. Confed.*, vol. 167, no. May 2020, p. 108288, 2021, doi: 10.1016/j.measurement.2020.108288.
- [10] V. F. Hidarlan, “Rancang Bangun Klasifikasi Varietas Beras Berdasarkan Citra Menggunakan Metode Convolutional Neural Network (CNN) Berbasis *Android*,” pp. 1–17, 2020.
- [11] Wahyudi AMK, “PENTINGNYA MENGGUNAKAN MASKER DIMASA PANDEMI,” *RS Harapan Ibu*, 2020. [Online]. Available: <https://www.rsuharapanibu.co.id/pentingnya-menggunakan-masker-dimasa-pandemi/>. [Accessed: 10-Nov-2020].
- [12] W. Dadang, “Memahami Kecerdasan Buatan berupa Deep Learning dan Machine Learning,” *Warung Sains Teknologi*, 2018. [Online]. Available: <https://warstek.com/2018/02/06/deepmachinelearning/>.
- [13] J. W. G. Putra, *Pengenalan Konsep Pembelajaran Mesin dan Deep Learning*, vol. 1.4. 2020.
- [14] M. Zufar and B. Setiyono, “Convolutional Neural Networks Untuk Pengenalan Wajah Secara Real-Time,” *J. Sains dan Seni ITS*, vol. 5, no. 2, p. 128862, 2016, doi: 10.12962/j23373520.v5i2.18854.

- [15] Sofyan, “Pengenalan Convolutional Neural Network – Part 1,” 2019.
[Online]. Available: <http://sofyantandungan.com/pengenalan-convolutional-neural-network-part-1/>. [Accessed: 09-Nov-2020].
- [16] R. O. Ekoputris, “MobileNet: Deteksi Objek pada Platform Mobile,” *medium.com*, 2018. [Online]. Available: <https://medium.com/nodeflux/mobilenet-deteksi-objek-pada-platform-mobile-bbbf3806e4b3>. [Accessed: 09-Nov-2020].
- [17] M. Sandler, M. Zhu, A. Zhmoginov, and C. V. W. Mar, “MobileNetV2: Inverted Residuals and Linear Bottlenecks,” 2019.
- [18] K. Simonyan and A. Zisserman, “Very Deep Convolutional Networks for Large-Scale Image Recognition,” *3rd Int. Conf. Learn. Represent. ICLR 2015 - Conf. Track Proc.*, pp. 1–14, 2015.
- [19] B. Arifin, “Aplikasi Sensor Passive Infra Red (PIR) Untuk Pendeteksian Makhluk Hidup Dalam Ruang,” *Pros. SNST ke-4*, no. 2011, pp. 39–44, 2013.
- [20] Derisma, “Faktor-Faktor yang Mempengaruhi Sistem Pengenalan Wajah Menggunakan Metode Eigenface pada Perangkat Mobile Berbasis Android,” *J. Politek. Caltex Riau*, vol. 2, no. 2, pp. 127–136, 2016.
- [21] K. Zhang, Z. Zhang, Z. Li, and Y. Qiao, “Joint Face Detection and Alignment Using Multitask Cascaded Convolutional Networks,” *IEEE Signal Process. Lett.*, vol. 23, no. 10, pp. 1499–1503, 2016, doi: 10.1109/LSP.2016.2603342.
- [22] V. Agarwal, “Face Detection Models: Which to Use and Why?,”

- medium.com*2, 2020. [Online]. Available:
<https://towardsdatascience.com/face-detection-models-which-to-use-and-why-d263e82c302c>. [Accessed: 11-Dec-2020].
- [23] R. Adam, “Mengenal Google Colab,” *Structimly*, 2019. [Online]. Available:
<https://structimly.com/2019/05/mengenal-google-colab/>. [Accessed: 09-Nov-2020].
- [24] A. Choudhury, “TensorFlow vs Keras: Which One Should You Choose,” 2019. [Online]. Available: <https://analyticsindiamag.com/tensorflow-vs-keras-which-one-should-you-choose/>. [Accessed: 09-Nov-2020].
- [25] F. Chollet and J. J. Allaire, *Deep Learning with R*, 1st editio. United States of America: Manning Publications, 2018.
- [26] Creative Commons Attribution 4.0, “Panduan TensorFlow Lite,” *Google*, 2020. [Online]. Available: <https://www.tensorflow.org/lite/guide>. [Accessed: 10-Nov-2020].
- [27] L. Moroney, “Using TensorFlow Lite on *Android*,” *medium.com*, 2018. [Online]. Available: <https://medium.com/tensorflow/using-tensorflow-lite-on-android-9bbc9cb7d69d>. [Accessed: 10-Nov-2020].
- [28] Developers *Android*, “Mengenal *Android* Studio,” *Google Developer*, 2020. [Online]. Available: <https://developer.android.com/studio/intro?hl=id>. [Accessed: 10-Nov-2020].