

DAFTAR PUSTAKA

- Alahmadi, M. A. 2014. High-intensity Interval Training and Obesity. *Journal of Novel Physiotherapies*, 04(03). <https://doi.org/10.4172/2165-7025.1000211>
- Bongard, V., A.Y. McDermott, G.E. Dallal, & E.J. Schaefer. 2007. Effects of age and gender on physical performance. *Age*, 29(2–3), 77–85. <https://doi.org/10.1007/s11357-007-9034-z>
- Busyairi, B., & H.R.D. Ray. 2018. Perbandingan Metode Interval Training dan Continuous Run terhadap Peningkatan Vo2max. *Jurnal Terapan Ilmu Keolahragaan*, 3(1), 76. <https://doi.org/10.17509/jtikor.v3i1.10128>
- Centers of Disease Control. 2011. Body mass index: Considerations for practitioners. *Cdc*, 4. Retrieved from <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Body+Mass+Index:+Considerations+for+Practitioners#3%5Cnhttp://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Body+mass+index:+Considerations+for+practitioners#3>
- Dahlan, S. 2010. *Statistik untuk Kedokteran dan Kesehatan Uji Hipotesis dengan Menggunakan SPSS*. Jakarta: PT. Arkans.
- Darmawati, I., A. Setiawan, & H. Permatasari. 2015. Menurunkan Indeks Massa Tubuh Perempuan Dewasa dengan Kelebihan Berat Badan dan Kegemukan melalui Latihan Fisik Interval Training. *Jurnal Keperawatan Indonesia*, 18(2), 88–94. <https://doi.org/10.7454/jki.v18i2.409>
- Dirgantoro, E. W., A. Shadiqin, & S. Aisyah. 2018. Pengaruh Bike Interval Training Terhadap Peningkatan Daya Tahan Jantung Paru Anggota Club Cycle Bajai. *Multilateral Jurnal Pendidikan Jasmani Dan Olahraga*, 17(1), 13–17. <https://doi.org/10.20527/multilateral.v17i1.5016>
- Egan, A. M., W.A.W. Mahmood, R. Fenton, N. Redziniak, T. Kyaw Tun, S. Sreenan *et al.* 2013. Barriers to exercise in obese patients with type 2 diabetes. *Qjm*, 106(7), 635–638. <https://doi.org/10.1093/qjmed/hct075>
- El-Hazmi, M. A. F., A.S. Warsy. 2002. Relationship between age and the prevalence of obesity and overweight in Saudi population. *Bahrain Medical Bulletin*, 24(2), 49–53.
- Gerosa-Neto, J., B.M.M. Antunes, E.Z. Campos, J. Rodrigues, G.D. Ferrari, J.C.R. Neto *et al.* 2016. Impact of long-term high-intensity interval and moderate-intensity continuous training on subclinical inflammation in overweight/obese adults. *Journal of Exercise Rehabilitation*, 12(6), 575–580. <https://doi.org/10.12965/jer.1632770.385>
- Greer, B. K., P. Sirithienthad, R.J. Moffatt, R.T. Marcello, & L.B. Panton. 2015. EPOC comparison between isocaloric bouts of steady-state aerobic, intermittent aerobic, and resistance training. *Research Quarterly for Exercise and Sport*, 86(2), 190–195. <https://doi.org/10.1080/02701367.2014.999190>
- Hughes, I. L., & T. Higgins. 2019. Six Weeks High Intensity Interval Training (HIIT) Improves a Variety of Different Diabetes Mellitus Type 2 Risk Markers. *International Journal of Physical Medicine & Rehabilitation*, 7(1), 1–10. <https://doi.org/10.4172/2329-9096.1000503>
- Husnah. 2012. Tatalaksana Obesitas. *Jurnal Kedokteran Syiah Kuala*, 12, 99–104.
- Kadir, A. 2015. Penentuan Kriteria Obesitas. *Jurnal Ilmu Keolahragaan*, 7(1).
- Kandinasti, S., & Farapti. 2018. Obesitas : Pentingkah Memperhatikan Konsumsi

- Makanan di Akhir Pekan ? Obesity : Is It Important to Concern about Food Intake in The Weekend? *Jurnal Amerta Nutrition*, 2(4), 307–316. <https://doi.org/10.20473/amnt.v2.i4.2018.307-316>
- Keating, S. E., E.A. Machan, H.T. O'Connor, J.A. Gerofi, A. Sainsbury, I.D. Caterson, & N.A. Johnson. 2014. Continuous Exercise but Not High Intensity Interval Training Improves Fat Distribution in Overweight Adults. *Journal of Obesity*, 2014, 834865. <https://doi.org/10.1155/2014/834865>
- Kementerian Kesehatan RI. 2014. *Pedoman Gizi Seimbang. Pedoman Gizi Seimbang*. Jakarta: Kementerian Kesehatan RI.
- Kementerian Kesehatan RI. 2015. *Pembinaan Kesehatan Olahraga di Indonesia*. Retrieved from www.depkes.go.id/download.php?file=download/pusdatin/...pdf%0A
- Kementerian Kesehatan RI. 2017. *Ayo Bergerak, Lawan Obesitas!* Jakarta: Kementerian Kesehatan RI. Retrieved from <http://p2ptm.kemkes.go.id>
- Kementerian Kesehatan RI. 2018. *Riset Kesehatan Dasar 2018*. Jakarta: Balitbang Kemenkes RI.
- Kilpatrick, M. W., M.E. Jung, & J.P. Little. 2014. High-intensity interval training: A review of physiological and psychological responses. *ACSM's Health and Fitness Journal*, 18(5), 11–16. <https://doi.org/10.1249/FIT.0000000000000067>
- King, J. W. 2001. A comparison of the effects of interval training vs. continuous training on weight loss and body composition in obese pre-menopausal women. *Livebetterlife.Net*, (May), 99. Retrieved from <http://search.proquest.com>
- Kolimechkov, S. 2014. Body Mass Index. *STK Sport UK*, (November), 1–7. <https://doi.org/10.13140/RG.2.2.31492.94086>
- Kong, Z., X. Fan, S. Sun, L. Song, Q. Shi, & J. Nie. 2016. Comparison of high-intensity interval training and moderate-to-vigorous continuous training for cardiometabolic health and exercise enjoyment in obese young women: A randomized controlled trial. *PLoS ONE*, 11(7), 1–16. <https://doi.org/10.1371/journal.pone.0158589>
- Kumar, V., A.K. Abbas, & J.C. Aster. 2012. *Buku Ajar Patologi Robbins*. (I. M. Nasar & S. Cornain, Eds.) (9th ed.). Jakarta: Elsevier Inc.
- Kurdanti, W., I. Suryani, N.H/ Syamsiatun, L.P. Siwi, M.M. Adityanti, D. Mustikaningsih, & K.I. Sholihah. 2015. Faktor-faktor yang mempengaruhi kejadian obesitas pada remaja. *Jurnal Gizi Klinik Indonesia*, 11(4), 179. <https://doi.org/10.22146/ijcn.22900>
- Mallol, M., G. Mejuto, D. Bentley, L. Norton, J. Torres-Unda, H. Arrieta, et al. 2017. Effects of 4 Weeks High-Intensity Training on Running and Cycling Performance in Well-Trained Triathletes. *Sports and Exercise Medicine - Open Journal*, 3(1), 1–7. <https://doi.org/10.17140/semoj-3-139>
- Martin, A. 2018. An Overview of The Level of Physical Fitness and Obesity in Working Age (In Bahasa), 1(1), 5–13.
- Mauliza. 2018. Obesitas dan Pengaruhnya Terhadap Kardiovaskular. *Jurnal Averrous*, 4(2), 1–10.
- Mungreiphy, N. K., S. Kapoor, & R. Sinha. 2011. Association between BMI, Blood Pressure, and Age: Study among Tangkhul Naga Tribal Males of Northeast India. *Journal of Anthropology*, 2011, 1–6.

- <https://doi.org/10.1155/2011/748147>
- Nuffield Health. 2019. What Is Continuous Training? Retrieved April 26, 2020, from <https://www.nuffieldhealth.com/article/what-is-continuous-training>
- Nugraha, A. R., & K.N. Berawi. 2017. Pengaruh High Intensity Interval Training (HIIT) terhadap Kebugaran Kardiorespirasi The Effect of High Intensity Interval Training (HIIT) toward Cardiorespiratory Fitness. *Majority*, 6(1).
- Nurchahyo, F. 2011. Kaitan antara Obesitas dan Aktivitas Fisik. *Medikora*, VII(April), 87–96. Retrieved from <https://journal.uny.ac.id/index.php/medikora/article/viewFile/4663/4012>
- Nuttall, F. Q. 2015. Body mass index: Obesity, BMI, and health: A critical review. *Nutrition Today*, 50(3), 117–128. <https://doi.org/10.1097/NT.0000000000000092>
- Ouerghi, N., M.K. Ben Fradj, I. Bezrati, M. Khammassi, M. Feki, N. Kaabachi, & A. Bouassida. 2017. Effects of high-intensity interval training on body composition, aerobic and anaerobic performance and plasma lipids in overweight/obese and normal-weight young men. *Biology of Sport*, 34(4), 385–392. <https://doi.org/10.5114/biolsport.2017.69827>
- Park, H. Y., W.S. Jung, J. Kim, H. Hwang, & K. Lim. 2019. Changes in the paradigm of traditional exercise in obesity therapy and application of a new exercise modality: A narrative review article. *Iranian Journal of Public Health*, 48(8), 1395–1404. <https://doi.org/10.18502/ijph.v48i8.2978>
- Permatasari, D., S. Purnawati, B.K. Satriyasa, L. Made, I. Sri, & H. Adiputra. 2017. Pelatihan Interval Intensitas Tinggi Lebih Efektif Menurunkan Persentase Lemak Tubuh Dibandingkan Pelatihan Kontinyu Submaksimal Pada Siswa Sman 4, 5(2), 10–20.
- Petridou, A., A. Siopi & V. Mougios. 2019. Exercise in the management of obesity. *Metabolism: Clinical and Experimental*, 92, 163–169. <https://doi.org/10.1016/j.metabol.2018.10.009>
- Putra, M. A. 2019. The Effect of High Intensity Interval Training (HIIT) on Body Mass Index of Menopausal Women. *Jurnal MensSana*, 4(2), 106–110.
- Ram, A., L. Marcos, M.D. Jones, R. Morey, S. Hakansson, T. Clark *et al.* 2020. The effect of high-intensity interval training and moderate-intensity continuous training on aerobic fitness and body composition in males with overweight or obesity: A randomized trial. *Obesity Medicine*, 17, 100187. <https://doi.org/10.1016/j.obmed.2020.100187>
- Roy, B. A. 2013. High-intensity interval training: Efficient, effective, and a fun way to exercise: Brought to you by the American College of Sports Medicine www.acsm.org. *ACSM's Health and Fitness Journal*, 17(3), 3. <https://doi.org/10.1249/FIT.0b013e31828cb21c>
- Santos, M. A. dos, F. Matzenbacher, J.C. dos S Albarello, & G.H. Halmenschlager. 2019. Comparison of epoc and recovery energy expenditure between hiit and continuous aerobic exercise training. *Revista Brasileira de Medicina Do Esporte*, 25(1), 20–23. <https://doi.org/10.1590/1517-869220192501181346>
- Sastroasmoro, S., & S. Ismael. 2014. *Dasar-dasar Metodologi Penelitian Klinis* (Edisi ke-5). Jakarta: Sagung Seto.
- Spanoudaki, S. 2011. Interval versus Continuous Training. *Journal of Sports Medicine & Doping Studies*, 01(01), 4172. <https://doi.org/10.4172/2161-0673.1000e102>

- Stolberg, H. O., G. Norman, & I. Trop. 2004. Randomized controlled trials. *American Journal of Roentgenology*, 183(6), 1539–1544. <https://doi.org/10.2214/ajr.183.6.01831539>
- Su, L. Q., J.M. Fu, S.L. Sun, G.G. Zhao, W. Cheng, C.C. Dou, M.H. Quan. 2019. Effects of HIIT and MICT on cardiovascular risk factors in adults with overweight and/or obesity: A meta-analysis. *PLoS ONE*, 14(1), 1–21. <https://doi.org/10.1371/journal.pone.0210644>
- Talanian, J. L., S.D.R. Galloway, G.J.F. Heigenhauser, A. Bonen, & L.L. Spriet. 2007. Two weeks of high-intensity aerobic interval training increases the capacity for fat oxidation during exercise in women. *Journal of Applied Physiology*, 102(4), 1439–1447. <https://doi.org/10.1152/jappphysiol.01098.2006>
- Tim Riskesdas 2018. 2018. Laporan Nasional Riskesdas 2018. *Badan Penelitian Dan Pengembangan Kesehatan*. Jakarta: Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan (LPB). Retrieved from http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf
- Tim Riskesdas 2018. 2018. *Laporan Provinsi Jawa Tengah Riskesdas 2018*. Kementerian Kesehatan RI. Jakarta: Lembaga Penerbit Badan Litbang Kesehatan 2019.
- Tomabechi, N., K Takizawa, K Shibata, & M Mizuno. 2018. Effects of 3-Week Work-Matched High-Intensity Intermittent Cycling Training with Different Cadences on VO₂max in University Athletes. *Sports*, 6(4), 107. <https://doi.org/10.3390/sports6040107>
- Townsend, J. R., J.R. Stout, A.B. Morton, A.R. Jajtner, A.M. Gonzalez, A.J. Wells, et al. 2013. Excess post-exercise oxygen consumption (EPOC) following multiple effort sprint and moderate aerobic exercise. *Kineziologija*, 45(1), 16–21.
- Türk, Y., W. Theel, M.J. Kasteleyn, F.M.E. Franssen, P.S. Hiemstra, A. Rudolphus, et al. 2017. High intensity training in obesity: a Meta-analysis. *Obesity Science and Practice*, 3(3), 258–271. <https://doi.org/10.1002/osp4.109>
- Utami, D., & G.A. Setyarini. 2017. Faktor-Faktor Yang Mempengaruhi Indeks Massa Tubuh Pada Remaja Usia 15-18 Tahun Di Sman 14 Tangerang. *Jurnal Ilmu Kedokteran Dan Kesehatan*, 4, 207–215. Retrieved from <http://ejournalmalahayati.ac.id/index.php/kesehatan/article/viewFile/1318/1043>
- Weston, K. S., U. Wisløff, & J.S. Coombes. 2014. High-intensity interval training in patients with lifestyle-induced cardiometabolic disease: A systematic review and meta-analysis. *British Journal of Sports Medicine*, 48(16), 1227–1234. <https://doi.org/10.1136/bjsports-2013-092576>
- Wewege, M., R van den Berg, R.E. Ward, & A. Keech. 2017. The effects of high-intensity interval training vs. moderate-intensity continuous training on body composition in overweight and obese adults: a systematic review and meta-analysis. *Obesity Reviews*, 18(6), 635–646. <https://doi.org/10.1111/obr.12532>
- World Health Organization. 2000. *The Asia Pacific perspective: Redefining obesity and its treatment*. Australia: World Health Organization Western Pacific Region.
- World Health Organization. 2018. Obesity and Overweight. Retrieved April 26,

2020, from <https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight>

- Wulandari, P., A. Arifianto, & N. Aini. 2018. Hubungan Obesitas dengan Harga Diri (*self-esteem*) pada Remaja Putri SMA Negeri 13 Semarang. *Jurnal Keperawatan Soedirman*, 11(2), 81. <https://doi.org/10.20884/1.jks.2016.11.2.650>
- Zhang, H., T.K. Tong, W. Qiu, X. Zhang, S. Zhou, Y. Liu, & Y. He. 2017. Comparable Effects of High-Intensity Interval Training and Prolonged Continuous Exercise Training on Abdominal Visceral Fat Reduction in Obese Young Women. *Journal of Diabetes Research*, 2017. <https://doi.org/10.1155/2017/5071740>

