

## DAFTAR PUSTAKA

- Asikin, S., Handoyo, A., Prastistho, B., Gafoer, S., 1992. *Peta Geologi Lembar Banyumas, Jawa*. Pusat Penelitian dan Pengembangan Geologi.
- Bardet, J.P., Synolakis, C.E., Davies, H.L., Imamura, F., Okal, E.A. 2003. Landslide Tsunamis: Recent Finding and Research Directions. *Pure Appl. Geophys.* 160. 1793-1809.
- Bengtsson, L. dan M.Enell. 1986. Chemical analysis. In Berglund, B. E. (ed.). Handbook of Holocene Palaeoecology and Palaeohydrology. John Wiley & Sons Ltd. Chichester, 423–451.
- Blott, S.J. dan Pye, K., 2001. *Gradistat: a grain size distribution and statistics package for the analysis of unconsolidated sediments*. *Earth Surface Processes and Landforms* 26, 1237–1248.
- Brahmantyo, Budi dan Bandono. 2006. Klasifikasi Bentuk Muka Bumi (Landform) untuk Pemetaan Geomorfologi pada Skala 1:25.000 dan Aplikasinya untuk Penataan Ruang. *Jurnal Geoaplika* Vol.1 No.2, 71-78.
- Bryant, E. 2005. *Natural Hazard Second Edition*. New York: Cambridge University Press.
- Clague, J. J., dan Bobrowsky, P. 1994. Evidence for a Large Earthquake and Tsunami 100-400 Years Ago on Vancouver Island, British Columbia, *Quatern. Res.* 41, Hal. 176-184.
- Cloud, P. E., Jr. (1955) Physical limits of glauconite formation: Amer. Ass. Petrol. *Geol. Bull.* 39, 484-492.
- Croudace, Ian., dan Rothwell, Guy. 2010. Micro-XRF sediment core scanners: important new tools for the environmental and the earth science. *National Oceanography Centre*. Vol. 22, No. 3.
- Dahyanake, K. dan Kulasena, N. 2008. Recognition of Diagnostic Criteria for Recent and Paleo Tsunami Sediments from Sri Lanka. *Marine Geology, Journal*, 254, h.180-186.

- Dawson, A. G., dan Stewart, I. 2007. Tsunami deposits in the geological record. Elsevier: Netherland. ***Sedimentary Geology***, No. 200, Hal. 166-183.
- Dean, W. E. Jr., 1974. Determination of carbonate and organic matter in calcareous sediments and sedimentary rocks by loss on ignition: Comparison with other methods. ***J. Sed. Petrol.*** 44: 242–248.
- Einsele, G., Shiki, T., Chough, S.K. 1996. Marine sedimentary events and their records. ***Sediment Geol*** 104. Hal. 1-257.
- Folk, R.L., dan Ward W.C. 1957. Brazos River bar: a study in the significance of grain size parameters. ***Journal of Sedimentary Petrology*** 27: 3-26.
- Friedman, G.M., dan Sanders, J.E. 1978. *Principles of Sedimentology*. John Wiley & Sons. New York. 792 p.
- Galliher, E. W. 1936. Glauconite genesis: ***Geol. Soc. Amer. Bull.*** 46, 1351-1366.
- Goff, J., McFadgen, B.G., Chague-Goff, C. 2004. Sedimentary Differences Between The 2002 Easter Storm dan 15-Century Okoropunga Tsunami, Southeastern North Island, New Zealand. ***Marine Geology***, 204, 235-250
- Goff, J.R., Chague-Goff, C., Nichol, S., Jaffe, B., dan Dominey-Howes, D., 2012. *Progress in paleotsunami research*, *Sedimentary Geology*, 243 – 244, 70 – 88.
- Hadding, A. 1932. The Pre-Quaternary Rocks of Sweden. IV. *Glauconite and Glauconite-Rocks: Medd. Lunds Geol. Mineral. Inst.* 2,8, 1-175.
- Harinarayana, T., dan Hirata, N. 2005. Destructive Earthquake and Disastrous Tsunami in The Indian Ocean, What Next?. ***Gondwana Research (Gondwana Newsteller Section)***. Vol. 8, No. 2. Hal 246-257.
- Jankaew, K., Martin, M.E., Sawai, Y., dan Prendergast, A.L., 2011. *Sand Sheets on a Beach Ridge Plain in Thailand: Identification and Dating of Tsunami Deposits in a Far-Field Tropical Setting*. Di dalam: Nils-Axel Mörner (eds.) *The Tsunami Treat - Research and Technology*, ISBN: 978-953-307-552-5, InTech, 299 – 324.
- Kiyokawa, S., dkk. 2002. Cretaceous-Tertiary Boundary Sequence in The Cacajicara Formation, Western Cuba. ***Geol. Soc. Am. Spec. Pap.*** 356. Hal. 125-144.

- Korsman, T., M. B. Nilsson, K. Landgren & I. Renberg, 1999. Spatial variability in surface sediment composition characterised by near-infrared (NIR) reflectance spectroscopy. **J. Paleolim.** 21: 61–71.
- Latief, H., Puspito, N.T. dan Imamura, F. (2000). “Tsunami Catalog and Zones in Indonesia”, **Journal of Natural Disaster Science**, Vol. 22, No. 1, pp. 25-43.
- Latter JN (1981) Tsunamis of volcanic origin: summary of causes with particular references to Krakatoa, 1883. *Bull Volcanol* 44(3):467–490.
- Minoura, K., dkk. Sequence of Sedimentation Process Caused by the 1992 Flores Tsunami, Evidence From Babi Island. **Geology** 25. Hal 523-256.
- Morton, Robert, A., Gelfenbaum, G., Bruce, E., dan Jaffe. 2007. Physical criteria for distinguishing sandy tsunami and storm deposits using modern examples. **Journal Sedimentary Geology** 200 (2007) Hal. 184-207.
- Nanayama, F., dan Shigeno, K. 2006. Inflow and outflow facies from the 1993 tsunami in southwest Hokkaido. **Sedimentary Geology**. Vol. 187, Hal. 139-158.
- Nelson, C.S., and Smith, A.M., 1996, Stable oxygen and carbon isotope compositional fields for skeletal and diagenetic components in New Zealand Cenozoic nontropical carbonate sediments and limestones: a synthesis and review: **New Zealand Journal of Geology and Geophysics**, v. 39, p. 93–107.
- Porrenga, D. H. 1967. Glauconite and chamosite as depth indicators in marine environments: **Mar. Geol.** 5, 495-501.
- Satjana, Awang Harum. 2014. **New Consideration on The Cretaceous Subdaction Zone of Ciletuh-Luk Ulo-Bayat-Meratus: Implications For Southeast Sundaland Petroleum Geology**. Proceedings, Indonesian Petroleum Association, Thirty Eight Annual Convention & Exhibition.
- Shi, S. dan Smith, D. E. 2003. *Coastal Tsunami Geomorphological Impacts and Sedimentation Processes: Case Studies of Modern and Prehistorical Events*. International Conference on Eustuaries and Coasts November 9-11, 2003.

- Spaulding, S. A., D. M. McKnight, E. F. Stoermer & P. T. Doran, 1997. Diatoms in sediments of perennially ice-covered Lake Hoare, and implications for interpreting lake history in the McMurdo Dry Valleys of Antarctica. *J. Paleolim.* 17: 403–420.
- Sugawara, D., Minoura, K., dan Imamura, F. 2008. Tsunamis and Tsunami Sedimentology. In *Tsunamiites, Features and Implications*. Hal 9-49.
- Takahashi, J. and Yagi, T. 1929. The peculiar sand grains in the recent littoral and estuarine deposits, with special reference to the origin of glauconite: *Econ. Geol.* 24, 838-852.
- Verstappen, H.Th. 1983. *Applied Geomorphology: Geomorphological surveys for environmental development*. Amsterdam: Elsevier.xi + hal 437.
- Van Bemmelen, R.W. 1949, *general geology of Indonesia and adjacent archipelagos*. Government printing office, de hague.
- Virkanen, J., A. Korhola, M. Tikkanen & T. Blom, 1997. Recent environmental changes in a naturally acidic rocky lake in southern Finland, as reflected in its sediment geochemistry and biostratigraphy. *J. Paleolim.* 17: 191–213.
- Yudhicara, Zaim, Y., Rizal, Y., Triyono, R., Setiyono, dan Hartanto, D. 2013. Characteristics of Paleotsunami Sediments, A Case Study in Cilacap and Pangandaran Coastal Areas, Jawa, Indonesia. *Indonesian Journal of Geology*, Vol. 8 No. 4 Hal. 163 – 175.
- Zuidam, R.A. van. 1985. *Aerial Photo-Interpretation in Terrain Analysis and Geomorphologic Mapping*. ITC, Smits Publ., Enschede, The Hague.