

DAFTAR PUSTAKA

- Bajenova, O. V., Zimmer, R., Stolper, E., Salisbury-Rowswell, J., Nanji, A., & Thomas, P. 2001. Heterogeneous RNA-binding protein M4 is a receptor for carcinoembryonic antigen in Kupffer cells. *The Journal of biological chemistry*. Vol 276(33): 31067–31073
- Bajenova, O., Gorbunova, A., Evsyukov, I., Rayko, M., Gapon, S., Bozhokina, E., Shishkin, A., & O'Brien, S. J. 2016. The Genome-Wide Analysis of Carcinoembryonic Antigen Signaling by Colorectal Cancer Cells Using RNA Sequencing. *PloS one*. Vol 11(9): e0161256.
- Benchimol, S., Fuks, A., Jothy, S., Beauchemin, N., Shiota, K., & Stanners, C. P. 1989. Carcinoembryonic antigen, a human tumor marker, functions as an intercellular adhesion molecule. *Cell*. Vol 57(2): 327–334.
- Benichou, C. 1990. Criteria of Drug-induced Liver Disorder. *J Hepatol*. Vol (11): 272-276.
- Besseli, E. M., Thomas, P., Westwood, J. H. 2000. Multiple Smithdegradations of carcinoembryonic antigen (CEA) and of asialo CEA. *Carbohydr Res*. Vol (45): 257-268.
- Bhatnagar, J., Tewari, H. B., Bhatnagar, M., Austin, G. E. 1999. Comparison of carcinoembryonic antigen in tissue and serum with grade and stage of colon cancer. *Anticancer Res*. (19):2181–2187.
- Blumenthal, R. D., Leon, E., Hansen, H. J., & Goldenberg, D. M. 2007. Expression patterns of CEACAM5 and CEACAM6 in primary and metastatic cancers. *BMC cancer*. Vol (7): 2.
- Bocci, V. 2006. The role of sialic acid in determining the life of circulating cells and glycoproteins. *Experientia*. Vol (32): 135-146.
- Bonfanti, G., Bombelli, L., Bozzetti, F., Doci, R., Gennari, L., & Koukouras, D. 2002. The role of CEA and liver function tests in the detection of hepatic metastases from colo-rectal cancer. *HPB surgery: a world journal of hepatic, pancreatic and biliary surgery*. Vol 3(1): 29–37.
- Camacho-Leal, P., Zhai, A. B., Stanners, C. P. 2007. A co-clustering model involving alpha5beta1 integrin for the biological effects of GPI-anchored

- human carcinoembryonic antigen (CEA). *J Cell. Physiol.* Vol 211(3): 791–802.
- Cancer Research United Kingdom (CRUK). 2017. *Bowel cancer incidence statistics*. United Kingdom: CRUK.
- Cancer. *Clinica chimica acta; international journal of clinical chemistry*. Vol (415): 12–19.
- CD66c is a novel marker for colorectal cancer stem cell isolation, and its silencing halts tumor growth in vivo. *Cancer*. Vol 119(4): 729–738.
- Chan, C. H., Stanners, C. P. 2007. Recent advances in the tumour biology of the GPI-anchored carcinoembryonic antigen family members CEACAM5 and CEACAM6. *Current oncology (Toronto, Ont.)*. Vol 14(2): 70–73.
- Circulating exosomal CPNE3 as a diagnostic and prognostic biomarker for colorectal cancer. *Journal of cellular physiology*. Vol 234(2): 1416–1425.
- Colussi, D., Brandi, G., Bazzoli, F., Ricciardiello, L. 2013. Molecular pathways involved in colorectal cancer: implications for disease behavior and prevention. *Int J Mol Sci*. Vol (14): 16365–85.
- Cook, A. D., R. Single, McCahill M. E. 2005. Surgical resection of primary tumors in patients who present with stage IV colorectal cancer: an analysis of surveillance, epidemiology, and end results data, 1988 to 2000. *Annals of Surgical Oncology*. Vol (12)8: 637–645.
- Coyle, Y. M. 2009. Lifestyle, genes, and cancer. *Methods Mol Biol*. Vol 472(56): 25–56.
- Czepczyńska-Krężel, H., & Krop-Wątołek, A. 2012. Human carcinoembryonic antigen family proteins, structure and function. *Postepy higieny i medycyny doswiadczalnej*. Vol (66): 521–533.
- Duffy, M. J. 2001 [Carcinoembryonic antigen as a marker for colorectal cancer: is it clinically useful](#) *Clinical Chemistry*. Vol 47(4): 624–30.
- Eidelman, F. J., Fuks, A., DeMarte, L., Taheri, M., & Stanners, C. P. 1993. Human carcinoembryonic antigen, an intercellular adhesion molecule, blocks fusion and differentiation of rat myoblasts. *The Journal of cell biology*. Vol 123(2): 467–475.

- Ergün, S., Kilic, N., Ziegeler, G., Hansen, A., Nollau, P., Götze, J., Wurmbach, J., Horst, A., Weil, J., Fernando, M., Wagener, C. 2000. CEA-Related Cell Adhesion Molecule 1. *Molecular Cell*. Vol 5(2): 311–320.
- Ferlay J, Soerjomataram I, Dikshit R, et al. Cancer incidence and mortality worldwide: Sources, methods and major patterns in GLOBOCAN 2012. *Int J Cancer* 2015; 136: E359–E386.
- Ferlay, J., H.-R. Shin, F. Bray, D. Forman, C. Mathers, D. M. Parkin. 2010 Estimates of worldwide burden of cancer in 2008: GLOBOCAN 2008. *International Journal of Cancer*. Vol (127)12: 2893–2917.
- Gemei, M., Mirabelli, P., Di Noto, R., Corbo, C., Iaccarino, A., Zamboli, A., Troncone, G., Galizia, G., Lieto, E., Del Vecchio, L., & Salvatore, F. 2013.
- Giannini, E. G., Testa, R., Savarino, V. 2005. Liver Enzyme Alteration: a Guide for Clinicians. *CMAJ*. Vol 172 (3): 367-379.
- Giboney P. T. 2005. Mildly elevated liver transaminase levels in the asymptomatic patient. *American family physician*. Vol 71(6): 1105–1110.
- Gold, P., Freedman, S. O. 1965. Demonstration of Tumor-Specific Antigens in Human Colonic Carcinomata by Immunological Tolerance and Absorption Techniques. *Journal of Experimental Medicine*. Vol 121(3): 439–462.
- Gounden, V., Vashisht, R., Jialal, I. 2020. HypoAlbumin emia. *Statpearls*. Vol (1): 1.
- Grady, W. M., Pritchard, C. C. 2014. Molecular alterations and biomarkers in colorectal cancer. *Toxicol Pathol*. Vol (42): 124–39.
- Hammarström, S. 1999. The carcinoembryonic antigen (CEA) family: structures, suggested functions and expression in normal and malignant tissues. *Seminars in cancer biology*. Vol 9(2): 67–81.
- Hanahan, D., Weinberg, R. A. 2011. Hallmarks of cancer: the next generation. *Cell*. Vol 144(5): 64674.
- Hauck, C. R., Agerer, F., Muenzner, P., & Schmitter, T. 2006. Cellular adhesion molecules as targets for bacterial infection. *European journal of cell biology*. Vol 85(3-4): 235–242.
- Horst, A. K., Ito, W. D., Dabelstein, J., Schumacher, U., Sander, H., Turbide, C., Brümmer, J., Meinertz, T., Beauchemin, N., & Wagener, C. 2006.

- Carcinoembryonic antigen-related cell adhesion molecule 1 modulates vascular remodeling in vitro and in vivo. *The Journal of clinical investigation*. Vol 116(6): 1596–1605.
- Ilantzis, C., DeMarte, L., Screatton, R. A., & Stanners, C. P. 2002. Deregulated expression of the human tumor marker CEA and CEA family member CEACAM6 disrupts tissue architecture and blocks colonocyte differentiation. *Neoplasia (New York, N.Y.)*. Vol 4(2): 151–163.
- Ji., Zhang, A., Shen, D., Zheng, C., Qi, J., Zhao, D., Shi, J., Jin, L., Rao, J., & Zhang, W. 2017. Circulating MIC-1/GDF15 is a complementary screening biomarker with CEA and correlates with liver metastasis and poor survival in colorectal cancer. *Oncotarget*. Vol 8(15): 24892–24901.
- Jakob, M., Tschambaz, L., Krahenbuhl, A., Wolf, P., Krahenbuhl, S. 2007. Dose Adaptation of Antineoplastic Drug in Patient with Liver Disease. *Drug Safety*. Vol (1): 95-117.
- Jensen-Jarolim, E., Fazekas, J., Singer, J., Hofstetter, G., Oida, K., Matsuda, H., & Tanaka, A. 2015. Crosstalk of carcinoembryonic antigen and transforming growth factor- β via their receptors: comparing human and canine cancer. *Cancer immunology, immunotherapy: CII*. Vol 64(5): 531–537.
- Johnson, B., & Mahadevan, D. 2015. Emerging Role and Targeting of Carcinoembryonic Antigen-related Cell Adhesion Molecule 6 (CEACAM6) in Human Malignancies. *Clinical cancer drugs*. Vol 2(2): 100–111.
- Kammerer, R., Popp, T., Hartle, S., Singer, B. B., & Zimmermann, W. 2007. Species-specific evolution of immune receptor tyrosine-based activation motif-containing CEACAM1-related immune receptors in the dog. *BMC Evolutionary Biology*. Vol 7(1): 196-214.
- Kammerer, R., Popp, T., Singer, B. B., Schlender, J., & Zimmermann, W. 2004. Identification of allelic variants of the bovine immune regulatory molecule CEACAM1 implies a pathogen-driven evolution. *Gene*. Vol (339): 99–109.
- Kang, H. Y., Choe, E. K., Park, K. J., Lee, Y. 2017. Factors Requiring Adjustment in the Interpretation of Serum Carcinoembryonic Antigen: A Cross-Sectional Study of 18,131 Healthy Nonsmokers. *Gastroenterology research and practice*. Vol (9)8: 58931.

- Khoo, S. K., Mackay, I. R. 2003. Carcinoembryonic antigen in serum in diseases of the liver and pancreas. *J Clin Path.* Vol (26): 470-475.
- Kilic, N., Oliveira-Ferrer, L., Wurmbach, J. H., Loges, S., Chalajour, F., Neshat-Vahid, S., Weil, J., Fernando, M., & Ergun, S. 2005. Pro-angiogenic signaling by the endothelial presence of CEACAM1. *The Journal of biological chemistry.* Vol 280(3): 2361–2369.
- Kim, K. S., Kim, J. T., Lee, S. J., Kang, M. A., Choe, I. S., Kang, Y. H., Kim, S. Konishi, T., Shimada, Y., Hsu, M., Tufts, L., Jimenez-Rodriguez, R., Cercek, A., Yaeger, R., Saltz, L., Smith, J. J., Nash, G. M., Guillem, J. G., Paty, P. B., Garcia-Aguilar, J., Gonen, M., Weiser, M. R. 2018. Association of Preoperative and Postoperative Serum Carcinoembryonic Antigen and Colon Cancer Outcome. *JAMA oncology.* Vol 4(3): 309–315.
- Kosasih, E.N., dan Kosasih, A.S. 2008. *Tafsiran Hasil Pemeriksaan Laboratorium Klinik.* Tangerang: Karisma Publishing Grup
- Krishna, V. 2004. *Textbook of Pathology.* Delhi: Orient Blackswan
- Kuespert, K., Pils, S., & Hauck, C. R. 2006. CEACAMs: their role in physiology and pathophysiology. *Current opinion in cell biology.* Vol 18(5): 565–571.
- Kuipers, E. J., Grady, W. M., Lieberman, D., Seufferlein, T., Sung, J. J., Boelens, Lala, V., Goyal, A., Bansal, P. 2020. Liver Function Tests. Dalam: *StatPearls* [Internet]. Treasure Island (FL): StatPearls.
- Lao, V. V., Grady, W. M. 2011. Epigenetics and colorectal cancer. *Nat Rev Gastroenterol Hepatol.* Vol (8): 686–700.
- Li, S., Cao, Y., Geng, F. 2017. Genome-Wide and Comparative Analysis of Albumin Family in Vertebrates. *Evolutionary Bioinformatics.* Vol (13): 1-6.
- Loewenstein, M. S., Zamcheck, N. 2007. Carcinoembryonic antigen and the liver. *Gastroenterology.* Vol (72): 161-166.
- Luo, Y., Wong, C. J., Kaz, A. M., Dzieciatkowski, S., Carter, K. T., Morris, S. M., M. 2019. Mechanisms of Metastasis in Colorectal Cancer and Metastatic Organotropism: Hematogenous versus Peritoneal Spread. *Journal of Oncology.* Vol (19): 1–13.

- Maestranzi, S., Przemioslo, R., Mitchell, H., & Sherwood, R. A. 1998. The Effect of Benign and Malignant Liver Disease on the Tumour Markers CA19-9 and CEA. *Annals of Clinical Biochemistry*. Vol 35(1): 99–103.
- Moore, T., Dhar, P., Zamcheck, N., Keeley, A., Gottlieb, L., and Kupchik, H. Z. 2004. Carcinoembryonic antigen(s) in liver disease. I. Clinical and morphological studies. *Gastroenterology*. Vol (63): 88 – 94.
- Morell, A. R. 1999. CEA Serum Levels in Non-Neoplastic Disease. *The International Journal of Biological Markers*. Vol 7(3): 160–166.
- Muenzner, P., Rohde, M., Kneitz, S., & Hauck, C. R. 2005. CEACAM engagement by human pathogens enhances cell adhesion and counteracts bacteria-induced detachment of epithelial cells. *The Journal of cell biology*. Vol 170(5): 825–836.
- Nam, M. S., & Lee, H. G. 2013. Overexpression and clinical significance of carcinoembryonic antigen-related cell adhesion molecule 6 in colorectal *National Cancer Institute*. 2007. *Defining Cancer*. United Kingdom: National Cancer Institute.
- Nittka, S., Günther, J., Ebisch, C. Erbersdobler, A., Neumaier, M. 2004. The human tumor suppressor CEACAM1 modulates apoptosis and is implicated in early colorectal tumorigenesis. *Oncogene*. Vol (23): 9306–9313.
- Office for National Statistics. 2019. *Cancer registration statistics. England Statistical bulletins*. UK: Office for National Statistics
- Oh, R. C., & Hustead, T. R. 2011. Causes and evaluation of mildly elevated liver transaminase levels. *American family physician*. Vol 84(9): 1003–1008.
- P. G., van de Velde, C. J., Watanabe, T. 2015. Colorectal cancer. *Nature reviews Disease primers*. Vol (1): 150-165.
- Pavlopoulou, A., & Scorilas, A. 2014. A comprehensive phylogenetic and structural analysis of the carcinoembryonic antigen (CEA) gene family. *Genome biology and evolution*. Vol 6(6): 1314–1326.
- PDQ Adult Treatment Editorial Board. 2020 *Colon Cancer Treatment (PDQ®): Patient Version*. Bethesda (MD): National Cancer Institute (US).

- Pezzuto, A., Spoto, C., Vincenzi, B., Tonini, G. 2013. Short-term effectiveness of smoking-cessation treatment on respiratory function and CEA level. *Journal of Comparative Effectiveness Research*. Vol 2(3): 335–343.
- Pils, S., Gerrard, D. T., Meyer, A., & Hauck, C. R. 2008. CEACAM3: An innate immune receptor directed against human-restricted bacterial pathogens. *International Journal of Medical Microbiology*. Vol 298(7-8): 553–560.
- Pratt, D.S. 2010. Liver Chemistry and function test. In: Feldman M, Friedman, L.S., Brandt, L.J., eds. *Scheisenger and Fordtran's Gastrointestinal and Liver Disease*. Philadelphia, PA: Saunders Elsevier
- Pretzsch, E., Bösch, F., Neumann, J., Ganschow, P., Bazhin, A., Guba, M., Angele, Rizeq, B., Zakaria, Z., & Ouhtit, A. 2018. Towards understanding the mechanisms of actions of carcinoembryonic antigen-related cell adhesion molecule 6 in cancer progression. *Cancer science*. Vol 109(1): 33–42.
- Rocklin, M. S., Senagore, A. J., & Talbott, T. M. 2011. *Role of carcinoembryonic antigen and liver function tests in the detection of recurrent colorectal carcinoma. Diseases of the Colon & Rectum*. Vol 34(9): 794–797.
- Saito, G., Sadahiro, S., Kamata, H., Miyakita, H., Okada, K., Tanaka, A., & Suzuki, Schölzel, S., Zimmermann, W., Schwarzkopf, G., Grunert, F., Rogaczewski, B., & Thompson, J. 2000. Carcinoembryonic antigen family members CEACAM6 and CEACAM7 are differentially expressed in normal tissues and oppositely deregulated in hyperplastic colorectal polyps and early adenomas. *The American journal of pathology*. Vol 156(2): 595–605.
- Shuster, J., Silverman, M., Gold, P. 1973. Metabolism of human carcinoembryonic antigen in xenogeneic animals. *Cancer Res*. Vol (33): 65-68.
- Singer, B. B., Scheffrahn, I., & Obrink, B. 2000. The tumor growth-inhibiting cell adhesion molecule CEACAM1 (C-CAM) is differently expressed in proliferating and quiescent epithelial cells and regulates cell proliferation. *Cancer research*. Vol 60(5): 1236–1244.
- Siregar, G. A., Sibarani, H. 2019. Comparison of Carcinoembryonic Antigen Levels Among Degree of Differentiation and Colorectal Cancer's Location in Medan. *Open access Macedonian journal of medical sciences*. Vol 7(20): 3447–3450.

- Stanners, C. P. 2005. *Cell Adhesion and Communication Mediated by the CEA Family: Basic Clinical and Perspective*. Montreal: McGill Cancer Center
- Sun, B., Li, Y., Zhou, Y., Ng, T. K., Zhao, C., Gan, Q., Gu, X., & Xiang, J. 2019. T. 2017. Monitoring of Serum Carcinoembryonic Antigen Levels after Curative Resection of Colon Cancer: Cutoff Values Determined according to Preoperative Levels Enhance the Diagnostic Accuracy for Recurrence. *Oncology*. Vol 92(5): 276–282.
- Taheri, M., Saragovi, U., Fuks, A., Makkerh, J., Mort, J., & Stanners, C. P. 2000. Self-recognition in the Ig superfamily. Identification of precise subdomains in carcinoembryonic antigen required for intercellular adhesion. *The Journal of biological chemistry*. Vol 275(35): 26935–26943.
- Thomas, P., Forse, R. A., & Bajenova, O. 2011. Carcinoembryonic antigen (CEA) and its receptor hnRNP M are mediators of metastasis and the inflammatory response in the liver. *Clinical & experimental metastasis*. Vol 28(8): 923–932.
- Thomas, P., Hems, D. A. 1975. The hepatic clearance of circulating carcinoembryonic antigen and asialo carcinoembryonic antigen by the rat. *Biochem Biophys Res Commun*. Vol (67): 1205-1209.
- Thomas, P., Jones, M. 1998. The effects of Triton WR 1339 and asialofetuin on the hepatic uptake of circulating native and asialo carcinoembryonic antigen. *BioChem J*. Vol (173): 981-983.
- Thomas, P., Toth, C. A., Saini, K. S., Milburn, Jesup, J., Steele, G. Jr. 1990. The structure, metabolism and function of the carcinoembryonic antigen family. *Biochim Biophys Acta*. Vol (1032): 177-89.
- Thomas, P., Toth, C. A., Zamcheck, N. 2000. Mechanism of biliary excretion of aracid glycoprotein in the rat. *Gastroenterology*. Vol (80): 1302
- Thomas, P., Zamcheck, N. 1998. Role of the liver in clearance and excretion of circulating carcinoembryonic antigen (CEA). *Digest Dis Sci*. Vol (28): 216–224.
- Thomas, S. N., Zhu, F., Schnaar, R. L., Alves, C. S., & Konstantopoulos, K. 2008. Carcinoembryonic Antigen and CD44 Variant Isoforms Cooperate to

- Mediate Colon Carcinoma Cell Adhesion to E- and L-selectin in Shear Flow. *Journal of Biological Chemistry*. Vol 283(23): 15647–15655.
- Toth, C. A., Thomas, P., Broitman, S. A., Zamcheck, N. 1992. A new Kupffer cell receptor mediating plasma clearance of carcinoembryonic antigen by the rat. *Biochem J*. Vol (204): 377-381.
- Vincan, E., Barker, N. 2008. The upstream components of the Wnt signalling pathway in the dynamic EMT and MET associated with colorectal cancer progression. *Clinical & Experimental Metastasis*. Vol 25(6): 657–663.
- W. and Dveksler, G. 2000. Pregnancy specific glycoprotein 18 induces IL-10 expression in murine macrophages. *Eur J Immunol*. Vol (30): 1830-1840.
- Wang, J., Willis, J. E., Makar, K. W., Ulrich, C. M., Lutterbaugh, J. D., Shrubsole, M. J., Zheng, W., Markowitz, S. D., Grady, W. M. 2014. Differences in DNA methylation signatures reveal multiple pathways of progression from adenoma to colorectal cancer. *Gastroenterology*. Vol 147(2): 418–429ed8.
- Wang, X., Yang, Z., Tian, H., Li, Y., Li, M., Zhao, W., Zhang, C., Wang, T., Liu, Watson, A. J. M., Collins, P. D. 2011. Colon Cancer: A Civilization Disorder.
- Wessells, J., Wessner, D., Parsells, R., White, K., Finkenzeller, D., Zimmermann, Worthley, D. L., Whitehall, V. L. J., Buttenshaw, R. L., Irahara, N., Greco, S. A., Ramsnes, I., Leggett, B. A. 2009. DNA methylation within the normal colorectal mucosa is associated with pathway-specific predisposition to cancer. *Oncogene*. Vol 29(11): 1653–1662.
- Wu, F., Chen, L., Wu, W., Jiang, B., & Su, X. 2017. *Zhonghua wei chang wai ke za zhi: Chinese journal of gastrointestinal surgery*. Vol 20(4): 443–449.
- Wu, X. Z., Ma, F., & Wang, X. L. 2010. Serological diagnostic factors for liver metastasis in patients with colorectal cancer. *World journal of gastroenterology*. Vol 16(32): 4084–4088
- Y., Yeom, Y. I., Lee, Y. H., Kim, J. H., Kim, K. H., Kim, C. N., Kim, J. W., Zeki, S. S., Graham, T. A., Wright, N. A. 2011. Stem cells and their implications for colorectal cancer. *Nat Rev Gastroenterol Hepatol*. Vol (8):90–100.
- Zhou, G. Q., Zhang, Y., Hammarström, S. 2001. The carcinoembryonic antigen (CEA) gene family in non-human primates. *Gene*. Vol 264(1): 105–112.

Zid, M., Drouin, G. 2013. Gene conversions are under purifying selection in the carcinoembryonic antigen immunoglobulin gene families of primates. *Genomics*. Vol 102(4): 301–309.

