

DAFTAR PUSTAKA

- Agustono, Widodo, A.S. dan Paramita, W., 2010. Kandungan protein kasar dan serat kasar pada daun kangkung air (*Ipomoea aquatica*) yang difermentasi. *Jurnal Ilmiah Perikanan dan Kelautan*, 2(1), pp.37-43.
- Altschul, S.F., Gish, W., Miller, W., Myers, E.W. and Lipman, D.J., 1990. Basic local alignment search tool. *Journal of Molecular Biology*, 215(3), pp.403-410. [https://doi.org/10.1016/S0022-2836\(05\)80360-2](https://doi.org/10.1016/S0022-2836(05)80360-2)
- Anggriani, R., Iskandar dan Taofiqurohman, A., 2012. Efektivitas penambahan *Bacillus* sp. hasil isolasi dari saluran pencernaan ikan patin pada pakan komersial terhadap kelangsungan hidup dan pertumbuhan penih ikan nila merah (*Oreochromis niloticus*). *Jurnal Perikanan Kelautan*, 3(3), pp.75-83.
- Arifin, M.Y., 2016. Pertumbuhan dan survival rate ikan nila (*Oreochromis*. sp) strain merah dan strain hitam yang dipelihara pada media bersalinitas. *Jurnal Ilmiah Universitas Batanghari*, 16(1), pp.159-166. <https://media.neliti.com>.
- Bairagi, A., Ghosh, K.S., Sen, S.K. and Ray, A.K., 2002. Enzyme producing bacterial flora isolated from fish digestive tracts. *Aquaculture International*, 10(2), pp.109-121. <https://doi.org/10.1023/A:1021355406412>
- Balaji, N. and Rajasekaran, K., 2012. Isolation and screening of proteolytic bacteria from freshwater fish *Cyprinus carpio*. *International*, 2(6), pp.56-59. <http://irjs.info/index.php/irjs/article/viewArticle/12948>
- Castresana, J., 2000. Selection of conserved blocks from multiple alignments for their use in phylogenetic analysis. *Molecular Biology and Evolution*, 17(4), pp.540-552. <https://doi.org/10.1093/oxfordjournals.molbev.a026334>
- Chevenet, F., Brun, C., Bañuls, A.L., Jacq, B. and Christen, R., 2006. TreeDyn: Towards dynamic graphics and annotations for analyses of trees. *BMC Bioinformatics*, 7, pp.1-9. <https://doi.org/10.1186/1471-2105-7-439>
- Chun, J., 1999. *Phylogenetic Editor (PHYDIT) Windows Version*.
- Dar, M.A., Pawar, K.D., Jadhav, J.P. and Pandit, R.S., 2015. Isolation of cellulolytic bacteria from the gastro-intestinal tract of *Achatina fulica* (Gastropoda: Pulmonata) and their evaluation for cellulose biodegradation. *International Biodeterioration and Biodegradation*, 98, pp.73-80. <https://doi.org/10.1016/j.ibiod.2014.11.016>

- Das, A., Acharya, S., Behera, B. K., Paria, P., Bhowmick, S., Parida, P. K. and Das, B.K., 2018. Isolation, identification and characterization of Klebsiella pneumoniae from infected farmed Indian Major Carp Labeo rohita (Hamilton 1822) in West Bengal, India. *Aquaculture*, 482(Hamilton 1822), pp.111-116. <https://doi.org/10.1016/j.aquaculture.2017.08.037>
- Deepa, N. and Usha, R., 2016. *Isolation and screening of proteolytic bacteria from the gut of fresh water fish Channa punctatus*. 5(9), pp.2434-2444. <https://doi.org/10.20959/wjpps20169-7708>
- Del Rio-Rodriguez, R. E., Inglis, V. and Millar, S.D., 1997. Survival of Escherichia coli in the intestine of fish. *Aquaculture Research*, 28(4), 257–264. <https://doi.org/10.1046/j.1365-2109.1997.t01-1-00854.x>
- Dong, H. T., Techatanakitarnan, C., Jindakittkul, P., Thaiprayoon, A., Taengphu, S., Charoensapsri, W., Khunrae, P., Rattanarojpong, T. and Senapin, S., 2017. Aeromonas jandaei and Aeromonas veronii caused disease and mortality in Nile tilapia, Oreochromis niloticus (L.). *Journal of Fish Diseases*, 40(10), pp.1395-1403. <https://doi.org/10.1111/jfd.12617>
- Dwiyitno, 2010. Identifikasi bakteri patogen pada produk perikanan dengan teknik molekuler. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology*, 5(2), pp.67. <https://doi.org/10.15578/squalen.v5i2.49>
- Escobedo-Hinojosa, W. and Pardo-López, L., 2017. Analysis of bacterial metagenomes from the Southwestern Gulf of Mexico for pathogens detection. *Pathogens and Disease*, 75(5), pp. 1-9. <https://doi.org/10.1093/femsdp/ftx058>
- Friedman, M., 1996. Nutritional value of proteins from different food sources. A Review. *Journal of Agricultural and Food Chemistry*, 44(1), pp.6-29. <https://doi.org/10.1021/jf9400167>
- Gaby Stephani Rohy, Rahardja, B.S. dan Agustono, 2014. Jumlah total bakteri dalam saluran pencernaan ikan gurami (*Oosphronemus gouramy*) dengan pemberian beberapa pakan komersial yang berbeda. *Urnal Ilmiah Perikanan Dan Kelautan*, 6(1), pp.21-24.
- Ganguly, S. and Prasad, A., 2012. Microflora in fish digestive tract plays significant role in digestion and metabolism. *Reviews in Fish Biology and Fisheries*, 22(1), pp.11-16. <https://doi.org/10.1007/s11160-011-9214-x>
- Gascuel, O., 1997. BIONJ: An improved version of the NJ algorithm based on a simple model of sequence data. *Molecular Biology and Evolution*, 14(7), pp.685-695. <https://doi.org/10.1093/oxfordjournals.molbev.a025808>

- Genner, M.J., G.F. Turner and Ngatunga, B.P., 2018. A guide to the tilapia fishes of Tanzania. Martin J. Genner, George F. Turner and Benjamin P. Ngatunga, August 2018. 29 p
- Giraffa, G., De Vecchi, P. and Rossetti, L., 1998. Note: Identification of *Lactobacillus delbrueckii* subspecies *bulgaricus* and subspecies *lactis* dairy isolates by amplified rDNA restriction analysis. *Journal of Applied Microbiology*, 85(5), pp.918. <https://doi.org/10.1046/j.1365-2672.1998.00606.x>
- Hagström, Å., Pinhassi, J. and Li Zweifel, U., 2000. Biogeographical diversity among marine bacterioplankton. *Aquatic Microbial Ecology*, 21(3), pp.231-244. <https://doi.org/10.3354/ame021231>
- Haryasakti, A., Imanuddin, I. dan Wahyudi, M.H., 2019. Pengaruh pemberian probiotik terhadap kandungan protein pada pakan komersial. *Jurnal Pertanian Terpadu*, 7(2), pp.183-189. <https://doi.org/10.36084/jpt..v7i2.198>
- Ihsan, Y.N., Fellatami, K., Permana, R., Mulyani, Y. dan Pribadi, T.D.K., 2020. Analisis bakteri pereduksi kosentrasi logam timbal Pb(CH₃COO)₂ menggunakan gen 16S rRNA. *Jurnal Kelautan: Indonesian Journal of Marine Science and Technology*, 13(2), pp.151-162. <https://doi.org/10.21107/jk.v13i2.7285>
- Kar, N. and Ghosh, K., 2008. Enzyme producing bacteria in the gastrointestinal tracts of *Labeo rohita* (Hamilton) and *Channa punctatus* (Bloch). *Turkish Journal of Fisheries and Aquatic Sciences*, 120(1), pp.115-120.
- Kurniasih, T., Lusiastuti, A.M., Azwar, Z. I. dan Melati, I., 2014. Isolasi dan seleksi bakteri saluran pencernaan ikan lele sebagai upaya mendapatkan kandidat probiotik untuk efisiensi pakan ikan. *Jurnal Riset Akuakultur*, 9(1), pp.99. <https://doi.org/10.15578/jra.9.1.2014.99-109>
- Kurniawan, G., Damajanti, N. dan Hamad, A., 2014. Pengaruh nutrisi bakteri *Pseudomonas* sp dalam rotating biological contactor (RBC) terhadap kandungan bod dan cod air limbah kilang paraxylene. *Sainteks*, XI(1), pp.66-75.
- Lagacé, L., Pitre, M., Jacqueus, M. and Roy, D., 2004. Identification of the bacterial community of Maple Sap by using Amplified Ribosomal DNA (rDNA) restriction analysis and rDNA sequencing. *Applied and Environmental Microbiology*, 70(4), pp.2052-2060. <https://doi.org/10.1128/AEM.70.4.2052-2060.2004>
- Li, J., Ni, J., Li, J., Wang, C., Li, X., Wu, S., Zhang, T., Yu, Y. and Yan, Q., 2014. Comparative study on gastrointestinal microbiota of eight fish species with different feeding habits. *Journal of Applied Microbiology*, 117(6), pp.1750-

1760. <https://doi.org/10.1111/jam.12663>

Liu, H., Guo, X., Gooneratne, R., Lai, R., Zeng, C., Zhan, F. and Wang, W., 2016. The gut microbiome and degradation enzyme activity of wild freshwater fishes influenced by their trophic levels. *Scientific Reports*, 6(April), pp.1-12. <https://doi.org/10.1038/srep24340>

Marchesi, J.R., Sato, T., Weightman, A. J., Martin, T. A., Fry, J. C., Hiom, S.J. and Wade, W.G., 1998. Design and evaluation of useful bacterium-specific PCR primers that amplify genes coding for bacterial 16S rRNA. *Applied and Environmental Microbiology*, 64(2), pp.795-799. <https://doi.org/10.1128/aem.64.2.795-799.1998>

Marwan, A.H., Widyorini, N. dan Nitishupardjo, M., 2015. Hubungan total bakteri dengan kandungan bahan organik total di muara sungai Babon, Semarang. *Diponegoro Journal of Maquares*, 4(3), pp.170-179.

Meryandini, A., Widosari, W., Maranatha, B., Sunarti, T.C., Rachmania, N. dan Satria, H., 2009. Isolasi bakteri selulolitik dan karakterisasi enzimnya. *Makara Journal of Science*, 13(1), pp.33-38. <https://doi.org/10.7454/mss.v13i1.369>

Michael, T.M. and John M.M., 2006. Brock biology of microorganisms. In *Clinical Microbiology and Parasitology (For DMLT Students)*. https://doi.org/10.5005/jp/books/12721_4

Nisa, F., Kusnadi, J. dan Chrisnasari, R., 2016. Viability and sublethal detection of probiotic bacteria on instant freeze dried fermented soy milk (Study On Isolate Type And Sucrose Concentrations As Cryoprotectant). *Jurnal Teknologi Pangan*, 9(1), pp.40-51.

Nisha, R.G., Rajathi, V., Manikandan, R. and Prabhu, N.M., 2014. Isolation of Plesiomonas shigelloides from infected cichlid fishes using 16S rRNA characterization and its control with probiotic Pseudomonas sp. *Acta Scientiae Veterinariae*, 42(1), pp. 2-7.

Nurhayati, T., Suhartono, M.T., Nuraida, L. dan Poerwanto, S.B., 2010. Pemurnian dan karakterisasi inhibitor protease dari Chromohalobacter sp . 6A3 , bakteri yang berasosiasi dengan spons Xetospongia testudinaria. *Jurnal Teknologi Dan Industri Pangan*, 21(2), pp.143-150.

Octavia, Y., Silalahi, S., Nugroho, T. dan Felix, F., 2011. Skrining bakteri vibrio sp asli Indonesia sebagai penyebab penyakit udang berbasis teknik 16S Ribosomal DNA. 3(2), pp.85-99.

Pavel, A.B. and Vasile, C.I., 2012. PyElph - a software tool for gel images analysis

and phylogenetics. *BMC Bioinformatics*, 13(1), pp.1-6.
<https://doi.org/10.1186/1471-2105-13-9>

Purkhold, U., Pommerening-Röser, A., Juretschko, S., Schmid, M. C., Koops, H.P. and Wagner, M., 2000. Phylogeny of all recognized species of ammonia oxidizers based on comparative 16S rRNA and amoA sequence analysis: Implications for molecular diversity surveys. *Applied and Environmental Microbiology*, 66(12), pp.5368-5382. <https://doi.org/10.1128/AEM.66.12.5368-5382.2000>

Putri, M.F., Fifendy, M., dan Putri, D.H., 2018. Diversitas Bakteri Endofit Pada Daun Muda dan Tua Tumbuhan Andaleh (*Morus macroura* miq.). *Eksakta*, 19(1), pp.125-130. <https://doi.org/https://doi.org/10.24036/eksakta/vol19-iss1>

Ringø, E., Sperstad, S., Myklebust, R., Refstie, S. and Krogdahl, Å., 2006. Characterisation of the microbiota associated with intestine of Atlantic cod (*Gadus morhua* L.). The effect of fish meal, standard soybean meal and a bioprocessed soybean meal. *Aquaculture*, 261(3), pp.829-841. <https://doi.org/10.1016/j.aquaculture.2006.06.030>

Rizaldi, R., Setyantini, W.H. dan Sudarno, S., 2018. Isolasi dan karakterisasi bakteri proteolitik yang berasosiasi dengan Lamun Enhalus acoroides di Pantai Bama, Taman Nasional Baluran, Situbondo, Jawa Timur. *Jurnal Ilmiah Perikanan dan Kelautan*, 10(1), pp.8. <https://doi.org/10.20473/jipk.v10i1.8314>

Romero, P., 2002. An etymological dictionary of taxonomy. Madrid, unpublished.

Rosiak, E., Madras-Majewska, B., and Gemba, M., 2020. Selected methods of microbiological quality assessment of lime and acacia honeys available on Polish market. *Zywnosc. Nauka. Technologia. Jakosc/Food. Science Technology. Quality*, 27(1), pp.85-95. <https://doi.org/10.15193/zntj/2020/122/324>

Rusdani, M. M., Amir, S., Waspodo, S. dan Abidin, Z., 2016. Pengaruh pemberian probiotik *Bacillus* spp. Melalui pakam terhadap kelulusan hidup dan laju pertumbuhan ikan nila (*Oreochromis niloticus*). *Jurnal Biologi Tropis*, 16(1), pp.34-40. <https://doi.org/10.29303/jbt.v16i1.212>

Sakamoto, M., Takeuchi, Y., Umeda, M., Ishikawa, I. and Benno, Y., 2003. Application of terminal RFLP analysis to characterize oral bacterial flora in saliva of healthy subjects and patients with periodontitis. *Journal of Medical Microbiology*, 52(1), pp.79-89. <https://doi.org/10.1099/jmm.0.04991-0>

Saropah, D.A., Jannah, A. dan Maunatin, A., 2012. Kinetika reaksi enzimatis ekstrak kasar enzim selulase bakteri selulolitik hasil isolasi dari bekatul. *Alchemy*, 2(1),

pp.34-45.

Satia, Y., Octorina, P. dan Yulfiperiu, 2011. Kebiasaan Makanan Ikan Nila (*Oreochromis niloticus*) di Danau Bekas Galian Pasir Gekbrong Cianjur – Jawa Barat. *Jurnal Agroqua*, 9(1), pp.34-40.

Shabarni Gaffar, Maksum, I.P. dan Julaeha, E., 2014. Identifikasi populasi bakteri dalam spons pencuci piring dengan metode Pcr-Rflp Identification of bacteria population in dishwashing sponge using pcr-rflp method. *Chimica et Natura Acta*, 2(2), pp.120-125. <http://journal.unpad.ac.id/jcena/article/view/9154>

Shofura.H, Suminto, D. dan Chilmawati, D., 2017. Pengaruh penambahan “PROBIO-7” pada pakan buatan terhadap efisiensi pemanfaatan pakan, pertumbuhan dan kelulushidupan benih ikan nila gift (*Oreochromis niloticus*). *Jurnal Sains Akuakultur Tropis*, 1, pp.10-20.

Suryadi, Y., Susilowati, D., Lestari, P., Sutoro, S., Manzila, I., Kadir, T., Albani, S. and Artika, I., 2014. Analisis keragaman genetik isolat bakteri *Xanthomonas oryzae* pv. *oryzae* dari Jawa Barat dan Jawa Tengah berdasarkan analisis ARDRA gen 16SrRNA. *Jurnal Fitopatologi Indonesia*, 10(2), pp.53-60. <https://doi.org/10.14692/jfi.10.2.53>

Susilo, U., Yuwono, E., Rachmawati, F.N., Priyanto, S. dan Hana, 2015. Karakteristik enzim digesti , protease dan amilase , ikan gurami. 32(2), pp.134-142.

Syahrir, M., Kantun, W. dan Cahyono, I., 2020. Kinerja enzim pencernaan ikan nila salin (*Oreochromis niloticus*) berdasarkan lingkungan budidaya. *Fisheries Journal*, 2(2), pp.78-87.

Talwar, C., Nagar, S., Lal, R. and Negi, R.K., 2018. Fish gut microbiome: current approaches and future perspectives. *Indian Journal of Microbiology*, 58(4), pp.397-414. <https://doi.org/10.1007/s12088-018-0760-y>

Thillai Sekar, V., Santiago, T.C., Vijayan, K.K., Alavandi, S.V., Stalin Raj, V., Rajan, J.J.S., Sanjuktha, M. and Kalaimani, N., 2008. Involvement of *Enterobacter cloacae* in the mortality of the fish, *Mugil cephalus*. *Letters in Applied Microbiology*, 46(6), pp.667-672. <https://doi.org/10.1111/j.1472-765X.2008.02365.x>

Thompson, JD., Gibson1, T.J., Plewniak, F., Jeanmougin, F. and Higgins, D.G., 1997. The CLUSTAL X windows interface: Flexible strategies for multiple sequence alignment aided by quality analysis tools. *Nucleic Acids Research*, 25(24), pp.4876-4882. <https://doi.org/10.1093/nar/25.24.4876>

Wang, Y. & Qian, P.Y. ,2009. Conservative fragments in bacterial 16S rRNA genes and primer design for 16S ribosomal DNA amplicons in metagenomic studies. *PLoS ONE*, 4(10), pp.1-9. <https://doi.org/10.1371/journal.pone.0007401>

Zainuddin, M., Setyati, W.A. dan Renta, P.P., 2018. Zona hidrolisis dan pertumbuhan bakteri proteolitik dari sedimen ekosistem mangrove Rhizophora mucronata Telukawur – Jepara. *Akuatik: Jurnal Sumberdaya Perairan*, 11(2), pp.31-35. <https://doi.org/10.33019/akuatik.v11i2.241>

Zeng, Y., Liu, W., Li, H., Yu, Y. and Chen, B., 2007. Effect of restriction endonucleases on assessment of biodiversity of cultivable polar marine planktonic bacteria by amplified ribosomal DNA restriction analysis. *Extremophiles*, 11(5), pp.685-692. <https://doi.org/10.1007/s00792-007-0086-x>

