

DAFTAR PUSTAKA

- ASTM C 1403-15. (2005). Standard Test Method for Rate of Water Absorption of Masonry Mortars. In *ASTM International: Vol. i*.
<https://doi.org/10.1520/C1403-15.2>
- ASTM C 191-08. (2010). Standard Test Method for Time of Setting of Hydraulic Cement by Vicat Needle. In *ASTM International*.
<https://doi.org/10.1520/C0191-08.2>
- ASTM C 579-01. (2001). Standard Test Methods for Compressive Strength of Molded Soil-Cement Cylinders 1. In *ASTM International*.
- ASTM C311-02. (2002). *Standard Test Methods for sampling and testing fly ash or natural pozzolans for use in portland-cement concrete*.
- ASTM C618-96. (2012). Standard Terminology Relating to Thermal Insulation. In *ASTM International* (Nomor September 2002).
- Davidovits. (1999). *Chemistry of geopolymer System, Terminology. Paper presented at the Geopolymer '99 International Conference, Saint-Quentin, France*.
- Davidovits, J. (2020). *Geopolymer Chemistry and Applications, 5th edition*. Institut Geopolymere.
- Dewi, I. N. (2010). Pengaruh Faktor Air Binder dan Kadar Aktivator Terhadap Setting Time Fly Ash Based Geopolymer. In (Andi dan Calvin, 2006 dalam Andoyo, 2006). *Sodium*. Universitas Sebelas Maret.
- Farhana, F., Mustafa, M., & Bakri, A. (2020). *Effect of Geopolymer Paste on Compressive Strength , Water Absorption and Effect of geopolymer paste on compressive strength , water absorption and porosity. November*.
<https://doi.org/10.1063/5.0023099>
- Habbert, G., & Zurich, E. (2014). *Assessing the environmental impact of conventional and 'green' cement production*.
<https://doi.org/10.1533/9780857097729.2.199>
- Hadi, M. N. S., Zhang, H., & Parkinson, S. (2019). Optimum mix design of geopolymer pastes and concretes cured in ambient condition based on

- compressive strength, setting time and workability. *Journal of Building Engineering*, 23, 301–313. <https://doi.org/10.1016/j.jobbe.2019.02.006>
- Hariska, E., & Ulum, S. (2019). *Analisis Sifat Fisik dan Mekanik Beton Geopolymer dengan Pengikat Berbahan Dasar Fly Ash PLTU Mpanau*. 18(1), 24–35.
- Hutajulu, R. (2010). *Studi Literatur Pengaruh Perbandingan Faktor Air-Prekursor Terhadap Kuat Tekan Beton Geopolimer*.
- Indonesia, A. S. (2020). *Kapasitas dan Perminataan Semen Indonesia, 2010-2020*. <https://lokadata.id/data/kapasitas-dan-permintaan-semen-indonesia-2010-2020-1593061631>
- Kardiyono. (1996). *Teknologi Bahan*.
- Kong, D. L. Y., & Sanjayan, J. G. (2010). Effect of elevated temperatures on geopolymer paste, mortar and concrete. *Cement and Concrete Research*, 40(2), 334–339. <https://doi.org/10.1016/j.cemconres.2009.10.017>
- Muhammad, A., David, C., Kusno, I., Hendronursito, Y., & Septiana, R. (2019). *Pengaruh Pemakaian Sodium Hidroksida (NaOH) pada Pembuatan Geopolimer Menggunakan Material Perlit, Basalt, dan Feldspart*. 7(1), 97–115.
- Muliadi, Burhanuddin, & Darwis. (2017). *Pengaruh Rasio Agregat Binder Terhadap Perilaku Mekanik Beton Geopolimer dengan Campuran Abu Sekam Padi dan Abu Ampas Tebu*. 7(1), 163–172.
- Nath, P., & Sarker, P. K. (2014). Effect of GGBFS on setting, workability and early strength properties of fly ash geopolymer concrete cured in ambient condition. *Construction and Building Materials*, 66, 163–171. <https://doi.org/10.1016/j.conbuildmat.2014.05.080>
- Ng, H. T., Heah, C. Y., Liew, Y. M., & Abdullah, M. M. A. B. (2018). The effect of various molarities of NaOH solution on fly ash geopolymer paste. *AIP Conference Proceedings*, 2045(December), 10–15. <https://doi.org/10.1063/1.5080911>
- Putrianti, P. R. (2020). *Perilaku Beton Normal Menggunakan Cacahan HDPE*. October, 1–26.
- Qomaruddin, M., Umam, K., & Adi, Y. (2019). Effect of Calcium Oxide Material

- on The Setting Time of Geopolymer and Conventional Concrete Pastes Pengaruh Bahan Kalsium Oksida pada Waktu Pengikatan Pasta Beton Geopolimer dan Konvensional. *Eksakta: Jurnal Ilmu-ilmu MIPA* doi:, 19(02), 182–192. <https://doi.org/10.20885/eksakta.vol19.iss2.art>
- Qomaruddin, M., Umam, K., Istianah, I., Adi Saputro, Y., & Purwanto, P. (2019). Pengaruh Bahan Kalsium Oksida pada Waktu Pengikatan Pasta Beton Geopolimer dan Konvensional. *EKSAKTA: Jurnal Ilmu-ilmu MIPA*, 19, 182–192. <https://doi.org/10.20885/eksakta.vol19.iss2.art8>
- Ruiz-santaquiteria, C., Skibsted, J., Fernández-jiménez, A., & Palomo, A. (2012). Cement and Concrete Research Alkaline solution / binder ratio as a determining factor in the alkaline activation of aluminosilicates. *Cement and Concrete Research*, 42(9), 1242–1251. <https://doi.org/10.1016/j.cemconres.2012.05.019>
- SNI-1974. (2011). Cara Uji Kuat Tekan Beton dengan Benda Uji Silinder. In *Badan Standard Nasional Indonesia*.
- SNI 03-2847. (2019). SNI 03-2847:2019 Persyaratan Beton Struktural Untuk Bangunan Gedung Dan Penjelasan Sebagai Revisi Dari Standar Nasional Indonesia 2847 : 2013. In *Badan Standar Nasional Indonesia*.
- SNI 03-6826. (2002). *Metode Pengujian Konsistensi Normal Semen Portland dengan alat vicat untuk pekerjaan sipil*.
- SNI 03-6827. (2002). Metode Pengujian Waktu Ikat Awal Semen Portland dengan Menggunakan Alat Vicat untuk Pekerjaan Sipil. In *Badan Standar Nasional Indonesia*.
- SNI 03-6863. (2002). *SNI 03-6863-2002 Metode pengambilan contoh dan pengujian abu terbang atau pozolan alam sebagai mineral pencampur dalam beton semen portland*.
- SNI 15-2531. (1991). *Metode Pengujian Berat Jenis Semen Portland*.
- SNI 15-7064. (2004). *Semen Portland Komposit*.
- Syuryadi, P. A. (2011). *Kuat Tekan , Density , Absorpsi Dan Modulus Elastisitas Mortar Campuran Semen , Abu Sekam Padi Dan Precious Slag Ball Dengan Compressive Strength , Density , Absorption and Modulus of Elasticity Mortar*

Mixed Cement , Rise Husk Ash an. Universitas Indonesia.

Veliyati. (2010). *Pengaruh Faktor Air Binder Terhadap Kuat Tekan dan Workability Fly ash Based Geopolimer Mortar.* Sebelas Maret University.

Yulianti, M. (2016). *Studi Pengaruh Temperatur Dan Waktu Curing Terhadap Sifat Fisik – Mekanik Semen Geopolimer Berbasis Slag Ferronickel.* Institut Teknologi Sepuluh November.

