

## DAFTAR PUSTAKA

- Abegaz, B.M & H. H. Kinfe. 2019. Secondary metabolites, their structural diversity, bioactivity, and ecological functions: An overview. *Physical Sciences Reviews* 4(6).  
 DOI: 10.1515/psr- 2018-0100.
- Abubakar, M.N. & R.R.T. Majinda. 2016. GC-MS Analysis and preliminary antimicrobial activity of *Albizia adianthifolia* (Schumach) and *Pterocarpus angolensis* (DC). *Medicines* 3(3): 1–9.  
 DOI:10.3390/medicines3010003.
- Ali., M.P., D. Huang, G. Nachman, N. Ahmed, M.A. Begu, & M.F. Rabbi. 2014. Will climate change affect outbreak patterns of planthoppers in Bangladesh? *PlosOne* 9(3): e91678.  
 DOI: 10.1371/journal.pone.0091678.
- Ali, M.P., M. M. M. Kabir, S.S. Haque, S. Afrin, N. Ahmed, B. Pittendrigh, & X. Qin. 2020. Surrounding landscape influences the abundance of insect predators in rice field. *BMC Zoology* 5(8): 1-12.  
 DOI: 10.1186/s40850-020-00059-1.
- Arroyo, M.N., J.D. Mavungu, I.G. Jurado, L. Arce, L. Vanhaecke, E.Q. Moraga, & S.D. Saiger. 2017. Analytical strategy for determination of known and unknown destruxins using hybrid quadrupole-orbitrap high-resolution mass spectrometry. *Anal. Bioanal. Chem.* 409: 3347–3357.  
 DOI: 10.1007/s00216-017- 0276-z.
- Ashton, F.M. & A.S. Crafts. 1981. *Mode of Action of Herbicides*. A Wiley-Interscience. Publ. John Wiley and Sons. New York. 504p.
- Assaf, L.H., F.R. Hassan, & D.S. Ahmad. 2013. Pathogenicity evaluation of some local isolates of entomopathogenic fungi against the nut scale insect *Eulecanium tiliiae* L. *Int. J. Pure and Appl Sci. and Tech.* 9(1): 37 – 43.  
<http://www.ijopaasat.in>.
- Atta, B., M. Rizwan, A.M. Sabir, M.D. Golgi, M.A. Farooq, & Y.A Batta. 2020. Efficacy of entomopathogenic fungi against brown planthopper *Nilaparvata lugens* (Stål) (Homoptera: Delphacidae) under controlled conditions. *Gesunde Pflanzen* 72: 101–112.  
 DOI: 10.1007/s10343-019-00490-6.
- Ausique, J.J.S, C.P. D'Alessandro, M.R. Conceschi, G.M.Mascarin & I.D. Junior. 2017. Efficacy of entomopathogenic fungi against adult *Diaphorina citri* from laboratory to field applications. *J. Pest Science* 90: 947–960.

DOI:10.1007/s10340-017-0846-z.

- Baehaki, S.E. 2008. Perubahan biotipe wereng coklat pada beberapa sentra produksi padi di Indonesia. *Symposium Entomologi PEI Cabang Bogor*.
- Baehaki, S.E. 2011. Strategi fundamental pengendalian hama WBC dalam pengamanan produksi padi nasional. *Pengembangan Inovasi Pertanian* 4(1): 63–75.
- Baehaki, S.E., A. Rifki, & A.S. Yahya. 1991. Penentuan biotipe wereng coklat di daerah sentra produksi padi. *Medium Penelitian Sukamandi* 9: 26–30.
- Baehaki, S.E. & D. Munawar. 2007. Identifikasi Biotipe Wereng Coklat di Jawa, Sumatera dan Sulawesi dan Reaksi Ketahanan Kultivar Padi. *Apresiasi Hasil Penelitian Padi*. Balai Besar Penelitian Tanaman Padi.
- Baehaki, S.E. & D. Munawar. 2008. Uji biotipe wereng coklat, *Nilaparvata lugens* Stål di sentra produksi padi. Hlm. 347–359. Di dalam: Suprihatno, B., A.A. Daradjat, H. Suharto, H.M. Taha, A. Setiyono, Suprihanto, & A.S. Yahya (Eds.), Prosiding Seminar Nasional Padi 2008. Balai Besar Penelitian Tanaman Padi. Sukamandi.
- Baehaki, S.E., I. Zulkarnain, A.B. Widawan, D.R. Vincent, T. Dupo, & P. Gurulingappa. 2017. Baseline susceptibility of brown planthopper, *Nilaparvata lugens* (Stål) to mesoionic insecticide triflumezopyrim of some rice areas in West and Central Java of Indonesia. *Scholars Journal of Agriculture and Veterinary Sciences* 4(12): 570–579.  
<http://saspjournals.com/wpcontent/uploads/2018/01/SJAVS-412570-579.pdf>.
- Balachiranjeevi, C.H., G.D. Prahalada, A. Mahender, Md. Jamaloddin, M.A.L. Sevilla, C.M. Marfori-Nazarea, R. Vinarao, U. Sushanto, S.E. Baehaki, Z.K. Li, & J. Ali. 2019. Identification of a novel locus, BPH38(t), conferring resistance to brown planthopper (*Nilaparvata lugens* Stål.) using early backcross population in rice (*Oryza sativa* L.). *Euphytica* 215 (185): 1-14.  
 DOI: 10.1007/s10681-019-2506-2(0123456789(),-volV)(0123456789(),-volV).
- Bandani, A., R. Khambay, L. Faull, R. Newton, M. Deadman, & T.M. Butt. 2000. Production BPS of efrapeptins by *Tolyphocladium* species (Deuteromycotina: Hyphomycetes) and evaluation of their insecticidal and antimicrobial properties. *Mycological Research* 104: 537-544.  
 DOI: 10.1017/S0953756299001859.

- Bich, G.A., M.L. Castrillo, F.L. Kramer, L.L. Villalba, & P.D. Zapata. 2021. Morphological and molecular identification of entomopathogenic fungi from agricultural and forestry crops. *Floresta e Ambiente* 28(2): e20180086. DOI: 10.1590/2179-8087-FLORAM-2018-0086.
- Bills, G.F. & J.B. Gloer. 2017. Biologically active secondary metabolites from the fungi. In: J. Heitman, B. J. Howlett , Pedro W. Crous , E.H. Stukenbrock , T.Y. James & N.A.R. Gow(eds). *The Fungal Kingdom*. ASM Press Washington DC. DOI: 10.1128/microbiolspec.FUNK-0009-2016.
- Birkett, M.A., A Hassanali, S. Hoglund, J. Pettersson, & J.A. Pickett. 2011. Repellent activity of catmint, *Nepeta cataria*, and iridoid nepetalactone isomers against Afro-tropical mosquitoes, ixodid ticks and red poultry mites. *Phytochemistry* 72(1): 109-114. DOI: 10.1016/j.phytochem. 2010.09.016.
- Celestino, F.N., D. Pratissoli, L. C.Machado, H. J. G.S. Junior, V.T. Queiroz & L. Mardgan. 2016. Control of coffee berry borer, *Hypothenemus hampei* (Ferrari) (Coleoptera: Curculionidae: Scolytinae) with botanical insecticides and mineral oils. *Acta Scientiarum. Agronomy* 38(1): 1 -8.
- Devi, K.U., A. Reineka, R.R.N. Nageswara, M.R.C. Uma, & J. Padmavathi. 2005. Genetic diversity, reproductive biology and speciation in the entomopathogenic fungus *Beauveria bassiana* (Balsamo) Vuillemin. *Genome* 49: 495-504. DOI: 10.1139/g06-004.
- Dong, T., B. Zhang, Y. Jiang, & Q. Hu. 2016. Isolation and classification of fungal whitefly entomopathogens from soils of Qinghai-Tibet Plateau and Gansu Corridor in China. *PlosOne* 11(5): e 0156087. DOI: 10.1371/journal.pone.0156087.
- Donzelli, B.G.G. & S.B. Krasnoff. 2016. Molecular genetics of secondary chemistry in *Metarhizium* fungi. *Advances in Genetics* 94: 365–436. DOI: 10.1016/bs.adgen.2016. 01.005.
- Elkhateeb, W.A. & G.M. Daba. 2019. Myrothecium as promising model for biotechnological applications, potentials and challenges. *Biomed J Sci & Tech Res.* 16 (3):12126-12131. DOI: 10.26717/BJSTR.2019.16.002869.
- Erlich, H.A. 1989. *PCR Technology: Principle and Applications for DNA Amplification*. Stockton Press, London: x + 246 p..

- Fan, J., Y. Xie, J. Xue, & R. Liu. 2013. The effect of *Beauveria brongniartii* and its secondary metabolites on the detoxification enzymes of the pine caterpillar, *Dendrolimus tabulaeformis*. *J. Insect Science* 13 (1): 1–13.  
DOI: 10.1673/031.013.4401.
- Fauzana, H, Wagiman, & E. Martono. 2017. Spiracles morphology of brown planthopper (*Nilaparvata lugens*). *Applied Science and Technology*. 1(2): 36 – 41. International Conference on Biology and Environmental Science.  
<https://www.estech.org/index.php/IJSAT>
- Feng, M. 1998. Reliability of extracellular protease and lipase activities of *Beauveria bassiana* isolates used as their virulence indices. *Wei Sheng Wu Xue Bao* 38(6): 461–467.  
<https://pubmed.ncbi.nlm.nih.gov/12548926/>
- Feng, P., Y. Shang, K. Cen, & C. Wang. 2015. Fungal biosynthesis of the bibenzoquinone oosporein to evade insect immunity. *Proceeding of The National Academy of Sciences* 8, 112(36): 11365-11370.  
DOI: 10.1073/pnas.1503200112.
- Fernandes, E.G., H.M. Valério, T. Feltrin, & S.T.V. Sand. 2012. Variability in the production of extracellular enzymes by entomopathogenic fungi grown on different substrates. *Brazilian Journal of Microbiology* 827-833.  
DOI: 10.1590/S1517-83822012000200049.
- Finney, D.J. 1971. *Probit analysis*. Third Edition. Cambridge University Press. London.
- Gomez, K.A. & A.A. Gomez. 1984. *Statistical Procedures for Agricultural Research* (2 ed.). John Wiley and Sons, NewYork, 680p.
- Gorman, K., Z.W. Liu, L. Denholm, K.U. Bruggen, & R. Nauen. 2008. Neonico-tinoid resistance in rice brown planthopper, *Nilaparvata lugens*. *Pest Manag. Sci.* 64: 1122–1125.  
DOI : 10.1002/ps.1635
- Gottwald, T.R. & W.L.Tedders. 1982. Studies on the conidia release by the entomogeneous fungi *Beauveria bassiana* and *Metarhizium anisopliae* (Deuteromycotina: Hyphomycetes) from adult pecan weevil (Coleoptera: Curculionidae) cadavers. *Environmental Entomology* 11: 1274-1279.  
DOI: 10.1093/ee/11.6.1274.
- Gruijter, D.J., D.J. Brus, M.F.P. Bierkens, & M. Knotters. 2006. *Sampling for Natural Resource Monitoring*. Springer Verlag Berlin Heidelberg. 331p.

- Gul, H.T., S. Saeed, & F.Z.A. Khan. 2014. Entomopathogenic fungi as effective insect pest management tactic: A review. *Appl. Sciences and Business Economics* 1(1): 10-18.  
<http://www.bzujournal.org>
- Gurusubramanian Shahid, G., A.K. Tamuli, & R.K.R. Ghosh. 1999. Susceptibility of *Odontotermes obesus* (Rambur) to *Beauveria bassiana* (Bals) Vuills. *Int. J. Tropic. Insect Science* 19(203): 157–162.  
DOI: 10.1017/S174275840001941X.
- Gustianingtyas, M., S. Herlinda, Suwandi, Suparman, H. Hamidson, Hasbi, A. Setiawan, M. Verawati, Elfita, & Arsi. 2020. Toxicity of entomopathogenic fungal culture filtrate of lowland and highland soil of South Sumatra (Indonesia) against *Spodoptera litura* larvae. *Biodiversitas* 21(5): 1839-1849.  
DOI: 10.13057/biodiv/d210510.
- Hamada, H.M., M. Awad, M. El-Hefny, & M.A.M. Moustafa. 2018. Insecticidal activity of garlic (*Allium sativum*) and ginger (*Zingiber officinale*) oils on the cotton leafworm, *Spodoptera littoralis* (Boisd.) (Lepidoptera: Noctuidae). *African Entomology* 26(1):84-94.  
DOI: 10.4001/003.026.0084.
- Hazra, D.K. & A.Purkait. 2019. Role of pesticide formulations for sustainable crop protection and environment management: A review. *Journal of Pharmacognosy and Phytochemistry*; 8(2): 686-693.  
<https://www.phytojournal.com/archives/2019/vol8issue2/PartL/8-1-568-106.pdf>.
- Hautbergue, T., L. Debrauwer, O. Puel & I. P. Oswald . 2018. From genomics to metabolomics, moving toward an integrated strategy for the discovery of fungal secondary metabolites. *Natural Product Report* 35: 147-173.  
DOI: 10.1039/C7NP00032D.
- Helina, S., S. Sulandari, S. Hartono, Y.A. Trisyono. 2019. Detection and analysis of protein profile on rice infected by stunting virus with different severity on ciherang and situ bagendit varieties. *Jurnal Perlindungan Tanaman Indonesia* 23(1):116-124.  
DOI: 10.22146/jpti.36549.
- Henry, T., P.C. Iwen, & S.H. Hinrichs. 2000. Identification of *Aspergillus* species using internal transcribed spacer regions 1 and 2. *J.Clin. Microbiol.* 38(4): 1510–1515.  
DOI: 10.1128/JCM.38.4.1510-1515.2000.

- Heong, L. Kong, L. Wong, & J. H. D. Reyes. 2015. Addressing planthopper threats to Asian rice farming and food security: Fixing insecticide misuse. In K. Heong, J. Cheng, & M. Escalada (Eds.), *Rice Planthoppers: Ecology, Management, Socio Economics & Policy*. Springer Dordrecht. pp. 65–76. DOI: 10.1007/978-94-017-9535-7\_3.
- Herlinda, S., S.I. Mulyati, & Suwandi. 2008. Jamur entomopatogen berformulasi cair sebagai bioinsektisida untuk pengendali wereng coklat. *Agritrop*, 27(3):119-126.  
<https://repository.unsri.ac.id/7260/>
- Herlinda, S., S.S. Oktareni, Suparman, E. Anggraini, Elfita, A. Setiawan, M. Verawaty, Hasbi, & B. Lakitan. 2019. Effect of application of UV irradiated *Beauveria bassiana* and *Metarrhizium anisopliae* on larval weight and mortality of *Spodoptera litura*. *Proceedings of the International Conference and the 10th Congress of the Entomological Society of Indonesia (ICCESI 2019)*. DOI: 10.2991/absr.k.200513.011.
- Hiraishi, A., Y. Kamagata, & K. Nakamura. 1995. Polymerase chain reaction amplification and restriction fragment length polymorphism analysis of 16S rRNA genes from methanogens. *Journal of Fermentation and Bioengineering* 79(6): 523-529.  
DOI: 10.1016/0922-338X(95)94742-A.
- Hou, F.J., N.K.A. Siti, & A.A. Wahizatu. 2018. Virulence evaluation of entomopathogenic fungi against the red palm weevil, *Rhynchophorus ferrugineus* (Coleoptera: Dryophthoridae). *Malays. Appl. Biol.* 47(5): 25–30.
- Hsia, I.C.C., I. Md. Touhidul, I. Yusof, Y.H. Tan, & D. Omar. 2014. Evaluation of conidial viability of entomopathogenic fungi as influenced by temperature and additive. *Int. J. Agric. and Biol.* 16(1): 1-9.  
<http://www.fspublishers.org/>
- Huddart, H. & K.H.M. Saad. 1980. Papaverine-induced inhibition of electrical and mechanical activity and calcium movements of rat ileal smooth muscle. *J. Exp. Biol.* 86: 99-114.  
<https://jeb.biologists.org/content/86/1/99.short>
- Hu, G., X.N. Cheng, G.J. Qi, F.Y. Wang, F. Lu, X.X. Zhangand, & B.P. Zhai. 2011. Rice planting systems, global warming and outbreaks of *Nilaparvata lugens* (Stal). *Bulletin of Entomological Research*, 102 (1): 187-199. DOI: 10.1017/S0007485310000313.
- Hu, G., F. Lu, B.P. Zhai, M.H. Lu, W.C. Liu, F. Zhu, X.W. Wu, G.H. Chen & X.X. Zhang. 2014. Outbreaks of the brown planthopper *Nilaparvata lugens* (Stall)

- in the Yangtze River Delta: immigration or local reproduction? *PlosOne* 9(2): e88973.  
 DOI: 10.1371/journal.pone.0088973.
- Humaera, D.H. 2013. Budidaya padi (*Oryza sativa*) dalam wadah dengan berbagai jenis pupuk pada sistem tanam berbeda. *Jurnal Agribisnis* 7(2): 199-210.  
 DOI: <https://doi.org/10.15408/aj.v7i2.5179>.
- Humber, R.A. 2005. Entomopathogenic Fungal Identification. USDA-ARS Plant Protection Research Unit. US Plant, Soil and Nutrition Laboratory. Tower Road, Ithaca, NY 14853-2901.
- Ikeda, R. & D. Vaughan. 2004. The distribution of resistance genes to the brown planthopper in rice germplasm. IRRI, Los Banos, Philippines.  
[https://shigen.nig.ac.jp/rice/oryza\\_base/asset/rgn/vol8/v8p125.html](https://shigen.nig.ac.jp/rice/oryza_base/asset/rgn/vol8/v8p125.html)
- Imoulan, A., M. Hussain, P.M. Kirk, A. El Meziane, & Y.J. Yao. 2017. Entomopathogenic fungus *Beauveria*: Host specificity, ecology and significance of morpho-molecular characterization in accurate taxonomic classification. *Journal of Asia-Pacific Entomology* 20(4): 1204-1212.  
 DOI: 10.1016/j.aspen.2017.08.015.
- Indria, S.P, S. Khotimah, & R. Linda. 2013. Jenis-jenis jamur entomopatogen dalam usus rayap pekerja *Coptotermes curvignathus* Holmgren. *Jurnal Protobiont* 2(3): 141-145.  
<https://jurnal.untan.ac.id/index.php/jprb/article/view/3883/3891>
- IRRI. 2002. Standart Evaluation System for Rice (SES).  
<http://www.Knowledgebank.irri.org/images/docs/rice-standard-evaluation-system.pdf>.
- Ito, E.T., G.V. Pereira, D.T. Miyagui, M.H.P. Pinotti, & P.M.O.J. Neves. 2007. Production of extracellular protease by a Brazilian strain of *Beauveria bassiana* reactivated on coffee berry borer *Hypothenemus hampei*. *Brazilian Archives of Biology and Technology* 5(2): 217-223.  
 DOI: 10.1590/S1516-89132007000200006.
- Janli, D., M.G.M. Purwanto, I.B. Artadana, & T.D. Askitosari. 2017. Extraction and Toxicity Assay of Mycotoxin from Entomopathogenic Fungi Isolate of Kusuma Agrowisata Orchard Batu, Jawa Timur, Indonesia. in NRLS Conference Proceedings, International Conference on Natural Resources and Life Sciences (2016), KnE Life Sciences, pp. 63–74.  
 DOI 10.18502/cls.v3i5.979.

- Johnson, N.F & D.J. Borror. 2005. *Borror and DeLong's Introduction to the Study of Insects*. Thompson Brooks/Cole. 864 hal.
- Julianto, P.A. 2017. 63.000 hektar sawah terkena serangan hama wereng. <https://ekonomi.kompas.com/read/2017/09/04/152139426/63000-hektar-sawah-terkena-serangan-hama-wereng>. Diakses 14 Juni 2020.
- Khan, M.M., M.Nawaz, H.Hua, W.Cai, & J. Zhao. 2018. Lethal and sublethal effects of emamectin benzoate on the rove beetle, *Paederus fuscipes*, a non-target predator of rice brown planthopper, *Nilaparvata lugens*. *Ecotoxicology and Environmental Safety* 165: 19-24.  
DOI: 10.1016/j.ecoenv.2018.08.047.
- Kaiser, D., G. Grabenweger, & S. Bacher. 2018a. Biological control of pollen beetles with the entomopathogenic fungus *Beauveria bassiana* – the role of UV-protection in open field application. *Integrated Control in Oilseed Crops IOBC-WPRS Bulletin* 136: 23-24.  
<http://www.iobc-wprs.org>.
- Kaiser, D., S. Bacher , L. Mene-Saffrane, & G. Grabenweger. 2018b. Efficiency of natural substances to protect *Beauveria bassiana* conidia from UV radiation. *Pest Management Science* 75 (b2): 556-563.  
DOI:10.1002/ps.5209.
- Kartohardjono, A. 2011. Penggunaan musuh alami sebagai komponen pengendalian hama padi berbasis ekologi. *Pengembangan Inovasi Pertanian* 4(1): 29-46.
- Keswani, C., P.S. Surya, & B.S. Harikesh. 2013. *Beauveria bassiana*: status, mode of action, applications and safety issues. *Biotech Today* 3(1): 16–19.  
DOI: 10.1016/j.heliyon.2019.e03038.
- Keyhani, N.O. 2018. Lipid biology in fungal stress and virulence: Entomopathogenic fungi. *Fungal Biology* 122(6): 420-429.  
DOI: 10.1016/j.funbio.2017.07.003.
- Kickword, R.C. 1999. Recent developments in our understanding of the plant cuticle as a barrier to the foliar uptake of pesticides. *Pest Management* 55(1): 69-77.  
DOI:10.1002/(SICI)1096-9063(199901)55:1<69::AID-PS860>3.0.CO ;2-H.
- Kidd, S., H.Catriona, A. Helen, & E. David. 2016. *Descriptions of Medical Fungi. Third Edition*. National Mycology Reference Centre. SA Pathology, Adelaide, South Australia.  
<https://mycology.adelaide.edu.au/docs/fungus3-book.pdf>

- Kim, J.J., G. Jeong, J.H. Han, & S. Lee. 2013. Biological control of aphid using fungal culture and culture filtrates of *Beauveria bassiana*. *Mycobiology* 41(4): 221-224.  
 DOI: 10.5941/MYCO.2013.41.4.221.
- Khoiroh, F., Isnawati, & U. Faizah. 2014. Patogenitas cendawan entomopatogen (*Lecanicillium lecanii*) sebagai bioinsektisida untuk pengendalian hama wereng batang coklat secara in vivo. *Lentera Bio.* 3(2): 115-121. <http://ejournal.unesa.ac.id/index.php/lenterabio>
- Klingen, I., K. Westrum, & N.V. Meyling. 2015 Effect of Norwegian entomopathogenic fungal isolates against *Otiorrhynchus sulcatus* larvae at low temperatures and persistence in strawberry rhizospheres. *Biological Control* 81: 1–7.  
 DOI: 10.1016/j.biocontrol.2014.10.006.
- Koiri, R.K., R.A. Naik, D. Rawat, S.K. Chhonker, & J.D. Ahi. 2017. Bioecological perspective of entomopathogenic fungi with respect to biological control. *J Appl Microb Res.* 1(1): 7-14. <https://www.innovationinfo.org/articles/JAMBR-102.pdf>
- Kumar, R., S. Kranthi, M. Nitharwal, S.L. Jat, & D. Monga. 2012. Influence of pesticides and application methods on pest and predatory arthropods associated with cotton. *Phytoparasitica* 40: 417-424.  
 DOI: 10.1007/s12600-012-0241-5.
- Lagashetti, A.C., L. Dufosse, S.K. Singh, & P.N. Singh. 2019. Fungal pigments and their prospects in different industries. *Microorganisms* 7(604): 1-36.  
 DOI: 10.3390/microorganisms7120604.
- Laguna, H.B., F.J.T. Marante, & R. Mioso. 2015. Enzymes and bioproducts produced by the ascomycete fungus *Paecilomyces variotii*. *Journal of Applied Microbiology* 119: 1455- 1466.  
 DOI: 10.1111/jam.12934.
- Lee, S.J., J.S. Yu, Y.S. Nai, B.L. Parker, M. Skinner & J.S. Kim. 2015. *Beauveria bassiana* sensu lato granules for management of brown planthopper, *Nilaparvata lugens* in rice. *BioControl* 60(2): 263–270.  
 DOI:10.1007/s10526-014- 9632-5.
- Li, M.Y., H.F. Lin, S.G. Li, A.M. Xu, & M.F. Feng. 2012. Efficiency of entomopathogenic fungi in the control of eggs of the brown planthopper *Nilaparvata lugens* Stal (Homoptera: Delphacidae). *Afri. J. Microb. Res.* 6(44): 7162–7167.  
 DOI: 10.5897/AJMR12.611.

- Li, Y., P. Zhao, S. Liu, Z. Dong, J. Chen, Z. Xiang, & Q. Xia. 2012. A novel protease inhibitor in *Bombyx mori* is involved in defense against *Beauveria bassiana*. *Insect Biochem. and Molecul. Biol.* 42(10): 766–775. DOI: 10.1016/j.ibmb.2012.07.004.
- Li, M., S. LiZibaw, A. Xu, H. Lin, D. Chen, & H. Wang. 2014. Selection of Beauveria isolates pathogenic to adults of *Nilaparvata lugens*. *Journal of Insect Science* 14(32): 1–11. DOI: 10.1093/jis/14.1.32.
- Lim, S.Y., S. Lee, H.G. Kong, & J. Lee. 2014. Entomopathogenicity of *Simplicillium lanosoniveum* Isolated in Korea. *Mycobiology* 42(4): 317-321. DOI: 10.5941/MYCO.2014.42.4.317.
- Litwin, A., M. Nowak, & S. Rozalska. 2020. Entomopathogenic fungi: Unconventional applications. *Review in Environtmental Science and BioTechnology* 19: 23-42. DOI: 10.1007/s11157-020-09525-1.
- Liu, C.P. & P.W. Lin. 2013. Titanium Dioxide Nanoparticles as UV Protectants for Enhancing the Survival of Conidia of the Entomopathogenic Fungus. *Int. J. Innov. Biol. Res.* 2(1): 21-29. DOI: 10.2147/NSA.S19419.
- Maketon, C., T. Rungratanaubon, S. Buapha, & M. Maketon. 2015. Laboratory and field evaluations of *Beauveria bassiana* (Bals.-Criv.) Vuill. and *Metarrhizium robertsii* (J. F. Bisch, Rehner & Humber) against the brown plant hopper, *Nilaparvata lugens* Stal. and its natural enemies in paddy fields in Thailand. *Egyptian Journal of Biological Pest Control* 25(1): 97-105. DOI: 10.1007/s10340-009-0248-y.
- Maoye, L., S. Li, A. Xu, H. Lin, D. Chen, & H. Wang. 2014. Selection of Beauveria isolates pathogenic to adults of *Nilaparvata lugens*. *Journal of Insect Science* 14(32): 1-12. DOI: 10.1093/jis/14.1.32.
- Meilin, A., Y.A. Trisyono, E. Martono, & D. Buchori. 2012. Teknik perbanyak massal parasitoid *Anagrus nilaparvatae* (Pang et Wang) (Hymenoptera: Mymaridae) dengan kotak plastik. *Jurnal Entomologi Indonesia* 9(1): 7-13. DOI: 10.5994/jei.9.1.7.
- Meyling, N.V. & J.K. Pell. 2006. Detection and avoidance of an entomopathogenic fungus by a generalist insect predator. *Ecological Entomology* 31: 162-171. DOI: 10.1111/j.0307-6946.2006.00781.x.
- Meyling, N.V., M. Lubeck, E.P. Buckley, J. Eilenberg, & S.A. Rehnes. 2009. Community composition host range and genetic structure of the fungal

- entomopathogen Beauveria in adjoining agricultural and seminatural habitats. *Molecular Ecology* 18: 1282–1293.  
DOI: 10.1111/j.1365-294X.2009.04095.x.
- Millstein, J.A., G.C. Brown, & G.L. Nordin. 1983. Microclimate moisture and conidial production in *Erynia* sp. (Entomophthorales: Entomophthoraceae): in vivo moisture balance and conidiation phenology. *Environmental Entomology* 12: 1339 – 1343.  
DOI: 10.1093/ee/12.5.1339.
- Minarni, E.W., A. Suyanto, & Kartini. 2018. Potensi parasitoid telur dalam mengendalikan WBC (*Nilaparvata lugens* Stal.) pasca ledakan populasi di Kabupaten Banyumas. *Jurnal Perlindungan Tanaman Indonesia* 22(2): 132–142. DOI: 10.22146/jpti.28886.
- Minarni, E.W., L. Soesanto, A. Suyanto, & Rostaman. 2020. Exploration and pathogenicity test of entomopathogenic fungus from brown planthopper (*Nilaparvata lugens* stal) pest. *Eco. Env. & Cons.* 26(1): 24-33. <http://www.envirobiotechjournals.com/EEC/26Issue12020/EEC26-4.pdf>
- Mishra, S., P. Kumar, & A. Malik. 2015. Effect of temperature and humidity on pathogenicity of native *Beauveria bassiana* isolate against *Musca domestica* L. *J Parasit Dis.* 39(4): 697–704.  
DOI: 10.1007/s12639-013-0408-0.
- Mochida, O. & T. Okada. 1979. Taxonomy and biology of *Nilaparvata lugens* (Hom. Delphacidae). Brown planthopper: Threat to rice production in Asia. Philippines, International Rice Research Institute, pp. 21–43.
- Molnar, I., D.M. Gibson, & S.B. Krasnoff. 2010. Secondary metabolites from entomopathogenic Hypocrealean fungi. *Natural Product Reports* 26(6): 1233–1372.  
DOI: 10.1039/c001459c.
- Moorthi, P.V., C. Balasubramanian, S. Selvarani, & A. Radha. 2015. Efficacy of sub-lethal concentration of entomopathogenic fungi on the feeding and reproduction of *Spodoptera litura*. *Springer Plus* 4(681): 1–12.  
DOI 10.1186/s40064-015-1437-1.
- Mustafa, U. & G. Kaur. 2008. UV-B radiation and temperature stress causes variable growth response in *Metarhizium anisopliae* and *Beauveria bassiana* isolates. *The Internet Journal of Microbiology* 7(1): 1-8.  
DOI:10.5580/2114.
- Nahar, P., V.Ghormade, & M.V. Deshpande. 2004. The extracellular constitutive production of chitin deacetylase in *Metarhizium anisopliae*: possible edge to

- entomopathogenic fungi in the biological control of insect pests. *Journal of Invertebrate Pathology* 85(2): 80-88.  
 DOI: 10.1016/j.jip.2003.11.006.
- Narayanasamy, M., J.S. Kennedy & V. Geethalakshmi. 2015. Effect of temperature on life history parameters of brown planthopper (*Nilaparvata lugens* Stal). *African Journal of Agricultural Research* 10(38):3678-3685.  
 DOI: 10.5897/AJAR2015.10094
- Ndii, A.M., B.T. Rahardjo, & T. Himawan. 2016. The combination of entomopathogenic fungus of *Beauveria bassiana* (Balls) Vuill. with the insect growth regulator (IGR) of lufenuron against reproductive of *Bactrocera carambolae* fruit flies (Diptera: Tephritidae). *The Journal of Experimental Life Science* 6(1): 25-28.  
 DOI: 10.21776/ub.jels.2016.006.01.07.
- Ngin,C., S. Suon, T. Tanaka, A. Yamauchi, K. Kawakita, & S. Chiba. 2017. Impact of insecticide applications on arthropod predators and plant feeders in Cambodian rice fields. *Phytobiomes* 1: 128–137.  
 DOI: 10.1094/PBIOMES-01-17-0002-R.
- Nguyen, H.C., V.A.T. Thi, L.N. Quoc, N.N. Nhu, K.N. Minh, T.T.N. Ngoc, H.S. Chia, & H.L. Kuang. 2017. Newly isolatd *Paecilomyces lilacinus* and *Paecilomyces javanicus* as novel biocontrol agensiats for *Plutella xylostella* and *Spodoptera litura*. *Not Bot Horti Agrobo* 45(1):280-286.  
 DOI: 10.15835/nbha45110726.
- Niu, X., W. Xie, J. Zhang & Q. Hu. 2019. Biodiversity of entomopathogenic fungi in the soils of South China. *Microorganisms* 7(9):311; 1- 14.  
 DOI: 10.3390/ microorganisms7090311
- Nordin, G.L., G.C. Brown & J.A. Millstein. 1983. Epizootic phenology of *Erynia* disease of the alfalfa weevil, *Hypera postica* (Gyllenhal) (Coleoptera: Curculionidae), in Central Kentucky. *Environmental Entomology* 12: 1350 - 1355.  
 DOI: 10.1093/ee/12.5.1350.
- Nunilahwati, H., S. Herlinda, C. Irsan, & Y. Pujiastuti. 2012. Eksplorasi, isolasi dan seleksi jamur entomopatogen *Plutella xylostella* (Lepidoptera: Yponomeutidae) pada pertanaman caisin (*Brassica chinensis*) di Sumatera Selatan. *J. HPT Tropika* 12(1) : 1–11.  
 DOI: 10.23960/j.hptt.1121-11.
- Nuraida & A. Hasyim. 2009. Isolasi, identifikasi, dan karakterisasi jamur entomopatogen dari rizosfir pertanaman kubis. *J. Hort.* 19(4): 419-432. <http://ejurnal.litbang.pertanian.go.id/index.php/jhort/article/view/868>

- Oliveira, A.S., G.U.L. Braga, E.N. Drauzioand, & D.E.N. Range. 2018. *Metarhizm robertsii* illuminated during mycelial growth produces conidia with increased germination speed and virulence. *Fungal Biology* 122(6): 555-562.  
DOI: 10.1016/j.funbio.2017.12.009.
- Ormond, E.L., A.P.M. Thomas, J.K. Pell, S.N. Freeman, & H. E. Roy. 2011. Avoidance of a generalist entomopathogenic fungus by the ladybird, *Coccinella septempunctata*. *FEMS Microbiol Ecol.* 77: 229–237.  
DOI:10.1111/j.1574-6941.2011.01100.
- Park, J.O., J.R Hargreaves, E.J. Mc Conville, G.R. Stirling, E.L. Ghisalberti, & K. Sivasithamparam. 2004. Production of leucinostatins and nematicidal activity of australian isolates of *Paecilomyces lilacinus* (Thom) Samson. *Letters in Applied Microbiology* 38: 271-276.  
DOI: 10.1111/j.1472-765X.2004.01488.x.
- Pathak, M.D. & Z.R. Khan. 1994. *Insect Pest of Rice*. International Rice Research Institute. Manila, Philippine,
- Perez, L.C., S.R. Navarro, V.H.M. Cruz, M.Á.R. Lopez, A.P. Ramos, & J.E.B. Florido. 2016. Assessment of *Beauveria bassiana* and their enzymatic extracts against *Metamasius spinolae* and *Cyclocephala lunulata* in Laboratory. *Advances in Enzyme Research* 4: 98-112.  
DOI: 10.4236/aer.2016.43010.
- Petrisor, C. & G. Stoian. 2017. The role of hydrolytic enzymes produced by entomopathogenic fungi in pathogenesis of insects. *Romanian Journal for Plant Protection* 9: 66-72.  
[http://www.rjpp.ro/images/Archive/2017/apr/11-Petrisor\\_Stoian\\_corectata.pdf](http://www.rjpp.ro/images/Archive/2017/apr/11-Petrisor_Stoian_corectata.pdf)
- Piyaphongkul, J., J. Pritchard, & J. Bale, 2012. Heat Stress Impedes Development and Lowers Fecundity of the Brown Planthopper *Nilaparvata lugens* (Stall). *Plos One* 7(10): e47413.  
DOI: 10.1371/journal.pone.0047413.
- Posadas, J.B., A.L. Maricel, J.I. Mini, & R.E. Lecuona. 2012. Natural Tolerance to UVB and assessment of photoprotectants in conidia of six native isolates of *Beauveria bassiana* (Bals-Criv) Vuillemin. *World Applied Sciences Journal*, 20 (7): 1024-1030.  
DOI: 10.5829/idosi.wasj.2012.20.07.2469.
- Prasad, P., D. Varshney, & A. Adholeya. 2015. Whole genome annotation and comparative genomic analyses of bio-control fungus *Purpureocillium lilacinum*. *BMC Genomics* 16(1): 1004.

DOI 10.1186/s12864-015-2229-2.

Priyana, Yuli. 2018. *Pengantar Meteorologi dan Klimatologi*. Surakarta: Muhammadiyah University Press.

Rai, D., V. Updhyay, P. Mehra, M. Rana, & A.K. Pandey. 2014. Potential of entomopathogenic fungi as biopesticides. *Ind. J. Sc. Res. and Tech.* 2(5): 7-13. <http://www.indjsrt.com>

Rashid, M.M., M. Jahan, & K.S. Islam. 2016. Impact of nitrogen, phosphorus and potassium on brown planthopper and tolerance of its host rice plants. *Rice Science* 23(3): 119–131.  
DOI: 10.1016/j.rsci.2016.04.001.

Rath, P.C., L.K. Bose, H.N. Subudhi, S. Lenka, & N.N. Jambhulkar (2020) Biodiversity of insect pests of rice in India. *International Journal of Chemical Studies* 2020, 8(1): 2998-3002.  
DOI: 10.22271/chemi.2020.v8.i1at.8726.

Reichert, W., J. Ejercito, T. Guda, X. Dong, & Q. Wu. 2018. Repellency assessment of *Nepeta cataria* essential oils and isolated nepetalactones on *Aedes aegypti*. *African Entomology* 26(1): 84-94 (2018).  
DOI: 10.4001/003.026.0084.

Robert, D.W., S. Gupta, & R.J.St. Leger, 1992. Metabolite production by entomopathogenic fungi. *Pesq. Agropec. Bras.* 27: 325-347. [https://ainfo.cnptia.embrapa.br/digital/bitstream/AI-SEDE/20666/1/pab28\\_abresp\\_92.pdf](https://ainfo.cnptia.embrapa.br/digital/bitstream/AI-SEDE/20666/1/pab28_abresp_92.pdf)

Rombach, M.C., R.M. Aguda, B.M. Shepard, & D.W. Roberts. 1986. Infection of rice brown planthopper, *Nilaparvata lugens* (Homoptera: Delphacidae), by Field Application of Entomopathogenic Hyphomycetes (Deuteromycotina). *Environmental Entomology* 15(5): 1070–1073.  
DOI: 10.1093/ee/15.5.1070.

Rommedahl, T. & P.M. Barnes. 1989. Cold test for corn and peas. In: *Manual of Laboratory Methods for Fungal Plant Disease*. University of Minnesota Press. St Paul. MN. Pp. 1-3.

Romeh, A.A. 2009. Control of Varroa mite (*Varroa destructor*) on honey bees by Sycamore leaves (*Ficus sycomorus*). *Journal of Applied Sciences Research* 5(2): 151-157. <http://www.aensiweb.com/old/jasr/jasr/2009/151-157.pdf>

Rosmini & S.A. Lasmini 2010. Identifikasi cendawan entomopatogen lokal dan tingkat patogenitasnya terhadap hama wereng hijau (*Nephrotettix virescens*

- Distant.) vektor virus tungro pada tanaman padi sawah di Kabupaten Donggala. *Jurnal Agroland* 17(3): 205-212.  
 DOI.org/10.22487/ J.24077607. 2010. v17. i3.304.
- Rustiguel, C.B., A.J. Joao, & H.S.G. Luis. 2012. Optimization of the chitinase production by different *Metarhizium anisopliae* strains under solid-state fermentation with silkworm chrysalis as substrate using CCRD. *Advances in Microbiology* 2: 268-276.  
 DOI.org/10.4236/aim.2012.23032.
- Safavi, S.A. 2010. Isolation, identification and pathogenicity assessment of a new isolat of entomopathogenic fungus. *Beauveria bassiana* in Iran. *J. Plant Protect. Res.* 50(2): 158–163.  
 DOI: 10.2478/v10045-010-0027-z.
- Saifudin, A. 2014. *Senyawa Alam Metabolit Sekunder Teori, Konsep, dan Teknik Pemurnian*. Deepublish. Yogyakarta
- Sanivada, S.K. & C. M. Mohan. 2014. Mycolytic effect of extracellular enzymes of entomopathogenic fungi to *Colletotrichum falcatum*, red rot pathogen of sugarcane. *Journal of Biopesticides* 7(Sup): 33-37.  
[http://www.jbiopest.com/users/LW8/efiles/vol 7 0\\_33-37.pdf](http://www.jbiopest.com/users/LW8/efiles/vol 7 0_33-37.pdf).
- Sanjaya, Y., H. Nurhaeni, & M. Halima. 2010. Isolasi, identifikasi, dan karakterisasi jamur entomopatogen dari larva *Spodoptera litura* (fabricius). *Bionatura-Jurnal Ilmu-ilmu Hayati dan Fisik* 12(3): 136–141.  
<https://jurnal.unpad.ac.id/bionatura/article/view/7687>
- Sankar, S.S.H. & O.P.R. Rani. 2018. Pathogenicity and field efficacy of the entomopathogenic fungus, *Lecanicillium saksenae* Kushwaha, Kurihara and Sukarno in the management of rice bug, *Leptocoris acuta* Thunberg. *Journal of Biological Control* 32(4): 230-238.  
 DOI: 10.18311/jbc/2018/19808.
- Sengupta, S.K., K.W. Hutchenson, D.L.Hallahan, Y.I. Gonzalez, L.E. Manzer, S. C. Jackson, M.A. Scialdone, & B. Kou. 2018. Hydrogenation of naturally-derived nepetalactone as a topical insect repellent. *ACS Sustainable Chem. Eng.* 6(8): 9628–9639.  
 DOI: 10.1021/acssuschemeng.7b04521.
- Shafighi, Y., M. Ziae, & Y. Ghosta. 2014. Diatomaceous earth used against insect pests, applied alone or in combination with *Metarhizium anisopliae* and *Beauveria bassiana*. *Journal of Plant Protection Research* 54(1): 62 -66. DOI: 10.2478/jppr-2014-0009

- Shahid, A.A., R.Q. Abdul, B. Allah, & H. Tayyab. 2012. Entomopathogenic fungi as biological controllers: new insights into their. *Arch. Biol. Sci.. Belgrade* 64(1): 21-42.  
DOI:10.2298/ABS1201021S.
- Shaikh, S.H. & M. Pandurang. 2015. Effect of entomopathogenic fungi against brown plant hopper, *Nilaparvata lugens* (Stal.) (Hemiptera: Delphacidae) infesting rice. *International Journal of Science and Research (IJSR)* 4(10): 905-907.
- Shenoy, B.D., R. Jeewon, & K.D. Hyde. 2007. Impact of DNA sequence-data on the taxonomy of anamorphic fungi. *Fungal Diversity* 26: 1-54.
- Shentu, S.X., X. Yin, S. Yang, C. Zhenyan, F. Jingxuan, Y. Xiaoping, & Zhejiang. 2020. Comparative analysis of the diversity of the microbial communities between non-fertilized and fertilized eggs of brown planthopper, *Nilaparvata lugens*. *Insects* 11(49): 1-13.  
DOI:10.3390/insects11010049.
- Shimizu, K., E. Yoshihara, M. Takahashi, K. Gotoh, S. Orita, N. Urakawa, & S. Nakajyo. 2000. Mechanism of relaxant response to papaverine on the smooth muscle of non-pregnant rat uterus. *Journal of Smooth Muscle Research* 36(3): 83-91.
- Smit, N., J. Fargues, M. Rougier, R. Goujet, & B. Aitier. 1996. Effects of temperature and solar radiation interactions on the survival of quiescent conidia of the entomopathogenic hyphomycete *Paecilomyces fumosoroseus* (Wize) Brown and Smith. *Mycopathologia* 135: 163-170.  
DOI: 10.1007/BF00632338.
- Sogan, N., N. Kapoor, S. Kala, P.K. Patanjali, B.N. Nagpal, K. Vikram, & N. Valecha. 2018. Larvicidal activity of castor oil Nanoemulsion against malaria vector *Anopheles culicifacies*. *International Journal of Mosquito Research* 5(3): 01-06.  
<https://www.researchgate.net/publication/333817145>
- Sosa, A., M. Costa, A. Salvatore, A. Bardon, S. Borkosky, & N. Vera. 2017. Insecticidal effects of eudesmanes from *Pluchea sagittalis* (Asteraceae) on *Spodoptera frugiperda* and *Ceratitis capitata*. *International Journal of Environment, Agriculture and Biotechnology (IJEAB)* 2(1): 361-369.  
DOI: 10.22161/ijeab/2.1.45.
- Srinivas, M., R.S. Devi, N.R.G. Varma, & R. Jagadeeshwar (2020) Interactive effect of temperature and CO<sub>2</sub> on resistance of rice genotypes to brown planthopper, *Nilaparvata lugens* (Stal.). *Journal of Entomology and Zoology Studies* 8(2): 600-602.

<https://www.entomoljournal.com/archives/2020/vol8issue2/PartK/7-2-297-891.pdf>

Sumikarsih, E., S. Herlinda, & Y. Pujiastuti. 2019. Conidial density and viability of *Beauveria bassiana* isolates from Java and Sumatra and their virulence against *Nilaparvata lugens* at different temperatures. *AGRIVITA Journal of Agricultural Science* 41(2): 335–350.  
DOI: 10.17503/agrivita.v41i2.2105

Surahman, E.C., Dadang, & D. Prijono. 2016. Kerentanan WBC, *Nilaparvata lugens* Stal. (Hemiptera: Delphacidae), dari enam lokasi di Pulau Jawa terhadap tiga jenis insektisida. *Jurnal Hama Penyakit Tumbuhan Tropika* 16: 71–81.  
<https://media.neliti.com/media/publications/80663-ID-kerentanan-wereng-batang -cokelat-nilapar.pdf>

Surahmaida & Umarudin. 2019. Toxicity of miana leaf (*Coleus blumei*) extract against houseflies (*Musca domestica*). *Biosaintifika* 11(2): 249-255.  
DOI: 10.15294/biosaintifika.v11i2.19402.

Suryadi, Y., W. Wartono, D.N. Susilowati, P. Lestari, C. Nirmalasari, & S. Suryani (2018) Pathogenicity of *Beavueria basiiana* strain STGD 7(14)2 and STGD 5(14)2 against brown planthopper (*Nilaparvata lugens* Stal.). *Al-Kauniyah Journal of Biology* 11(2): 122-132.  
DOI: 10.15408/kauniyah.v11i2.6694

Susilo, F.X., R. Hasibuan, G.L. Nordin, & G.C. Brown, 1993. The concept of threshold density in insect pathologi: a theoretical and experimental study on *Tetranychus neozygites* mycosis. *Prosiding makalah Simposium Patologi Serangga*. Yogyakarta, 12-13 Oktober 1993. Pp. 29- 37.

Sutrisno. 2014. Resistensi WBC padi, *Nilaparvata lugens* Stal terhadap insektisida di Indonesia. *Jurnal AgroBiogen* 10(3): 115-124.

Syahrawati, M., O.A. Putra, R. Rusli, & E. Sulyanti. 2019. Population structure of brown planthopper (*Nilaparvata lugens*, Hemiptera: Delphacidae) and attack level in endemic area of Padang city, Indonesia. *Asian J Agric & Biol. Special Issue*: 271-276.  
<https://www.researchgate.net/publication/338237338>

Tabanca, N., D.E. Wedge, A. Ali, I.A. Khan, Z.A. Kaplancikli, & M.D. Altintop. 2013. Antifungal, mosquito deterrent, and larvicidal activity of N-(benzylidene)-3-cyclohexylpropionic acid hydrazide derivatives. *Med Chem Res.* 22: 2602–2609.  
DOI 10.1007/s00044-012-0250-4.

- Tambingsila, M. & R. Hidyaat. 2015. Uji efektifitas cendawan *Fusarium* sp. potensinya sebagai entomopatogen terhadap kepik penghisap buah kakao (*Helopeltis sulawesi* : Hemimterea). *Jurnal Agropet*, 12(2): 10-16. <http://ojs.unsimar.ac.id/index.php/AgroPet/article/view/173/158>
- Thakur, A.K. & N.T. Uphoff. 2017. How the system of rice intensification can contribute to climate-smart agriculture. *Agronomy Journal* 109(4): 1163-1182. DOI: 10.2134/agronj2016.03.0162.
- Tiago, P.V., N.T. de Oliveira, & E.A.L.A. Lima. 2014. Biological insect control using *Metarhizium anisopliae*: morphological, molecular, and ecological aspects. *Ciencia Rural* 44(4): 645-651. DOI: 10.1590/S0103-84782014000400012.
- Tian, Y., Y. Gao, Y. Chen, G. Liu, & X. Ju. 2019. Identification of the fipronil resistance associated mutations in *Nilaparvata lugens* GABA receptors by molecular modeling. *Molecules* 24: 4116. DOI:10.3390/molecules24224116 1 -12.
- Tiwari, S.N. 2015. Identification of new sources of resistance against brown plant hopper. *J. Plant Science and Research* 2 (2): 1- 5. <https://www.opensciencepublications.com/fulltextarticles/JPSR-2349-2805-2-126.html>
- Townsend, G.R & J.W. Heuberger. 1948. *The Basic Principles of Crop Protection Field Trials*. PflanzenschutzNachrichten Bayer AG Leverkusen.
- Triwidodo, H. 2020. Brown planthoppers infestations and insecticides use pattern in Java, Indonesia. *AGRIVITA Journal of Agricultural Science* 42(2): 320-330. DOI: 10.17503/agrivita.v0i0.2501.
- Uddin, A.B.M.A., K.S. Islam, M. Jahan, A. Ara, & M.A.I. Khan (2020) Factor influencing the resurgence of brown planthopper in Bangladesh. *SAARC J. Agric.* 18(1): 117-128. DOI: 10.3329/sja.v18i1.48386.
- Untung, K. 2006. *Pengantar Pengelolaan Hama Terpadu* (Edisi Kedua). Gadjah Mada University Press, Yogyakarta
- Urquiza, A.O. & N.O. Keyhani. 2013. Action on the surface: Entomopathogenic fungi versus the insect cuticle. *Insect* 4: 357–374. DOI: 10.3390/insects4030357.

- Valencia, J.W., A. Bustamante, A.L.G.A.V. Jiménez, & M.F. Grossi-de-Sa. 2011. Cytotoxic activity of fungal metabolites from the pathogenic fungus *Beauveria bassiana*: an intraspecific evaluation of beauvericin production. *Curr. Microbiol.* 63: 306–312.  
DOI: 10.1007/s00284-011-9977-2.
- Vidhate, R., J. Singh, V. Ghormade, S.B. Chavan, A. Patil, & M.V. Despandhe. 2015. Use of Hydrolytic Enzymes of *Myrothecium verrucaria* and conidia of *Metarrhizium anisopliae*, singly and sequentially to control pest and pathogens in grapes and their compatibility with pesticides used in the field. *Biopestic. Int.* 11(1): 48–60.
- Wada, K., Y. Enomoto, & K. Munakata. 1970. Insect feeding inhibitors in plants. Part II. The structures of shiromodiol-diacetate, shiromool, and shiromodiol-monoacetate. *Agricultural and Biological Chemistry* 34(6): 946–953.  
DOI: 10.1080/00021369.1970.10859694.
- Wang, C.I. & Z.Q. Liu. 2007. Foliar uptake of pesticides—present status and future challenge. *Pesticide Biochemistry and Physiology* 87(1): 1–8.  
DOI: /10.1016/j.pestbp.2006.04.004.
- Wang, X., X. Gong, P. Li, D. Lai, & L. Zhou. 2018. Structural diversity and biological activities of cyclic depsipeptides from fungi. *Molecules* 23 (169): 1-49.  
DOI:10.3390/molecules23010169.
- Weng, Q., X. Zhang, W. Chen, & Q. Hu. 2019. Secondary metabolites and the risks of *Isaria fumosorosea* and *Isaria farinosa*. *Molecules*, 24(4): 1-17.  
DOI: 10.3390/molecules24040664.
- White, T.J., T.D. Bruns, S.B. Lee, & J.W. Taylor. 1990. Amplification and Direct Sequencing of Fungal RNA Genes for Phylogenetics. Pp. 315-322. In: Innis,M.A., D.H. Gelfand, J.J. Sninsky and T.J. White (eds.), *PCR Protocols*. Academic, San Diego,
- Willis, G.H., L.L. McDowell, S. Smith, & L.M. Southwick. 1988. Rainfall amount and intensity effects on carbaryl washoff from cotton plants. *Transactions of the ASAE* 31(1): 0086-0090.  
DOI: 10.13031/2013.30670.
- Woo R.M., M.G. Park, J.Y. Choi, D.H. Park, J.Y. Kim, M. Wang, H.J. Kim, S.D. Woo, J.S. Kim, & Y.H. Je. 2020. Insecticidal and insect growth regulatory activities of secondary metabolites from entomopathogenic fungi, *Lecanicillium attenuatum*. *Journal of Applied Entomology* 144(7): 655-663.

DOI: 10.1111/jen.12788.

Wu, S., Y. Gao, Y. Zhang, E. Wang, X. Xu, & Z. Lei. 2014. An entomopathogenic strain of *Beauveria bassiana* against *Frankliniella occidentalis* with no detrimental effect on the predatory mite *Neoseiulus barkeri*: evidence from laboratory bioassay and scanning electron microscopic observation. *PlosOne* 9(1): 1-7.

DOI: 10.1371/journal.pone.0084732.

Wu, S.F., B. Zeng, C. Zheng, X.C. Mu, Y. Zhang, J. Hu, S. Zhang, C.F. Gao, & J. L. Shen. 2018. The evolution of insecticide resistance in the brown planthopper (*Nilaparvata lugens* Stal) of China in the period 2012–2016. *Scientific Reports* 8: 4586.

DOI:10.1038/s41598-018-22906-5.

Xia, J., C.R. Zhang, S. Zhang, F.F. Li, M..G. Feng, X.W. Wang, & S.S. Liu. 2013. Analysis of whitefly transcriptional to *Beauveria bassiana* infection reveals new insight into insect-fungus interactions. *PlosOne* 8(7): 1–11.

DOI: 10.1371/journal.pone.0068185.

Zaman, S., M. Hasan, F. Ahmad, & N. Javed. 2020. Pathogenicity of entomopathogenic fungi against *Sitophilus granarius* (L.) (Coleoptera: Curculionidae) under abiotic factors. *Pak. J. Agri. Sci.* 57(1): 79-86.

Zare, R. & W. Gams. 2008. A revision of the *Verticillium fungicola* species complex and its affinity with the genus *Lecanicillium*. *Mycological Research* 112: 811–824.

DOI: 10.1016/j.mycres.2008.01.019.

Zhang, C., X. Liao, K. Mao, K. Zhang, H. Wan, & J. Li. 2016. Insecticide resistance monitoring and correlation analysis of insecticides in field populations of the brown planthopper *Nilaparvata lugens* (stål) in China 2012–2014. *Pesticide Biochemistry and Physiology* 132: 13-20.

DOI: 10.1016/j.pestbp.2015.10.003.

Zhang, Y., B. Yang, J. Li, M. Liu, & Z. Liu. 2017. Point mutations in acetylcholinesterase 1 associated with chlorpyrifos resistance in the brown planthopper, *Nilaparvata lugens* Stal. *Insect Molecular Biology* 26(4) 453-460.

DOI: 10.1111/imb.12309.

Zhang, L., O.E. Fasoyin, I. Molnar, & Y. Xu. 2020. Secondary metabolites from hypocrealean entomopathogenic fungi: novel bioactive compounds. *Natural Product Report* 37: 1181-1206.

DOI: 10.1039/C9NP00065H.

Zibaee, A., A.R. Bandani, R.T. Hassanlouei, & D. Malagoli. 2011. Cellular immune reactions of the sunn pest, *Eurygaster integriceps*, to the entomopathogenic fungus, *Beauveria bassiana* and its secondary metabolites. *Journal of Insect Science* 11(1): 1 – 16.  
DOI: 10.1673/031.011.13801.

Zhu, J., Y. Li, H. Jiang, C. Liu, W. Lu, W. Dai, J. Xu, & F. Liu, 2018. Selective toxicity of the mesoionic insecticide, triflumezopyrim, to rice planthoppers and beneficial arthropods *Ecotoxicology* 27: 411–419.  
<https://link.springer.com/article/10.1007/s10646-018-1904-x>

