

## DAFTAR PUSTAKA

- ADA. 2024. 2. Diagnosis and Classification of Diabetes: Standards of Care in Diabetes. 2024. *Diabetes Care*, 47(January), S20–S42. <https://doi.org/10.2337/dc24-S002>
- ADA, A. D. A. 2022. Standards of Medical Care in Diabetes — 2022 Abridged for Primary Care Providers. *Clinical Diabetes*, 40(1): 10–38.
- Alihosseini, N., Moahboob, S. A., Farrin, N., Mobasseri, M., Taghizadeh, A., & Ostadrahimi, A. R. 2017. Effect of probiotic fermented milk (KEFIR) on serum level of insulin and homocysteine in type 2 diabetes patients. *Acta Endocrinologica*, 13(4), 431–436. <https://doi.org/10.4183/aeb.2017.431>
- Apalowo, O. E., Adegoye, G. A., Mbogori, T., Kandiah, J., & Obuotor, T. M. 2024. Nutritional Characteristics, Health Impact, and Applications of Kefir. *Foods*, 13(7), 1–33. <https://doi.org/10.3390/foods13071026>
- Argawal, R. 2021. Pathogenesis of diabetic nephropathy. In *Pathogenesis of Diabetic Nephropathy. In: Chronic Kidney Disease and Type 2 Diabetes* (pp. 23–45). American Diabetes Association. <https://doi.org/10.1007/978-3-319-08873-0>
- Ávila, M., Mora Sánchez, M. G., Bernal Amador, A. S., & Paniagua, R. 2025. The Metabolism of Creatinine and Its Usefulness to Evaluate Kidney Function and Body Composition in Clinical Practice. *Biomolecules*, 15(1), 1–25. <https://doi.org/10.3390/biom15010041>
- Boss, K., Stolpe, S., Müller, A., Wagner, B., Wichert, M., Assert, R., Volbracht, L., Stang, A., Kowall, B., & Kribben, A. 2023. Effect of serum creatinine difference between the Jaffe and the enzymatic method on kidney disease detection and staging. *Clinical Kidney Journal*, 16(11), 2147–2155. <https://doi.org/10.1093/ckj/sfad178>
- Chen, H. L., Tung, Y. T., Tsai, C. L., Lai, C. W., Lai, Z. L., Tsai, H. C., Lin, Y. L., Wang, C. H., & Chen, C. M. 2014. Kefir improves fatty liver syndrome by inhibiting the lipogenesis pathway in leptin-deficient ob/ob knockout mice. *International Journal of Obesity*, 38(9): 1172–1179.
- Cohen, M. P., Clements, R. S., Cohen, J. A., & Shearman, C. W. 1996. Prevention of decline in renal function in the diabetic db/db mouse. *Diabetologia*, 39(3): 270–274. <https://doi.org/10.1007/BF00418341>
- Creatinine, U. V. E. 2019. Enzymatic Creatinine. *Labtest*, 30, 1–6.
- Farag, M. A., Jomaa, S. A., El-wahed, A. A., & El-seedi, H. R. 2020. The many faces of kefir fermented dairy products: Quality characteristics, flavour chemistry, nutritional value, health benefits, and safety. *Nutrients*, 12(2): 1–23. <https://doi.org/10.3390/nu12020346>
- Febrianti, D. K., Zaetun, S., Bagus, I., Wiadnya, R., Getas, I. W., & Fihiruddin. 2023. The Relationship Of Serum Creatinine Levels And Urine Creatinine In Workers In Penimbung Village. *JILTS) Journal of Indonesias Laboratory Technology of Student (JILTS)*, 2(1): 91–95.
- Festus, O. O., Ovie, E. G., Osadolor, H. B., Ihongbe, J. C., & Osagie, E. V. 2013. Influence of Body Weight and Body Mass Index (BMI) on Serum Creatinine and Creatinine Clearance in Apparently Healthy Adults. *Asian Journal of Biological Life Sciences*, 2(3): 264–269.

- Firdaus, Rimbawan, Marliyanti, S. A., Roosita, K. 2016. Streptozotocin, Sucrose-Induce Diabetic Male Rats Model for Research Approach of Gestational Diabetes Mellitus. *Jurnal Media Kesehatan Masyarakat Indonesia*. 12(1)
- Galicia-garcia, U., Benito-vicente, A., Jebari, S., & Larrea-sebal, A. 2020. Pathophysiology of Type 2 Diabetes Mellitus. *International Journal of Molecular Sciences*, 21(17): 1–34.
- Gamba, R. R., Yamamoto, S., Abdel-Hamid, M., Sasaki, T., Michihata, T., Koyanagi, T., & Enomoto, T. 2020. Chemical, Microbiological, and Functional Characterization of Kefir Produced from Cow's Milk and Soy Milk. *International Journal of Microbiology*, 2020, 1–11. <https://doi.org/10.1155/2020/7019286>
- Gembillo, G., Ingrassiotta, Y., Crisafulli, S., Luxi, N., Siligato, R., Santoro, D., & Trifirò, G. 2021. Kidney disease in diabetic patients: From pathophysiology to pharmacological aspects with a focus on therapeutic inertia. *International Journal of Molecular Sciences*, 22(9): 1–20. <https://doi.org/10.3390/ijms22094824>
- Gitsi, E., Kokkinos, A., Konstantinidou, S. K., Livadas, S., & Argyrakopoulou, G. 2024. The Relationship between Resting Metabolic Rate and Body Composition in People Living with Overweight and Obesity. *Journal of Clinical Medicine*, 13(19). <https://doi.org/10.3390/jcm13195862>
- Gouveia, K., & Hurst, J. L. (2013). Reducing mouse anxiety during handling: effect of experience with handling tunnels. *PloS One*, 8(6), e66401. <https://doi.org/10.1371/journal.pone.0066401>
- Hasan, K. M. M., Tamanna, N., & Haque, M. A. 2018. Biochemical and histopathological profiling of Wistar rat treated with Brassica napus as a supplementary feed. *Food Science and Human Wellness*, 7(1): 77–82. <https://doi.org/10.1016/j.fshw.2017.12.002>
- Husna, F., Suyatna, F. D., Arozal, W., & Purwaningsih, E. H. 2019. Model Hewan Coba pada Penelitian Diabetes. *Pharmaceutical Sciences and Research*, 6(3): 131–141. <https://doi.org/10.7454/psr.v6i3.4531>
- IDF.2025. *IDF Diabetes Atlas* (11th ed.). [diabetesatlas.org](https://diabetesatlas.org)
- Indonesian Ministry Of Health Development Policy Board. 2023. Indonesian Health Survey (Survei Kesehatan Indonesia) 2023. *Ministry of Health*, 1–68.
- Jainata, D., Utama, B. I., & Desmawati. 2021. Pengaruh probiotik dalam Menurunkan Kadar Gula Darah.pdf. *Jurnal Ilmu Kesehatan Indonesia*, 2(4) : 312–320.
- Judiono, J., Hadisaputro, S., Indranila, K. S., Cahyono, B., et al. 2014. Effects of Clear Kefir on Biomolecular Aspects of Glycemic Status of Type 2 Diabetes Mellitus (T2DM) Patients in Bandung, West Java [Study on Human Blood Glucose, c Peptide and Insulin]. *Functional Foods in Health and Disease*. Vol. 4(8): 340- 348.
- Jumadewi, A., Rahmayanti, R., Fajarna, F., & Krisnawati, W. E. 2022. Kadar kreatinin serum pasien diabetes mellitus tipe 2 pada kelompok usia 40 tahun keatas. *Jurnal SAGO Gizi Dan Kesehatan*, 4(1), 52. <https://doi.org/10.30867/gikes.v4i1.1060>
- Kahraman, M., Ertekin, Y. H., & Satman, İ. 2021. The Effects of Kefir on Kidney Tissues and Functions in Diabetic Rats. *Probiotics and Antimicrobial Proteins*, 13(2), 375–382. <https://doi.org/10.1007/s12602-020-09698-9>

- Karabacak, P., Solmaz, F. A., Gultekin, F., Meral Oncu, O. Y., Ozgoçmen, M., Ilhan, & ILter. 2016. The effectiveness of kefir in acute renal failure due to glycerol-induced rhabdomyolysis. *International Journal of Clinical and Experimental Medicine*, 9(9): 17919–17925.
- Kaur, N. 2017. Role of Nicotinamide in Streptozotocin Induced Diabetes in Animal Models. *Journal of Endocrinology and Thyroid Research*. 2(1): 1-4.
- King, A. J. F. (2012). The use of animal models in diabetes research. *British Journal of Pharmacology*, 166(3), 877–894. <https://doi.org/10.1111/j.1476-5381.2012.01911.x>
- Kinteki, G. A., Rizqiaty, H., & Hintono, A. 2019. Pengaruh Lama Fermentasi Kefir Susu Kambing Terhadap Mutu Hedonik, Total Bakteri Asam Laktat (BAL), Total Khamir dan pH. *Jurnal Teknologi Pangan*, 3(1), 42–50. <https://doi.org/10.14710/jtp.2019.20685>
- Küme, T., Sağlam, B., Ergon, C., & Sisman, A. R. 2018. Evaluation and comparison of Abbott Jaffe and enzymatic creatinine methods: Could the old method meet the new requirements? *Journal of Clinical Laboratory Analysis*, 32(1), 1–8. <https://doi.org/10.1002/jcla.22168>
- Lestari, Zulkarnain, Sijid, & Aisyah, S. 2021. Diabetes Melitus: Review Etiologi, Patofisiologi, Gejala, Penyebab, Cara Pemeriksaan, Cara Pengobatan dan Cara Pencegahan. *UIN Alauddin Makassar*, 1(2), 237–241. <http://journal.uin-alauddin.ac.id/index.php/psb>
- Lilia, I. H., & Supadmi, W. 2020. Faktor Risiko Gagal Ginjal Kronik Pada Unit Hemodialisis Rumah Sakit Swasta di Yogyakarta. *Majalah Farmasetika*, 4(Suppl 1), 60–65. <https://doi.org/10.24198/mfarmasetika.v4i0.25860>
- Melani, E., & Kartikasari, L. A. 2020. GAMBARAN KADAR UREUM KREATININ PADA PENDERITA DIABETES TIPE-2 DI RUMAH SAKIT OTIKA MEDIKA SERANG BANTEN Ela Melani MS , 2 Ledy Anggita Kartikasari Program Studi Analisis Kesehatan , Politeknik Piksi Ganesha Jurnal INFOKES- Politeknik Piksi Ganesha 12 orang. *Jurnal Nasional Infokes*, 4(2): 12–22.
- Melchiorretto, E. F., Zeni, M., da Luz Veronez, D. A., Filho, E. L. M., & de Fraga, R. 2016. Quantitative analysis of the renal aging in rats. Stereological study. *Acta Cirurgica Brasileira*, 31(5): 346–352. <https://doi.org/10.1590/S0102-865020160050000009>
- Mulyadewi, A. L., Ilmi, I. M. B., & Hardiansyah, A. 2024. Effects of Honey Goat Milk Kefir on Pancreatic Histopathology and Renal Function in Diabetic Rats. *Amerta Nutrition*, 8(3SP), 412–421. <https://doi.org/10.20473/amnt.v8i3SP.2024.412-421>
- Muntafiah, A., . S., & . N. 2015. Potensi Antihiperglikemia Kefir Berbasis Susu Kambing Dan Kedelai Pada Tikus Model Dm Tipe 2. *Mandala Of Health*, 8(1): 612. <https://doi.org/10.20884/1.mandala.2017.8.1.349>
- Murtiningsih, M. K., Pandelaki, K., & Sedli, B. P. 2021. Gaya Hidup sebagai Faktor Risiko Diabetes Melitus Tipe 2. *E-Clinic*, 9(2), 328. <https://doi.org/10.35790/ecl.v9i2.32852>
- Mustofa, E. E., Purwono, J., & Ludiana. 2022. Penerapan Senam Kaki Terhasap Kadar Glukosa Darah Pada Pasien Diabetes Melitus Di Wilayah Kerja Puskesmas Purwosari Kec. Metro Utara. *Jurnal Cendikia Muda*, 2(1): 78–86.
- Nikmah, U. A., & Dany, F. 2017. Kadar Leptin sebagai Petanda Diabetes pada

- Individu dengan Diabetes dan Toleransi Glukosa Terganggu. *Buletin Penelitian Kesehatan*, 45(3): 1–6.
- Nugroho, A. E. 2006. Review Hewan Percobaan Diabetes Mellitus : Patologi Dan Mekanisme Aksi Diabetogenik. *Biodiversitas, J. Biol. Divers*, 7(4): 378–382. <https://doi.org/10.13057/biodiv/d070415>
- Nurhayati, E., Kamilla, L., & Verra, C. V. B. 2023. Analisis Kadar Ureum Dan Kreatinin Pada Pasien Hipertensi Dengan Gagal Ginjal Kronik Yang Menjalani Terapi Hemodialisa di RSUD dr Abdul Aziz. *Jurnal Laboratorium Khatulistiwa*, 7(1): 70–77.
- Nurliyani, Sadewa, A. H., & Sunarti. 2015. Kefir properties prepared with goat milk and black rice (*Oryza sativa* L.) Extract and its influence on the improvement of pancreatic  $\beta$ -cells in diabetic rats. *Emirates Journal of Food and Agriculture*, 27(10): 727–735. <https://doi.org/10.9755/ejfa.2015-04-138>.
- Ostadrahimi, A., Taghizadeh, A., Mobasser, M., Farrin, N., Payahoo, L., Beyramalipoor Gheshlaghi, Z., & Vahedjabbari, M. 2015. Effect of probiotic fermented milk (kefir) on glycemic control and lipid profile in type 2 diabetic patients: a randomized double-blind placebo-controlled clinical trial. *Iranian journal of public health*. 44(2): 228–237.
- Octavia, Z. F., & Widyastuti, N. 2014. PENGARUH PEMBERIAN JUS DAUN UBI JALAR (*Ipomoea batatas* (L.) Lam) TERHADAP KADAR TRIGLISERIDA TIKUS WISTAR JANTAN (*Rattus norvegicus*) YANG DIBERI PAKAN TINGGI LEMAK. *Journal of Nutrition College*, 3(4): 838–847. <https://doi.org/10.14710/jnc.v3i4.6889>
- Ojo, O. A., Ibrahim, H. S., Rotimi, D. E., Ogunlakin, A. D., & Ojo, A. B. 2023. Diabetes mellitus: From molecular mechanism to pathophysiology and pharmacology. *Medicine in Novel Technology and Devices*, 19(June), 100247. <https://doi.org/10.1016/j.medntd.2023.100247>
- Pan, D., Xu, L., & Guo, M. 2022. The role of protein kinase C in diabetic microvascular complications. *Frontiers in Endocrinology*, August, 1–14. <https://doi.org/10.3389/fendo.2022.973058>
- Patel, S. S., Molnar, M. Z., Tayek, J. A., Ix, J. H., Noori, N., Benner, D., Heymsfield, S., Kopple, J. D., Kovesdy, C. P., & Kalantar-Zadeh, K. 2013. Serum creatinine as a marker of muscle mass in chronic kidney disease: Results of a cross-sectional study and review of literature. *Journal of Cachexia, Sarcopenia and Muscle*, 4(1): 19–29. <https://doi.org/10.1007/s13539-012-0079-1>
- PERKENI. 2021. Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021. *Global Initiative for Asthma*, 46. [www.ginasthma.org](http://www.ginasthma.org).
- PERNEFRI. 2023. Konsensus Gangguan Ginjal Akut. *Perhimpunan Nefrologi Indonesia*, 118. <http://www.nber.org/papers/w16019>
- Punaro, G. R., Maciel, F. R., Rodrigues, A. M., Rogero, M. M., Bogsan, C. S. B., Oliveira, M. N., Ihara, S. S. M., Araujo, S. R. R., Sanches, T. R. C., Andrade, L. C., & Higa, E. M. S. 2014. Kefir administration reduced progression of renal injury in STZ-diabetic rats by lowering oxidative stress. *Nitric Oxide - Biology and Chemistry*, 37(1), 53–60. <https://doi.org/10.1016/j.niox.2013.12.012>
- Putri, A. A., Junando, M., Oktafany, & Sukohar, A. 2024. Sains Medisina. *Sains*

- Medisina*, 2(5): 142–147.
- Rias, Y. A., & Sutikno, E. 2017. Hubungan Antara Berat Badan Dengan Kadar Gula Darah Acak Pada Tikus. *Jurnal Wiyata*, 4(1) : 72–77.
- Rukmi, D. L., Fitri, Z. E., & Sahenda, L. N. 2023. Characteristics of kefir based on goat's milk with different starter combinations. *IOP Conference Series: Earth and Environmental Science*, 1168(1). <https://doi.org/10.1088/1755-1315/1168/1/012031>
- Sarwono, A. E., & Handayani, A. 2021. Metode Kuantitatif. In *Metode Kuantitatif* (Issue 1940310019). Unisri Press.
- Schwartz, S. S., Epstein, S., Corkey, B. E., Grant, S. F. A., Gavin, J. R., & Aguilar, R. B. 2016. The time is right for a new classification system for diabetes: Rationale and implications of the  $\beta$ -cell-centric classification schema. *Diabetes Care*, 39(2): 179–186. <https://doi.org/10.2337/dc15-1585>
- Sevda, G., Kashfi, K., Ghasemi, A. 2017. A practical guide for induction of type-2 diabetes in rat: Incorporating a high-fat diet and streptozotocin. *Biomedicine & Pharmacotherapy*. 95: 605-613.
- Shabankhani, B., Kazemnezhad, A., & Zaeri, F. 2015. Investigating the effective factors in creatinine changes among hemodialysis patients using the linear random effects model. *Journal of Medicine and Life*, 8(Spec Iss 2), 83–87.
- Sihombing, M., & Tuminah, S. 2011. Perubahan nilai hematologi, biokimia darah, bobot organ dan bobot badan tikus putih pada umur berbeda. *Jurnal Veteriner*, 12(1) : 58–64.
- Silveiro, S. P., & Zelmanovitz, T. 2018. Does twenty-four-hour biological variation of serum creatinine and cystatin C influence GFR estimation? *Journal of Laboratory and Precision Medicine*, 3(8), 65–65. <https://doi.org/10.21037/jlpm.2018.07.08>
- Simarmata, P. C., & Telova, Y. 2023. Health Education Counseling on Lifestyle In Patients With Diabetes Mellitus. *Jurnal Pengmas Kestra (Jpk)*, 3(1) : 69–72. <https://doi.org/10.35451/jpk.v3i1.1757>
- Sri, O., & Ginting, A. W. 2024. Organoleptik Kefir Susu Kambing Dengan Waktu Lama Fermentasi. *JCI Jurnal Cakrawala Ilmiah*, 3(9):2441–2446. <http://bajangjournal.com/index.php/JCI>
- Suresh, P., Satish, P., Ashvin, K., Samir, P., Bhavesh, S., Nikita, J., Tushar, P., Harshida, T., Patel, J., Joharapurkar, A., & Jain, M. 2024. Age-related changes in hematological and biochemical in Wistar Rats. *Laboratory Animal Research*, 40(7): 1–12.
- Tandjungbulu, H. F., Nuradi, Mawar, Yusril, M., Virgiawan, A. resya, & Hasan, Z. A. 2022. KARAKTERISTIK HASIL PEMERIKSAAN KREATININ SERUM PADA PENDERITA DIABETES MELITUS DITINJAU DARI HASIL PEMERIKSAAN HbA1c. *Jurnal Media Analis Kesehatan*, 13(2): 148–164.
- Tania, M., & Parhusip, A. J. N. 2022. Studi Literatur Perbandingan Mutu Mikrobiologis dan Fisikokimia Minuman Fermentasi Kefir dari Beberapa Jenis Susu. *Teknologi Pangan Dan Kesehatan*, 4(1): 25–36.
- Tomar, O., Akarca, G., Çağlar, A., Beykaya, M., & Gök, V. 2020. The effects of kefir grain and starter culture on kefir produced from cow and buffalo milk during storage periods. *Food Science and Technology (Brazil)*, 40(1): 238–244. <https://doi.org/10.1590/fst.39418>

- Triana, A. N., Setyawardani, T., & Sumarmono, J. 2022. Pengaruh Jenis Susu pada pH, Total Asam dan Warna Kefir Tradisional. *Journal of Animal Science and Technology*, 4(1): 15–25.
- Verdiansah. 2016. Pemeriksaan Fungsi Ginjal. *Cermin Dunia Kedokteran*, 43(2), 148–154.
- Wang, H. J., Jin, Y. X., Shen, W., Neng, J., Wu, T., Li, Y. J., & Fu, Z. W. 2007. Low dose streptozotocin (STZ) combined with high energy intake can effectively induce type 2 diabetes through altering the related gene expression. *Asia Pacific Journal of Clinical Nutrition*, 16(SUPPL.1) : 412–417
- WHO. 2024. Diabetes. Diakses di <https://www.who.int/news-room/fact-sheets/detail/diabetes>
- Wiyanto, T. A., & Suprijono, M. M. 2024. Karakteristik kefir susu hewani. *Zigma*, 39(1): 49–60.
- Yagoub, R. Y. 2025. Welch ' s Analysis of Variance as Applied to Compare Drug Intoxication Infection across Saudi Health Regions (2019 – 2023). *Journal of Chemical Health Risks*, 15(4): 2111–2114.
- Zheng, W. H., Zhu, Y. B., Yao, Y., & Huang, H. Bin. 2023. Serum creatinine/cystatin C ratio as a muscle mass evaluating tool and prognostic indicator for hospitalized patients: A meta-analysis. *Frontiers in Medicine*, 9(January): 1–13. <https://doi.org/10.3389/fmed.2022.1058464>

