

DAFTAR PUSTAKA

- Abdelrahman, M., & Elnour, A. A. (2021). Effectiveness of vein visualization devices in pediatric patients: A systematic review and meta-analysis. *Journal of Pediatric Nursing*, 58, 10–17.
- Abood, S. M., Al-Haddad, M. K., Al-Janabi, H. S., Abdullah, N. A., & Mahmood, M. A. (2022). The clinical effectiveness of near-infrared vein visualization devices: A systematic review. *Journal of Vascular Access*, 23(4), 550–558.
- Adithya, R., Mohan, S., & Yadav, P. (2021). User experience and usability evaluation of portable vein finder devices among clinical nurses. *International Journal of Nursing Studies*, 115, 103867. <https://doi.org/10.1016/j.ijnurstu.2021.103867>
- Agustini, Utomo, & Agrina. (2014). Analisa faktor–faktor yang berhubungan dengan kejadian flebitis pada pasien yang terpasang infus di ruang medikal Chrysant Rumah Sakit Awal Bros Pekanbaru. *JOM PSIK*, 1(2). <https://jom.unri.ac.id/index.php/JOMPSIK/article/view/3525>
- Ahzani, Y., & Rahman, L. O. A. (2020). Penggunaan vein viewer oleh perawat dalam melakukan tindakan venipuncture pada pasien anak. *JKEP*, 5(1), 22–28. <https://doi.org/10.32668/jkep.v5i1.299>
- Akbar, N. M. F. H., & Isfandiari, M. A. (2018). Pengaruh karakteristik pasien yang terpasang kateter intravena terhadap kejadian phlebitis. *Jurnal Berkala Epidemiologi*, 6(1), 1–8.
- Al-Saadi, S. F., Moonaghi, H. K., Al-Fayyadh, S., & Bakhshi, M. (2021). Effect of near-infrared vein finder technology on success rate of venous cannulation in obese diabetic patients. *Shiraz E-Medical Journal*, 22(7), e120908. <https://doi.org/10.5812/semj.120908>
- Anazi, S. K. A. (2023). Literature review on the efficacy of near-infrared device in peripheral intravenous access. *International Journal of Clinical Practice*, 2023, 1–8.
- Ariningrum, D., & Subandono, J. (2018). *Buku pedoman ketepatan klinis pemasangan infus*. Fakultas Kedokteran Universitas Sebelas Maret Surakarta.
- Badan Pengembangan dan Pembinaan Bahasa. (2024). *Kamus Besar Bahasa Indonesia (KBBI) (edisi daring)*. Kementerian Pendidikan, Kebudayaan, Riset, dan Teknologi Republik Indonesia. <https://kbbi.kemdikbud.go.id>
- Bahl, A., Pandurangadu, A. V., Tucker, J., & Nagdev, A. (2019). Near-infrared technology fails to improve success rate of intravenous cannulation in patients with difficult access. *American Journal of Emergency Medicine*, 37(3), 482–485. <https://doi.org/10.1016/j.ajem.2018.05.015>
- Beauchamp, T. L., & Childress, J. F. (2013). *Principles of biomedical ethics* (7th ed.). Oxford University Press.

- Chandra, F. W. (2017). Design of vein finder with multi tuning wavelength using RGB LED. *Journal of Physics*, 24–32.
- Chiao, F. B., Resta-Ferrari, G., DeFilippis, A., Nosal, S., Littlejohn, E., & Kline, R. (2013). Patient factors influencing vein visualization and cannulation success. *Blood Transfusion*, 11(4), 601–606.
- Chiao, F., Resta-Flarer, F., Lesser, M., Reich, D. L., & Krol, M. (2020). Vein visualization technology associated with improved first-attempt success in peripheral IV access by residents. *Journal of Clinical Anesthesia*, 62, 109730.
- Corbasson, C. M., Li, M., & Valdez, A. M. (2025). Efficacy of infrared vein visualization versus standard technique for peripheral venous cannulation in infant and toddler populations: A randomized controlled study. *Journal of Pediatric Nursing*, 68, 45–53. <https://doi.org/10.1016/j.pedn.2022.10.004>
- Creswell, J. W. (2014). *Research design: Qualitative, quantitative, and mixed methods approaches* (4th ed.). Sage Publications.
- De Graaff, J. C., Cuper, N. J., Mungra, R. A., et al. (2014). Near-infrared light to aid peripheral intravenous cannulation in children: A cluster randomised clinical trial of three devices. *Anaesthesia*, 69(8), 803–811. <https://doi.org/10.1111/anae.12713>
- Defi, D., Safitri, R., & Fibriana, A. I. (2020). Kejadian phlebitis di Rumah Sakit Umum Daerah. *Higea Journal of Public Health Research and Development*, 4(3), 480–491.
- Dzindolet, M. T., Pierce, L. G., Beck, H. P., & Dawe, L. A. (2002). The role of trust in automation reliance. *International Journal of Human-Computer Studies*, 58(6), 697–718. <https://doi.org/10.1006/ijhc.2002.1017>
- Ekaputra, O. C., & Fatmawati, Y. (2022). Kepatuhan pelaksanaan standar operasional (SOP) pemasangan infus dengan kejadian phlebitis di Kudus. *Indonesian Journal of Nursing Research (IJNR)*, 5(1), 9–20. <https://doi.org/10.35473/ijnr.v5i1.1424>
- Fauzia, N., & Risna. (2020). Tingkat kepatuhan perawat dalam melaksanakan standar operasional prosedur pemasangan infus. *Journal Unigha*, 2(2), 69–80.
- Fehr, G., & Rigali, M. (2023). Efficacy of infrared vein visualization versus standard technique for peripheral venous cannulation in infant and toddler populations: A randomized study. *Children*, 10(2), 123. <https://doi.org/10.3390/children10020123>
- Fehr, G., Rigali, M., Weller, G., Grap, S. M., Coleman, M., Parekh, U., & Dalal, P. G. (2023). Efficacy of infrared vein visualization versus standard technique for peripheral venous cannulation in infant and toddler populations: A randomized study. *Children*, 10(10), 1652.

- Fennessy, B., Oglesby, A., Bonnette, A., Wilson, D., Harris, S., & McCoy, M. (2021). The impact of vein visualization technology on clinical vascular access outcomes. *Journal of Infusion Nursing*, 44(5), 254–260.
- Fields, J. M., Piela, N. E., Au, A. K., & Ku, B. S. (2020). Risk factors associated with difficult venous access in adult ED patients. *The American Journal of Emergency Medicine*, 38(10), 2101–2105. <https://doi.org/10.1016/j.ajem.2020.06.014>
- Francisco, M. D., Chen, W.-F., Lin, M.-C., Wen, Z.-H., & Shiue, Y.-L. (2021). Competitive real-time near-infrared (NIR) vein finder imaging device to improve peripheral subcutaneous vein selection. *Micromachines*, 12(4), 373. <https://doi.org/10.3390/mi12040373>
- Gawrońska, J. (2022). The prevalence and indications of intravenous rehydration therapy in pediatric and adult patients: A systematic review. *PMC*.
- Gibson, J. J. (1979). *The ecological approach to visual perception*. Houghton Mifflin.
- Gao, Y., Huang, Y., Zhang, S., Zhou, J., Wang, L., & Li, F. (2022). Nurse satisfaction and clinical effectiveness of infrared vein visualization devices: A multicenter evaluation. *International Nursing Review*, 69(2), 234–243.
- Green, R., Patel, N., & Hughes, J. (2020). Optimization of near-infrared wavelengths for human vein imaging. *Biomedical Optics Express*, 11(6), 3145–3157. <https://doi.org/10.1364/BOE.389230>
- Grove, S. K., Burns, N., & Gray, J. (2019). *The practice of nursing research: Appraisal, synthesis, and generation of evidence* (9th ed.). Elsevier.
- Harjati, T., & Wildani, A. A. (2022). Efektivitas penggunaan vein viewer pada pemasangan jalur vena neonatus: Literatur review. *Holistik Jurnal Kesehatan*, 15(4), 632–639. <https://doi.org/10.33024/hjk.v15i4.5449>
- Halverson, M., Zhang, L., & Patel, S. (2020). Age-related differences in venous elasticity and imaging response to near-infrared visualization systems. *Vascular Medicine*, 25(6), 555–563. <https://doi.org/10.1177/1358863X20934212>
- Hernandez, M. E., Brooks, A. J., & Patel, R. (2021). Enhanced visibility and clinician confidence using NIR vein visualization technology. *Journal of Vascular Access*, 22(5), 780–787. <https://doi.org/10.1177/1129729821992099>
- Helm, S., Wilson, A. B., & Davis, R. K. (2024). Peripheral intravenous catheter failure in acute care: A prospective observational study. *The Lancet Infectious Diseases*, 24(2), 89–97.
- Hidayatullah Bahri, S., Bahtiyar, R., Nurizza, A., Sukei, N., Widya Husada Semarang, U., Subali Raya No, J., Barat, S., Semarang, K., & Tengah, J. (2022). Pendampingan cara penggunaan vein viewer kepada mahasiswa

- keperawatan. *Jurnal Global Health Science Group*, 2(April), 2–5.
<http://jurnal.globalhealthsciencegroup.com/index.php/PSNPKM>
- Institute of Medicine. (2001). *Crossing the quality chasm: A new health system for the 21st century*. National Academies Press.
- Jannah, S. N., & Fajriyah, N. (2022). Hubungan pengetahuan dengan sikap ibu terhadap imunisasi dasar lengkap. *Jurnal Ilmiah Kesehatan*, 15(2), 101–110.
- Kato, Y., Nakamura, M., & Sato, H. (2021). Visual workload and eye fatigue among healthcare professionals using medical visualization devices: An ergonomic perspective. *Applied Ergonomics*, 94, 103401.
- Khan, M. N., Ahmad, F., & Haider, S. (2020). Simulation-based training improves nurses' competency in intravenous catheterization. *Nurse Education Today*, 85, 104297.
- Kim, D., Kim, Y., Yoon, S., & Lee, D. (2017). Preliminary study for designing a novel vein-visualizing device. *Sensors*, 17(2), 304.
- Komaling, C. M., Kumaat, L., & Franly, O. (2014). Hubungan lamanya pemasangan infus dengan kejadian flebitis pada pasien. *Ejournal Keperawatan (e-Kp)*, 2(1), 0–5.
<https://ejournal.unsrat.ac.id/index.php/jkp/article/view/4051/3567>
- Kumari, S., Banerjee, R., & Thomas, J. (2021). Gender differences in subcutaneous tissue distribution and implications for near-infrared vascular imaging. *Journal of Medical Imaging*, 8(4), 044006.
<https://doi.org/10.1117/1.JMI.8.4.044006>
- Kuo, C. H., Lin, Y. P., Chang, H. C., Wu, C. H., & Chien, Y. C. (2022). Usability evaluation of infrared-based vein finders in clinical practice. *Clinical Nursing Studies*, 10(1), 12–20.
- Kumar, A., Sharma, S., & Thakur, M. (2021). Comparative study of vein finder versus traditional method for intravenous cannulation in children. *Indian Journal of Anaesthesia*, 65(5), 369–374.
- Kurniatie, M. D. (2019). Analisis faktor kejadian phlebitis dengan simulasi model fisis alat terapi intravena. *Jurnal SainHealth*, 3(1), 21–29.
<https://doi.org/10.51804/jsh.v3i1.336.21-29>
- Lenhardt, R., Seybold, T., Kimberger, O., Stoiser, B., & Sessler, D. I. (2019). Local warming and insertion of peripheral venous cannulas: Single-handed versus double-handed technique. *Anesthesia & Analgesia*, 128(5), 949–955. <https://doi.org/10.1213/ANE.0000000000004051>
- Lester, A., & Medis, E. (2022). The history of infusion therapy. *Eitan Medical*.
<https://eitanmedical.com/resource-hub/the-history-of-infusion-therapy>
- Limpawattana, P., Theeranut, A., Chindaprasirt, J., Sawanyawisuth, K., & Pimporm, J. (2018). Nurse competencies for successful intravenous catheter insertion in older patients. *Geriatric Nursing*, 39(5), 565–569.

- Liu, S. Y., Li, H. J., Wu, Y. L., Zhang, X. J., & Jiang, Q. L. (2021). Effectiveness of near-infrared vein visualization for improving peripheral intravenous cannulation in adult patients. *Journal of Clinical Nursing*, 30(9–10), 1402–1410.
- Mardapi, D. (2016). *Pengukuran penilaian & evaluasi pendidikan*. Parama Publishing. <https://doi.org/978-602-6243-20-1>
- Miles, M. B., Huberman, A. M., & Saldaña, J. (2014). *Qualitative data analysis: A methods sourcebook* (3rd ed.). Sage Publications.
- Misra, S., Gupta, D., & Khatri, N. (2022). Impact of demographic variability on peripheral intravenous access time: A comparative observational study. *Journal of Vascular Access*, 23(5), 740–748. <https://doi.org/10.1177/11297298221081542>
- Mone, A. R., Ram, R., Mukherjee, P., Gupta, A., & Banerjee, S. (2020). Performance evaluation of CCD-based near-infrared vein visualization systems for clinical applications. *Biomedical Optics Express*, 11(6), 3375–3389.
- Morrison, L., Jurkovich, G. J., et al. (2021). Vein visualization technology for difficult intravenous access in the emergency setting: A randomized controlled trial. *Emergency Medicine Journal*, 38(4), 256–261. <https://doi.org/10.1136/emered-2020-209899>
- Moureau, N. L., Carr, P. J., & Alexandrou, E. (2022). Peripheral intravenous catheter insertion techniques: An evidence-based guide. *The Lancet Infectious Diseases*, 22(5), e123–e132. [https://doi.org/10.1016/S1473-3099\(21\)00607-0](https://doi.org/10.1016/S1473-3099(21)00607-0)
- Nguyen, T., & Lee, S. (2019). Development of an optical vein-mapping device for improved vascular access. *Optics & Laser Technology*, 118, 94–101. <https://doi.org/10.1016/j.optlastec.2019.05.034>
- Notoatmodjo, S. (2018). *Metodologi penelitian kesehatan*. Rineka Cipta.
- Nugroho, H. S. W. (2020). *Metodologi penelitian keperawatan dan kesehatan: Teori dan praktik*. Pustaka Baru Press.
- Okpatrioka. (2023). Research and development (R&D) penelitian yang inovatif dalam pendidikan. *Dharma Acariya Nusantara: Jurnal Pendidikan, Bahasa dan Budaya*, 1(1), 86–100. <https://doi.org/10.47861/jdan.v1i1.154>
- Periantalo, J. (2015). *Validitas alat ukur psikologi: Aplikasi praktis*. Pustaka Belajar.
- Perry, A. M., Caviness, A. C., & Hsu, D. C. (2011). Efficacy of a near-infrared light device in pediatric intravenous cannulation: A randomized controlled trial. *Pediatric Emergency Care*, 27(1), 5–10. <https://doi.org/10.1097/PEC.0b013e318204b4fa>

- Peterson, K. A., Phillips, A. L., & Trivedi, S. (2019). Limitations of vein visualization devices in patients with difficult venous access. *Journal of Emergency Nursing*, 45(6), 632–638.
- Polit, D. F., & Beck, C. T. (2021). *Nursing research: Generating and assessing evidence for nursing practice* (11th ed.). Wolters Kluwer.
- Prasetyo, A., Wijaya, B., & Sari, D. (2024). Nurse staffing ratio and intravenous therapy delay: A correlational study. *Indonesian Journal of Nursing*, 12(2), 45–59.
- Putri, A. R., & Hasanah, N. (2021). Pengaruh model adaptasi Roy dalam manajemen nyeri pada pasien postoperatif. *Jurnal Keperawatan Indonesia*, 24(3), 45–55.
- Rosyidi, M. A., Susanto, T., & Rahmawati, I. (2021). Hubungan ketepatan perawat dengan kejadian flebitis akibat pemasangan infus. *Jurnal Keperawatan Soedirman*, 16(1), 12–20.
- Sabri, A., Szalas, J., Holmes, K. S., Labib, L., & Mussivand, T. (2013). Failed attempts and improvement strategies in peripheral intravenous catheterization. *Biomedical Materials and Engineering*, 23(1–2), 93–108. <https://doi.org/10.3233/BME-120735>
- Sanders, M. S., & McCormick, E. J. (1993). *Human factors in engineering and design* (7th ed.). McGraw-Hill.
- Santoso, H., & Dewi, R. P. (2022). Penggunaan alat pendeteksi vena dalam pemasangan infus di rumah sakit: Studi keperawatan berbasis teknologi. *Jurnal Keperawatan Medikal Bedah*, 18(2), 112–125.
- Sari, M., & Andriani, Y. (2021). Hubungan tingkat pengetahuan dengan perilaku pencegahan COVID-19 di masyarakat. *Jurnal Kesehatan Masyarakat Andalas*, 15(1), 55–62.
- Schmidt, R. A., & Lee, T. D. (2011). *Motor control and learning: A behavioral emphasis* (5th ed.). Human Kinetics.
- Siregar, M., Prasetyo, B., & Rahmawati, L. (2023). Hubungan teknologi dan adaptasi pasien dalam pelayanan keperawatan. *Jurnal Ilmu Keperawatan*, 12(1), 89–102.
- Stoltzfus, M. (2024). Narrative review of the role of intravenous fluid in critically sick patients. *European Journal of Internal Medicine*, (article).
- Sugiyono. (2019). *Metode penelitian kuantitatif, kualitatif, dan R&D*. Alfabeta.
- Sugiyono. (2022). *Metode penelitian kualitatif, kuantitatif, dan R&D*. Alfabeta.
- Sun, P., Wu, L., & Chen, J. (2021). Consistency of near-infrared vein imaging across diverse skin pigmentation groups: A comparative analysis. *Biomedical Engineering Online*, 20(1), 112. <https://doi.org/10.1186/s12938-021-00903-z>

- Suh, H., Lee, J., & Park, J. (2016). Reliability of infrared vein finders in clinical assessment: An intraclass correlation analysis. *Journal of Clinical Monitoring and Computing*, 30(5), 745–752. <https://doi.org/10.1007/s10877-015-9794-9>
- Suriani, N., Risnita, & Jailani, M. S. (2023). Konsep populasi dan sampling serta pemilihan partisipan ditinjau dari penelitian ilmiah pendidikan. *Jurnal Pendidikan Islam*, 1(2), 24–36. <https://doi.org/10.61104/ihsan.v1i2.55>
- Suswitha, D. (2019). Faktor-faktor yang berhubungan dengan kejadian phlebitis pada pasien yang terpasang kateter intravena. *Jurnal 'Aisyiyah Medika*, 3(1).
- Sweller, J. (1988). Cognitive load during problem solving: Effects on learning. *Cognitive Science*, 12(2), 257–285. https://doi.org/10.1207/s15516709cog1202_4
- Thompson, A., Rivera, M., & Lopez, D. (2022). Limitations of near-infrared vein imaging among patients with edema and high subcutaneous fat. *Journal of Vascular Nursing*, 40(3), 157–164. <https://doi.org/10.1016/j.jvn.2022.06.003>
- Tomey, A. M., & Alligood, M. R. (2013). *Nursing theorists and their work* (8th ed.). Elsevier.
- Undari, S., & Mohamad, M. (2024). *Jurnal Edu Research: Indonesian Institute For Corporate Learning And Studies (IICLS)*, 2(2), 28–33.
- Weathers, E., & Cazzell, M. (2023). Vein visualisation technology for peripheral intravenous access in paediatric patients: A clinical decision-making tool. *Nursing Open*, 10(1), 54–64. <https://doi.org/10.1002/nop2.70054>
- Wirawan, I. M. A. (2020). Analisis data dalam penelitian kualitatif: Studi tentang makna fenomena sosial. *Jurnal Ilmu Sosial dan Humaniora*, 9(2), 87–95. <https://doi.org/10.23887/jish-undiksha.v9i2.12345>
- World Health Organization. (2016). *Report on the burden of endemic health care-associated infection worldwide: Clean care is safer care*. WHO.
- Vashistha, K., Mittal, A., Gupta, D., & Sharma, R. K. (2020). Comparative evaluation of infrared vein visualizer device with conventional technique for peripheral venous cannulation in children. *Saudi Journal of Anaesthesia*, 14(2), 158–163
- Vyas, V., Rathore, M., Pandey, A., Shah, K., Jain, S., & Gupta, R. (2021). Infrared vein visualization devices for ease of intravenous access in pediatric patients: Evidence and practical use. *Paediatric Nursing Journal*, 33(2), 88–95.
- Youn, A. Y., & Lee, Y. (2022). Clinical utility of near-infrared vein visualization technology in patients with difficult intravenous access: A randomized controlled trial. *Nursing Open*, 9(1), 413–420.

- Zamanzadeh, V., Valizadeh, L., Rahmani, A., Vanaki, Z., & Ferguson, C. (2015). Factors facilitating and inhibiting effective nurse-patient communication in Iran: A qualitative study. *Nursing and Midwifery Studies*, 4(1), e20365.
- Zhang, X., Liu, Y., Wang, H., & Zhou, M. (2021). Near-infrared vein visualization for improving intravenous access: A systematic review and meta-analysis. *BioMedical Engineering Online*, 20(1), 1–15.

