

DAFTAR PUSTAKA

- Abdelhady, A. *et al.* (2021) 'Clinical Pain Assessment Scoring Systems and Practice Essentials in Acute and Chronic Pain', *Journal of Healthcare and Sciences*, 01(03), pp. 50–56. Available at: <https://doi.org/10.52533/johs.2021.1107>.
- Abdelmaboud, M. (2019) 'Effect of midazolam, propofol, and dexmedetomidine on postoperative cognitive dysfunction after cardiac surgery in the elderly', *Al-Azhar Assiut Medical Journal*, 17(4), pp. 361–366. Available at: https://doi.org/10.4103/AZMJ.AZMJ_87_19.
- Agustantia, R. (2016) 'Profil Analgetik Pascaoperasi pada Pasien Pediatri yang Menjalani operasi Elektif di RSUD dr. Soetomo', *Universitas Airlangga* [Preprint].
- Anand, S. and Lotfollahzadeh, S. (2023) 'Hypospadias Urogenital Reconstruction', *StatPearls* [Preprint]. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK564407/> (Accessed: 27 February 2025).
- Buck, M.L. (2010) 'Dexmedetomidine Use in Pediatric Intensive Care and Procedural Sedation', *The Journal of Pediatric Pharmacology and Therapeutics : JPPT*, 15(1), p. 17. Available at: <https://doi.org/10.5863/1551-6776-15.1.17>.
- Chen JS, Kandle PF, Murray IV, et al. Physiology, Pain. [Updated 2023 Jul 24]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2025 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK539789/>
- Donaire, A.E. and Mendez, M.D. (2023) 'Hypospadias', *Essential Paediatric Surgery: A Practical Guide*, pp. 417–440. Available at: <https://doi.org/10.1201/9781003182290-76>.
- Gai N, Naser B, Hanley J, Peliowski A, Hayes J, Aoyama K. A practical guide to acute pain management in children. *J Anesth.* 2020;34(3):421-433. doi:10.1007/s00540-020-02767-x

- Glare, P., Aubrey, K.R. and Myles, P.S. (2019) 'Transition from acute to chronic pain after surgery', *The Lancet*, 393(10180), pp. 1537–1546. Available at: [https://doi.org/10.1016/S0140-6736\(19\)30352-6](https://doi.org/10.1016/S0140-6736(19)30352-6).
- Horvath, R. *et al.* (2015) 'Efficacy and Safety of Postoperative Dexmedetomidine Administration in Infants and Children Undergoing Cardiac Surgery: A Retrospective Cohort Study', *Journal of pediatric intensive care*, 4(3), pp. 138–145. Available at: <https://doi.org/10.1055/S-0035-1559820>.
- Hung, T-Y., Lin, Y-C., Wang, Y-L. & Lin, M-C., 2023. Efficacy and safety of intravenous dexmedetomidine as an adjuvant to general anesthesia in gynecological surgeries: A systematic review and meta-analysis of randomized controlled trials. *Taiwanese Journal of Obstetrics and Gynecology*, 62(2), pp.239–251. <https://doi.org/10.1016/j.tjog.2022.11.010>
- Khosravi, F. *et al.* (2019) 'A Comparison Between the Effects of Preloading with Ringer's Solution and Voluven on Hemodynamic Changes in Patients Undergoing Elective Cesarean Section Under Spinal Anesthesia.', *Medical archives (Sarajevo, Bosnia and Herzegovina)*, 73(1), pp. 44–48. Available at: <https://doi.org/10.5455/medarh.2019.73.44-48>.
- Luo, J. and Min, S. (2017) 'Postoperative pain management in the postanesthesia care unit: an update', *Journal of Pain Research*, Volume 10, pp. 2687–2698. Available at: <https://doi.org/10.2147/JPR.S142889>.
- Mahendru, V. *et al.* (2013) 'A comparison of intrathecal dexmedetomidine, clonidine, and fentanyl as adjuvants to hyperbaric bupivacaine for lower limb surgery: A double blind controlled study.', *Journal of anaesthesiology, clinical pharmacology*, 29(4), pp. 496–502. Available at: <https://doi.org/10.4103/0970-9185.119151>.
- Mantecón-Fernández, L. *et al.* (2023) 'Dexmedetomidine: An Alternative to Pain Treatment in Neonatology', *Children*, 10(3), p. 454. Available at: <https://doi.org/10.3390/CHILDREN10030454>.
- Marhofer, D. *et al.* (2013) 'Dexmedetomidine as an adjuvant to ropivacaine prolongs peripheral nerve block: a volunteer study.', *British journal of*

- anaesthesia*, 110(3), pp. 438–442. Available at: <https://doi.org/10.1093/bja/aes400>.
- Meissner, W. *et al.* (2018) ‘Management of acute pain in the postoperative setting: the importance of quality indicators’, *Current Medical Research and Opinion*, 34(1), pp. 187–196. Available at: <https://doi.org/10.1080/03007995.2017.1391081>.
- Moore, A.D. and Anghelescu, D.L. (2017) ‘Emergence Delirium in Pediatric Anesthesia’, *Pediatric Drugs*, 19(1), pp. 11–20. Available at: <https://doi.org/10.1007/S40272-016-0201-5>.
- Parikh, SS, Chiu, E, Taborda, R. (2020) ‘Pain and Placebo Physiology’, *AAPMR*, pp. 1–5.
- Rahimzadeh, P. *et al.* (2018) ‘Comparative addition of dexmedetomidine and fentanyl to intrathecal bupivacaine in orthopedic procedure in lower limbs.’, *BMC anesthesiology*, 18(1), p. 62. Available at: <https://doi.org/10.1186/s12871-018-0531-7>.
- Raja SN, *et al.* (2020). The revised International Association for the Study of Pain definition of pain: concepts, challenges, and compromises. *Pain*. 161(9):1976–1982. Available at: <http://doi:10.1097/j.pain.0000000000001939>. PMID: 32694387; PMCID: PMC7680716.
- Peng T, Qu S, Du Z, Chen Z, Xiao T, Chen R. A Systematic Review of the Measurement Properties of Face, Legs, Activity, Cry and Consolability Scale for Pediatric Pain Assessment. *J Pain Res*. 2023;16:1185-1196. Published 2023 Apr 8. doi:10.2147/JPR.S397064
- Sayed, J.A. *et al.* (2024) ‘Intravenous ketorolac versus intravenous dexmedetomidine for postoperative analgesia after hypospadias repair’, *Egyptian Journal of Anaesthesia*, 40(1), pp. 358–364. Available at: <https://doi.org/10.1080/11101849.2024.2357441>.
- Shehabi, Y. *et al.* (2010) ‘Delirium duration and mortality in lightly sedated, mechanically ventilated intensive care patients.’, *Critical care medicine*, 38(12), pp. 2311–2318. Available at: <https://doi.org/10.1097/CCM.0b013e3181f85759>.

- Sun, Y., Xu, Y. and Wang, G.-N. (2015) 'Comparative Evaluation of Intrathecal Bupivacaine Alone, Bupivacaine-fentanyl, and Bupivacaine-dexmedetomidine in Caesarean Section.', *Drug research*, 65(9), pp. 468–472. Available at: <https://doi.org/10.1055/s-0034-1387740>.
- Kundra TS, Kuthiala G, Shrivastava A, Kaur P. A comparative study on the efficacy of dexmedetomidine and tramadol on post-spinal anesthesia shivering. *Saudi J Anaesth*. 2017;11(1):2-8. doi:10.4103/1658-354X.197344
- Takeuchi, M. *et al.* (2021) 'Age-Specific Dose Regimens of Dexmedetomidine for Pediatric Patients in Intensive Care Following Elective Surgery: A Phase 3, Multicenter, Open-Label Clinical Trial in Japan', *Pediatric Critical Care Medicine*, 22(11), pp. E546–E557. Available at: <https://doi.org/10.1097/PCC.0000000000002730>.
- Umar, N. and Silalahi, D. (no date) 'Dexmedetomidine sebagai Terapi Ajuvan untuk Operasi Tumor Fossa Posterior pada Bayi'.
- Vittinghoff, M. *et al.* (2018) 'Postoperative pain management in children: Guidance from the pain committee of the European Society for Paediatric Anaesthesiology (ESPA Pain Management Ladder Initiative)', *Paediatric Anaesthesia*, 28(6), pp. 493–506. Available at: <https://doi.org/10.1111/pan.13373>.
- Wu, C.L. and Raja, S.N. (2011) 'Treatment of acute postoperative pain', *The Lancet*, 377(9784), pp. 2215–2225. Available at: [https://doi.org/10.1016/S0140-6736\(11\)60245-6](https://doi.org/10.1016/S0140-6736(11)60245-6).
- Yahya, C.Q., Andriyanto, L. and Priyadi, Y.A. (2024) 'Dexmedetomidine as a total intravenous anesthetic in pediatric patients undergoing cleft lip and palate surgery: a case series', *Journal of Medical Case Reports*, 18(1), p. 342. Available at: <https://doi.org/10.1186/S13256-024-04645-6>.
- Yang, J. *et al.* (2020) 'The Modified WHO Analgesic Ladder: Is It Appropriate for Chronic Non-Cancer Pain?', *Journal of pain research*, 13, pp. 411–417. Available at: <https://doi.org/10.2147/JPR.S244173>.
- Yang, X. *et al.* (2020). "Effects of Dexmedetomidine on Emergence Agitation and Recovery Quality Among Children Undergoing Surgery Under General

Anesthesia: A Meta-Analysis of Randomized Controlled Trials”, *Frontiers in Pediatrics*,8,p.580226.Availableat:
<https://doi.org/10.3389/FPED.2020.580226/FULL>.

