

## DAFTAR PUSTAKA

- Adamus-Białek, W., Kubiak, A. and Czerwonka, G. (2015), “Analysis of uropathogenic *Escherichia coli* biofilm formation under different growth conditions”, *Acta Biochimica Polonica*, Vol. 62 No. 4, pp. 765–771, doi: 10.18388/abp.2015\_1127.
- Afonina, I. (2018), “Planktonic Interference and Biofilm Alliance between Aggregation Substance and Endocarditis- and Biofilm- Associated Pili in *Enterococcus faecalis*”, *Journal of Bacteriology*, Vol. 200 No. 24, pp. 1–11, doi: <https://doi.org/10.1128/JB.00361-18>.
- Akturk, E., Oliveira, H., Santos, S.B., Costa, S., Kuyumcu, S., Melo, L.D.R. and Azeredo, J. (2019), “Synergistic action of phage and antibiotics: Parameters to enhance the killing efficacy against mono and dual-species biofilms”, *Antibiotics*, Vol. 8 No. 3, doi: 10.3390/antibiotics8030103.
- Al-Ansari, M., Alkubaisi, N., Vijayaragavan, P. and Murugan, K. (2019), “Antimicrobial potential of *Streptomyces* sp. to the Gram positive and Gram negative pathogens”, *Journal of Infection and Public Health*, Vol. 12 No. 6, pp. 861–866, doi: 10.1016/j.jiph.2019.05.016.
- Al-Kafaween, M.A., Khan, R.S., Hilmi, A.B.M. and Ariff, T.M. (2019), “Characterization of biofilm formation by *Escherichia coli*: An in vitro study”, *Journal of Applied Biology and Biotechnology*, Vol. 7 No. 3, pp. 17–19, doi: 10.7324/JABB.2019.70304.
- Alshaiikh, S.A., El-banna, T., Sonbol, F. and Farghali, M.H. (2024), “Correlation between antimicrobial resistance, biofilm formation, and virulence determinants in uropathogenic *Escherichia coli* from Egyptian hospital”, *Annals of Clinical Microbiology and Antimicrobials*, Vol. 23 No. 1, pp. 1–22, doi: 10.1186/s12941-024-00679-2.
- Alteri, C.J. and Mobley, H.L.T. (2015), “Metabolism and fitness of urinary tract pathogens”, *Metabolism and Bacterial Pathogenesis*, No. 3, pp. 215–230, doi: 10.1128/9781555818883.ch10.
- Anne, G. and Waturangi, D.E. (2023), “Supernatant of Actinomycetes isolates with quorum sensing and antibiofilm activity against food spoilage bacteria”, *Biodiversitas*, Vol. 24 No. 9, pp. 5189–5197, doi: 10.13057/biodiv/d240963.
- Ashraf, D., Shaaban, M.I., Hassan, R. and Abd El-Aziz, A.M. (2024), “Characterization of quorum-sensing and virulence factors associated genes among uropathogenic *Enterococcus faecalis*”, *Microbes and Infectious Diseases*, Vol. 5 No. 4, pp. 1391–1402, doi: 10.21608/mid.2024.301640.2048.
- Baso, F.F., Perwitasari, D.A. and Risdiana, I. (2018), “Efektivitas Antibiotik Golongan Sefalosporin Generasi Ke-3 Dibandingkan Fluroquinolon Terhadap Pasien Infeksi Saluran Kemih di RS PKU Muhammadiyah Yogyakarta”, *MPI (Media Pharmaceutica Indonesiana)*, Vol. 2 No. 1, pp. 26–34, doi: 10.24123/mpi.v2i1.1300.
- Behzadi, P., Urbán, E. and Gajdács, M. (2020), “Association between Biofilm-

- Production and Antibiotic Resistance in Uropathogenic *Escherichia coli* (UPEC): An In Vitro Study”, *Diseases*, Vol. 8 No. 2, pp. 1–11, doi: 10.3390/diseases8020017.
- Bhatti, A.A., Haq, S. and Bhat, R.A. (2017), “Actinomycetes benefaction role in soil and plant health”, *Microbial Pathogenesis*, Vol. 111, pp. 458–467, doi: 10.1016/j.micpath.2017.09.036.
- Cahyakirana, T.D., Susilowati, A.R.I. and Pangastuti, A. (2024), “Effectiveness of antibiofilm *Aspergillus niger* cell-free supernatant against *Pseudomonas aeruginosa* biofilm”, Vol. 21 No. 2, pp. 89–95, doi: 10.13057/biotek/c210204.
- Cambronel, M., Nilly, F., Mesguida, O., Boukerb, A.M., Racine, P.J., Baccouri, O., Borrel, V., *et al.* (2020), “Influence of Catecholamines (Epinephrine/Norepinephrine) on Biofilm Formation and Adhesion in Pathogenic and Probiotic Strains of *Enterococcus faecalis*”, *Frontiers in Microbiology*, Vol. 11 No. July, pp. 1–13, doi: 10.3389/fmicb.2020.01501.
- Castro, J., Machado, D. and Cerca, N. (2016), “*Escherichia coli* and *Enterococcus faecalis* are able to incorporate and enhance a pre-formed *Gardnerella vaginalis* biofilm”, *Pathogens and Disease*, Vol. 74 No. 3, pp. 1–4, doi: 10.1093/femspd/ftw007.
- Chelvan, Y., Chelvan, T., Pushpam, A.C., Karthik, R., Ramalingam, K. and Vanitha, M.C. (2016), “Extraction and purification of antimicrobial compounds from Marine Actinobacteria”, *Research Journal of Pharmacy and Technology*, Vol. 9 No. 4, pp. 381–385, doi: 10.5958/0974-360X.2016.00068.8.
- Cobo-Simón, M., Hart, R. and Ochman, H. (2023), “*Escherichia Coli*: What Is and Which Are”, *Molecular Biology and Evolution*, Vol. 40 No. 1, pp. 1–11, doi: 10.1093/molbev/msac273.
- Czajkowski, K., Broś-Konopielko, M. and Teliga-Czajkowska, J. (2021), “Urinary tract infection in women”, *Przegląd Menopauzalny*, Vol. 20 No. 1, pp. 40–47, doi: 10.5114/pm.2021.105382.
- Damayanti, S.P., Mariani, R. and Nuari, D.A. (2022), “Literature Study : Antibacterial Activity of Binahong Leaves (*Anredera cordifolia*) against *Staphylococcus aureus*”, Vol. 9 No. 1, pp. 42–47.
- Devi, S., Sharma, M. and Manhas, R.K. (2023), “Purification and biological analysis of antimicrobial compound produced by an endophytic *Streptomyces* sp.”, *Scientific Reports*, Vol. 13 No. 1, pp. 1–14, doi: 10.1038/s41598-023-41296-x.
- Dowdell, K.S., Potgieter, S.C., Olsen, K., Lee, S., Vedrin, M., Caverly, L.J. and Lipuma, J.J. (2024), “Mycobacteria in a Full-Scale Chloraminated Drinking Water System”, *American Society for Microbiology*, Vol. 90, No. 9.
- El-Naggar, N.E.A. and El-Shweihy, N.M. (2020), “Erratum: Identification of cholesterol-assimilating actinomycetes strain and application of statistical modeling approaches for improvement of cholesterol oxidase production by

- Streptomyces anulatus* strain NEAE-94”, *BMC Microbiology*, Vol. 20 No. 1, pp. 1–18, doi: 10.1186/s12866-020-01791-x.
- Fahmy, N.M. (2020), “Isolation and characterization of *Streptomyces* sp . NMF76 with potential antimicrobial activity from mangrove sediment, red sea, Egypt.”, Vol. 24 No. 6, pp. 479–495.
- Gao, Y., Jiang, X., Lin, D., Chen, Y. and Tong, Z. (2016), “The Starvation Resistance and Biofilm Formation of *Enterococcus faecalis* in Coexistence with *Candida albicans*, *Streptococcus gordonii*, *Actinomyces viscosus*, or *Lactobacillus acidophilus*”, *Journal of Endodontics*, Vol. 42 No. 8, pp. 1233–1238, doi: 10.1016/j.joen.2016.05.002.
- Georges, M., Odoyo, E., Matano, D., Tiria, F., Kyany’a, C., Mbwika, D., Mutai, W.C., *et al.* (2022), “Determination of *Enterococcus faecalis* and *Enterococcus faecium* Antimicrobial Resistance and Virulence Factors and Their Association with Clinical and Demographic Factors in Kenya”, *Journal of Pathogens*, Vol. 2022, pp. 1–9, doi: 10.1155/2022/3129439.
- Ghalavand, Z., Alebouyeh, M., Ghanati, K., Azimi, L. and Rashidan, M. (2020), “Genetic relatedness of the *Enterococcus faecalis* isolates in stool and urine samples of patients with community - acquired urinary tract infection”, *Gut Pathogens*, pp. 1–11, doi: 10.1186/s13099-020-00380-7.
- Gomes, T.A.T., Elias, W.P., Scaletsky, I.C.A., Guth, B.E.C., Rodrigues, J.F., Piazza, R.M.F., Ferreira, L.C.S., *et al.* (2016), “Diarrheagenic *Escherichia coli*”, *Brazilian Journal of Microbiology*, Vol. 47, pp. 3–30, doi: 10.1016/j.bjm.2016.10.015.
- Govindarajan, D.K., Kothandan, R. and Seviour, T.W. (2022), “*Enterococcus faecalis* thrives in dual-species biofilm models under iron-rich conditions Introduction”, pp. 1–17.
- Hashem, Y.A., Abdelrahman, K.A. and Aziz, R.K. (2021), “Phenotype–genotype correlations and distribution of key virulence factors in *enterococcus faecalis* isolated from patients with urinary tract infections”, *Infection and Drug Resistance*, Vol. 14, pp. 1713–1723, doi: 10.2147/IDR.S305167.
- He, Y., Zhao, J., Wang, L., Han, C., Yan, R., Zhu, P., Qian, T., *et al.* (2025), “Epidemiological trends and predictions of urinary tract infections in the global burden of disease study 2021”, *Scientific Reports*, Vol. 15 No. 1, pp. 1–12, doi: 10.1038/s41598-025-89240-5.
- Homenta, H.. (2016), “Infeksi Biofilm Bakterial”, *Jurnal E-Biomedik*, Vol. 4 No. 1, pp. 1–11, doi: 10.35790/ebm.4.1.2016.11736.
- Ibrahimi, M., Korichi, W., Hafidi, M., Lemee, L., Ouhdouch, Y. and Loqman, S. (2020), “Marine actinobacteria: Screening for predation leads to the discovery of potential new drugs against multidrug-resistant bacteria”, *Antibiotics*, Vol. 9 No. 2, pp. 1–14, doi: 10.3390/antibiotics9020091.
- Jayalekshmi, S.K., Krishna, A.R., Mary, T., Antony, P. and Ramasamy, S. (2022), “Isolation of *Shewanella putrefaciens* GRD 03 from Fish and Explication of

Biofilm Adherence Potency on Different Substrates”, Vol. 16 No. March, pp. 157–166, doi: 10.22207/JPAM.16.1.04.

- Khalil, M.A., Alorabi, J.A., Al-Otaibi, L.M., Ali, S.S. and Elsilik, S.E. (2023), “Antibiotic Resistance and Biofilm Formation in *Enterococcus* spp. Isolated from Urinary Tract Infections”, *Pathogens*, Vol. 12 No. 1, pp. 1–14, doi: 10.3390/pathogens12010034.
- Khelissa, S.O., Abdallah, M., Jama, C., Faille, C. and Chihib, N.E. (2017), “Bacterial contamination and biofilm formation on abiotic surfaces and strategies to overcome their persistence”, *Journal of Materials and Environmental Science*, Vol. 8 No. 9, pp. 3326–3346.
- Krawczyk, B., Wityk, P. and Laskowska, A. (2025), “Iron uptake by *Escherichia coli* in urinary tract infections and urosepsis”, pp. 1–28, doi: 10.1371/journal.pone.0326251.
- Li, J., Lin, Z., Liang, B., Zhan, W., Han, X., Guan, R. and Jian, X. (2023), “Identification of *Enterocytozoon bieneusi* in an HIV-negative bronchiectasis patient with respiratory infection based on metagenomic next-generation sequencing: A case report”, *Indian Journal of Medical Microbiology*, Vol. 42, pp. 97–99, doi: 10.1016/j.ijmmb.2022.07.017.
- Liu, F., Jin, P., Gong, H., Sun, Z., Du, L. and Wang, D. (2020), “Antibacterial and antibiofilm activities of thyme oil against foodborne multiple antibiotics-resistant *Enterococcus faecalis* Bacterial Strain and Culture Condition”, *Poultry Science*, Vol. 99 No. 10, pp. 5127–5136, doi: 10.1016/j.psj.2020.06.067.
- Mahshouri, P., Alikhani, M.Y., Momtaz, H.E., Doosti-Irani, A. and Shokoohizadeh, L. (2025), “Analysis of phylogroups, biofilm formation, virulence factors, antibiotic resistance and molecular typing of uropathogenic *Escherichia coli* strains isolated from patients with recurrent and non-recurrent urinary tract infections”, *BMC Infectious Diseases*, Vol. 25 No. 1, doi: 10.1186/s12879-025-10635-w.
- Martín-Rodríguez, A.J., Rhen, M., Melican, K. and Richter-Dahlfors, A. (2020), “Nitrate Metabolism Modulates Biosynthesis of Biofilm Components in Uropathogenic *Escherichia coli* and Acts as a Fitness Factor During Experimental Urinary Tract Infection”, *Frontiers in Microbiology*, Vol. 11 No. January, doi: 10.3389/fmicb.2020.00026.
- Medeiros, M.A.A., Alves, M.S., Santos, B., Silva, E.V.A., Bezerra, M.M.S.L., Silva, P.O.A. and Filho, A.A.O. (2023), “Evaluation of the antibacterial activity of trans-anethole against *Enterococcus cloacae* and *Enterococcus faecalis* strains of food origin”, Vol. 83, pp. 1–8.
- Miller, T. and Waturangi, D.E. (2022), “Antibiofilm properties of bioactive compounds from Actinomycetes against foodborne and fish pathogens”, *Scientific Reports*, pp. 1–14, doi: 10.1038/s41598-022-23455-8.
- Mittal, S., Sharma, M. and Chaudhary, U. (2015), “Biofilm and multidrug

- resistance in uropathogenic *Escherichia coli*”, *Pathogens and Global Health*, Vol. 109 No. 1, pp. 26–29, doi: 10.1179/2047773215Y.0000000001.
- Mohamed, H. and Elorfaly, A. (2024), “The Relation between Genital Hygiene Behaviors in Women and Urinary Tract Infection in Any Period of Life”, *The Egyptian Journal of Hospital Medicine*, Vol. 97 No. 1, pp. 3811–3819, doi: 10.21608/ejhm.2024.390051.
- Morgaan, H.A., Omar, H.M.G., Zakaria, A.S. and Mohamed, N.M. (2023), “Repurposing carvacrol, cinnamaldehyde, and eugenol as potential anti-quorum sensing agents against uropathogenic *Escherichia coli* isolates in Alexandria, Egypt”, *BMC Microbiology*, Vol. 23 No. 1, pp. 1–14, doi: 10.1186/s12866-023-03055-w.
- Muhamad Rivanha, S.U. (2024), “Peran *quorum sensing* terhadap interaksi komunitas bakteri pada plak gigi”, Vol. 1 No. 2.
- Mulya, E. and Waturangi, D.E. (2021), “Screening and quantification of anti-*quorum sensing* and antibiofilm activity of Actinomycetes isolates against food spoilage biofilm-forming bacteria”, *BMC Microbiology*, Vol. 21 No. 1, pp. 1–8, doi: 10.1186/s12866-020-02060-7.
- Musdalipah, M. (2018), “Identifikasi Drug Related Problem (Drp) Pada Pasien Infeksi Saluran Kemih Di Rumah Sakit Bhayangkara Kendari”, *Jurnal Kesehatan*, Vol. 11 No. 1, pp. 39–50, doi: 10.24252/kesehatan.v11i1.4908.
- Narayanan, A., Nair, M.S., Muiyarrickandy, M.S. and Amalaradjou, M.A. (2018), “Inhibition and inactivation of uropathogenic *escherichia coli* Biofilms on urinary catheters by Sodium Selenite”, *International Journal of Molecular Sciences*, Vol. 19 No. 6, doi: 10.3390/ijms19061703.
- Navarro, S., Sherman, E., Colmer-Hamood, J.A., Nelius, T., Myntti, M. and Hamood, A.N. (2022), “Urinary Catheters Coated with a Novel Biofilm Preventative Agent Inhibit Biofilm Development by Diverse Bacterial Uropathogens”, *Antibiotics*, Vol. 11 No. 11, pp. 1–19, doi: 10.3390/antibiotics11111514.
- Naziri, Z., Kilegolani, J.A., Moezzi, M.S. and Derakhshandeh, A. (2021), “Biofilm formation by uropathogenic *Escherichia coli*: a complicating factor for treatment and recurrence of urinary tract infections”, *Journal of Hospital Infection*, Vol. 117, pp. 9–16, doi: 10.1016/j.jhin.2021.08.017.
- Neupane, S., Pant, N.D., Khatiwada, S., Chaudhary, R. and Banjara, M.R. (2016), “Correlation between biofilm formation and resistance toward different commonly used antibiotics along with extended spectrum beta lactamase production in uropathogenic *Escherichia coli* isolated from the patients suspected of urinary tract infections visit”, *Antimicrobial Resistance and Infection Control*, Vol. 5 No. 1, pp. 1–5, doi: 10.1186/s13756-016-0104-9.
- Ode, L., Fajar, A. and Suryanti, E. (2024), “Antibacterial and antibiofilm activities from soil *Streptomyces* spp . isolated from Muna Island , Indonesia against multidrug-resistant clinical isolates .”, *Research Square*, pp. 1–26, doi:

<https://doi.org/10.21203/rs.3.rs-3811919/v1>.

- Pandey, P. and Vavilala, S.L. (2025), “Deciphering the mechanisms of antibacterial and antibiofilm potential of phenolic compounds against *Serratia marcescens*”, Vol. 12, No. 1, pp. 147, doi: 10.1186/s40643-025-00988-0.
- Parvekar, P., Palaskar, J., Metgud, S., Maria, R. and Dutta, S. (2020), “The minimum inhibitory concentration (MIC) and minimum bactericidal concentration (MBC) of silver nanoparticles against *Staphylococcus aureus*”, *Biomaterial Investigations in Dentistry*, Vol. 7 No. 1, pp. 105–109, doi: 10.1080/26415275.2020.1796674.
- Purbowati, R. (2016), “Hubungan Biofilm Dengan Infeksi: Implikasi Pada Kesehatan Masyarakat dan Strategi Mengontrolnya”, *Jurnal Ilmiah Kedokteran*, Vol. 5, pp. 1–14.
- Purbowati, R., Pratiwi, V.M., Masfufatun, M., Tania, P.O.A. and Khumaeni, A. (2023), “Antibacterial and antibiofilm effects of gold and silver nanoparticles against the uropathogenic *Escherichia coli* by scanning electron microscopy (SEM) analysis”, *Healthcare in Low-Resource Settings*, Vol. 11 No. 2, doi: 10.4081/hls.2023.11748.
- Raissa, G., Waturangi, D.E. and Wahjuningrum, D. (2020), “Screening of antibiofilm and anti-*quorum sensing* activity of Actinomycetes isolates extracts against aquaculture pathogenic bacteria”, *BMC Microbiology*, pp. 1–10.
- Rakhmawatie, M.D., Wibawa, T., Lisdiyanti, P., Pratiwi, W.R., Damayanti, E. and Mustofa. (2021), “Potential secondary metabolite from Indonesian Actinobacteria (InaCC A758) against *Mycobacterium tuberculosis*”, *Iranian Journal of Basic Medical Sciences*, Vol. 24 No. 8, pp. 1058–1068, doi: 10.22038/ijbms.2021.56468.12601.
- Ranjan, R. and Jadeja, V. (2017), “Isolation, characterization and chromatography based purification of antibacterial compound isolated from rare endophytic actinomycetes *Micrococcus yunnanensis*”, *Journal of Pharmaceutical Analysis*, Vol. 7 No. 5, pp. 343–347, doi: 10.1016/j.jpha.2017.05.001.
- Rasool, K., Mahmoud, K.A., Johnson, D.J., Helal, M., Berdiyrov, G.R. and Gogotsi, Y. (2017), “Efficient Antibacterial Membrane based on Two-Dimensional Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> (MXene) Nanosheets”, *Scientific Reports*, Vol. 7 No. 1, pp. 1–11, doi: 10.1038/s41598-017-01714-3.
- Ratnakomala, S., Apriliana, P., Fahrurrozi, Lisdiyanti, P. and Kusharyoto, W. (2016), “Antibacterial activity of marine actinomycetes from Enggano Island”, *Jurnal Ilmu-Ilmu Hayati*, Vol. 15 No. 3, pp. 275–283.
- Rinawati, W. and Aulia, D. (2022), “Update Pemeriksaan Laboratorium Infeksi Saluran Kemih”, *Jurnal Penyakit Dalam Indonesia*, Vol. 9 No. 2, p. 124, doi: 10.7454/jpdi.v9i2.319.
- Růžicková, M., Vítězová, M. and Kushkevych, I. (2020), “The characterization of Enterococcus genus: Resistance mechanisms and inflammatory bowel disease”, *Open Medicine (Poland)*, Vol. 15 No. 1, pp. 211–224, doi:

10.1515/med-2020-0032.

- Saadouli, I., El Euch, I.Z., Trabelsi, E., Mosbah, A., Redissi, A., Ferjani, R., Fhoula, I., *et al.* (2020), “Isolation, characterization and chemical synthesis of large spectrum antimicrobial cyclic dipeptide (L-leu-l-pro) from streptomyces misionensisv16r3y1 bacteria extracts. a novel<sup>1</sup>H NMR metabolomic approach”, *Antibiotics*, Vol. 9 No. 5, pp. 1–13, doi: 10.3390/antibiotics9050270.
- Setiawati, S., Nuryastuti, T., Sholikhah, E.N., Lisdiyanti, P., Pratiwi, S.U.T., Sulistiyani, T.R., Ratnakomala, S., *et al.* (2021), “The potency of actinomycetes extracts isolated from pramuka island, jakarta, indonesia as antimicrobial agents”, *Biodiversitas*, Vol. 22 No. 3, pp. 1104–1111, doi: 10.13057/biodiv/d220304.
- Setiawati, S., Sholikhah, E.N., Nuryastuti, T., Jumina, J., Lisdiyanti, P. and Mustofa, M. (2024), “The potency of *Actinomycetes* InaCC A758 against dual-species biofilms: *Candida albicans* and *Staphylococcus aureus*”, *Journal of Applied Pharmaceutical Science*, Vol. 14 No. 8, pp. 188–196, doi: 10.7324/JAPS.2024.144035.
- Shah, C., Baral, R., Bartaula, B. and Shrestha, L.B. (2019), “Virulence factors of uropathogenic *Escherichia coli* (UPEC) and correlation with antimicrobial resistance”, *BMC Microbiology*, Vol. 19 No. 1, pp. 1–6, doi: 10.1186/s12866-019-1587-3.
- Shridhar, S. and Dhanashree, B. (2019), “Antibiotic Susceptibility Pattern and Biofilm Formation in Clinical Isolates of *Enterococcus* spp.”, *Interdisciplinary Perspectives on Infectious Diseases*, Vol. 2019 No. June 2017, doi: 10.1155/2019/7854968.
- Singh, A.K., Prakash, P., Achra, A., Singh, G.P., Das, A. and Singh, R.K. (2017), “Standardization and Classification of In vitro Biofilm Formation by Clinical Isolates of *Staphylococcus aureus*”, pp. 93–101, doi: 10.4103/jgid.jgid.
- Sung, K., Park, M., Kweon, O., Paredes, A., Savenka, A. and Khan, S.A. (2025), “Proteomic insights into dual-species biofilm formation of *E. coli* and *E. faecalis* on urinary catheters”, *Scientific Reports*, Vol. 15 No. 1, pp. 1–14, doi: 10.1038/s41598-024-81953-3.
- Sycz, Z. (2022), “Does Secondary Plant Metabolite Ursolic Acid Exhibit Antibacterial Activity against Uropathogenic *Escherichia coli* Living in Single- and Multispecies Biofilms”, *Pharmaceutics*, Vol. 14 No. 8, pp. 1691. doi: <https://doi.org/10.3390/pharmaceutics14081691>.
- Tfaily, M. and Borjac, J. (2025), “Antimicrobial and antioxidant potential of *Streptomyces* spp isolated from the rhizosphere of *Origanum majorana* in Lebanon”, *Phytomedicine Plus*, Vol. 5 No. 2, p. 100781, doi: 10.1016/j.phyplu.2025.100781.
- Thi, Q.V., Tran, V.H., Mai, H.D.T., Le, C.V., Hong, M.L.T., Murphy, B.T., Chau, V.M., *et al.* (2016), “Antimicrobial metabolites from a marine-derived

- actinomycete in Vietnam's East Sea", *Natural Product Communications*, Vol. 11 No. 1, pp. 49–51, doi: 10.1177/1934578x1601100116.
- Tien, B.Y.Q., Goh, H.M.S., Chong, K.K.L., Bhaduri-Tagore, S., Holec, S., Dress, R., Ginhoux, F., *et al.* (2017), "Enterococcus faecalis Promotes Innate Immune Suppression and Polymicrobial", *Infection and Immunity*, Vol. 85 No. 12, pp. 1–14.
- Tsani Ariandi, M.Z., Bahar, M., Yusmaini, H., Zulfa, F., Fauziah, C. and Pramesyanti, A. (2021), "Effectiveness of Metabolite Substance Filtrates of Actinomycetes isolates from Kebun Raya Bogor against the growth of Escherichia coli, Pseudomonas aeruginosa and Salmonella typhi: In Vitro study", *Jurnal Biologi Tropis*, Vol. 21 No. 1, pp. 281–287, doi: 10.29303/jbt.v21i1.2466.
- Tumbel, L.K., Wowor, P.M. and Siagian, K. V. (2017), "Uji daya hambat minyak kelapa murni (virgin coconut oil) terhadap pertumbuhan bakteri Enterococcus faecalis", *E-GIGI*, Vol. 5 No. 1, pp. 1–6, doi: 10.35790/eg.5.1.2017.15535.
- Wahyudi, D. and Soetarto, E.S. (2021), "Pembentukan Biofilm Pseudomonas aeruginosa pada Beberapa Media Cair Formation of Pseudomonas aeruginosa Biofilm on Some Liquid Media", Vol. 10 No. 2, pp. 35–40.
- Wijaya, A.F. (2024), "Total Plate Count, Most Probable Number Index, and Coliform Bacteria of Fresh Cow Milk in Jember Traditional Market", *Indonesian Journal of Medical Laboratory Technology (Ij-Calory)*, Vol. 1 No. 1, pp. 7–13.
- Wojnicz, D., Tichaczek-goska, D. and Gle, M. (2021), "Is it Worth Combining Solidago virgaurea Extract and Antibiotics against Uropathogenic Escherichia coli rods? An In Vitro Model Study", *Pharmaceutics*. Vol. 13 No 4, pp. 573, doi: 10.3390/pharmaceutics13040573.
- Wojnicz, D., Tichaczek-Goska, D. and Kicia, M. (2015), "Pentacyclic triterpenes combined with ciprofloxacin help to eradicate the biofilm formed in vitro by Escherichia coli", *Indian Journal of Medical Research, Supplement*, Vol. 141 No. 3, pp. 343–353, doi: 10.4103/0971-5916.156631.
- Zheng, J.X., Wu, Y., Lin, Z.W., Pu, Z.Y., Yao, W.M., Chen, Z., Li, D.Y., *et al.* (2017), "Characteristics of and virulence factors associated with biofilm formation in clinical Enterococcus faecalis isolates in China", *Frontiers in Microbiology*, Vol. 8 No. 11, pp. 1–9, doi: 10.3389/fmicb.2017.02338.